

PI Major Mutations:None

PI Accessory Mutations:None

PR Other Mutations:

P9A • V11A • T12P • I13A • K14\* • I15S • G16D • Q18R • L19R • K20R • E21R • A22N • L23N • L24Y • G27V • M36L • N37D • R41K • I64V • H69Y

Protease Inhibitors	
atazanavir/r (ATV/r)	Susceptible
darunavir/r (DRV/r)	Susceptible
fosamprenavir/r (FPV/r)	Susceptible
indinavir/r (IDV/r)	Susceptible
lopinavir/r (LPV/r)	Susceptible
nelfinavir (NFV)	Susceptible
saquinavir/r (SQV/r)	Susceptible
tipranavir/r (TPV/r)	Susceptible

PR comments

Other

- K20R is a highly polymorphic PI-selected accessory mutation that increases replication fitness in viruses with PI-resistance mutations.
- L24I is a non-polymorphic mutation selected by IDV and LPV. It contributes reduced susceptibility to ATV and LPV. L24F/M are uncommon non-polymorphic PI-selected mutations. L24F has a susceptibility profile similar to L24I. L24Y is a highly unusual mutation at this position.

No drug resistance mutations were found for PI.

NRTI Mutations:

D67N • K70R • M184V • K219Q

NNRTI Mutations:

G190A

RT Other Mutations:

E6K • V35T • T39M • V60I • K64R • K122E • I135T • S162F • I167X • D177G • Q182X • I195L • T200A • Q207E • R211S • F214L • P226S • P236A • D237\* • K238S • W239C • V245K • P247L • D250E • N255X • I257N • K259N • L260V • V261R • L264F • A267V • Q269R • I270F • Y271T • A272R • G273I • I274K • K275V • V276N • K277N • Q278Y • L279A • C280T • K281S

Nucleoside Reverse Transcriptase Inhibitors		Non-nucleoside Reverse Transcriptase Inhibitors	
abacavir (ABC)	Intermediate Resistance	doravirine (DOR)	Susceptible
zidovudine (AZT)	High-Level Resistance	efavirenz (EFV)	Intermediate Resistance
stavudine (D4T)	Intermediate Resistance	etravirine (ETR)	Potential Low-Level Resistance
didanosine (DDI)	Intermediate Resistance	nevirapine (NVP)	High-Level Resistance
emtricitabine (FTC)	High-Level Resistance	rilpivirine (RPV)	Low-Level Resistance
lamivudine (3TC)	High-Level Resistance		
tenofovir (TDF)	Low-Level Resistance		

RT comments

NRTI

- **D67N** is a non-polymorphic TAM associated with low-level resistance to AZT.
- **K70R** is a TAM that confers intermediate resistance to AZT and contributes to reduced ABC and TDF susceptibility in combination with other TAMs.
- **M184V/I** cause high-level in vitro resistance to 3TC and FTC and low/intermediate resistance to ABC (3-fold reduced susceptibility). **M184V/I** are not contraindications to continued treatment with 3TC or FTC because they increase susceptibility to AZT and TDF and are associated with clinically significant reductions in HIV-1 replication.
- **K219E/Q/N/R** are accessory TAMs that usually occur in combination with multiple other TAMs.

NNRTI

- **G190A** is a non-polymorphic mutation that causes high-level resistance to NVP and intermediate resistance to EFV. It does not significantly reduce susceptibility to RPV, ETR, or DOR.

Other

- P236L is a rare mutation selected commonly by DLV, which appears to have little if any effect on current NNRTIs. **P236A** is a highly unusual mutation at this position.
- K238T/N are uncommon non-polymorphic mutations selected in persons receiving NVP and EFV usually in combination with K103N. Alone, K238T/N appear to have minimal effects on NNRTI susceptibility. **K238S** is a highly unusual mutation at this position.
- This virus is predicted to have low-level reduced susceptibility to **RPV**. The use of the combination of CAB/**RPV** should be considered to be relatively contraindicated.

Mutation scoring: RT

HIVDB 9.5.1 (2023-11-05)

Drug resistance mutation scores of NRTI:

Download CSV



Rule	ABC ⚡	AZT ⚡	D4T ⚡	DDI ⚡	FTC ⚡	3TC ⚡	TDF ⚡
<u>D67N</u>	5	15	15	5	0	0	5
<u>D67N + K70R + M184V + K219Q</u>	10	0	0	0	0	0	0
<u>D67N + K70R + K219Q</u>	10	15	10	10	10	10	10
<u>K70R</u>	5	30	15	10	0	0	5
<u>M184V</u>	15	-10	-10	10	60	60	-10
<u>K219Q</u>	5	10	10	5	0	0	5
Total	50	60	40	40	70	70	15

Drug resistance mutation scores of NNRTI:

Download CSV



Rule	DOR ⚡	EFV ⚡	ETR ⚡	NVP ⚡	RPV ⚡
<u>G190A</u>	0	45	10	60	15