

Drug resistance interpretation: PR

PI Major Mutations:

PI Accessory Mutations:

PR Other Mutations:

None

None

L10K • V11S • T12P • I13G • K14P • I15G • L19I • K20I • E21R • A22S • L24S • M36I • R41K • K43R • H69K • K70Q • V82I • L89M

Protease Inhibitors

atazanavir/r (ATV/r)

Susceptible

darunavir/r (DRV/r)

Susceptible

fosamprenavir/r (FPV/r)

Susceptible

indinavir/r (IDV/r)

Susceptible

lopinavir/r (LPV/r)

Susceptible

nelfinavir (NFV)

Susceptible

saquinavir/r (SQV/r)

Susceptible

tipranavir/r (TPV/r)

Susceptible

PR comments

Other

- K20I is the consensus amino acid in subtype G and CRF02_AG. In subtypes B and C, K20I is a PI-selected mutation of uncertain effects on currently used PIs.
- L24I is a non-polymorphic mutation selected by IDV and LPV. It contributes reduced susceptibility to ATV and LPV. L24F/M are uncommon non-polymorphic PI-selected mutations. L24F has a susceptibility profile similar to L24I. L24S is a highly unusual mutation at this position.
- V82I is a highly polymorphic mutation that is not selected by PIs. It is the consensus amino acid in subtype G viruses.

Mutation scoring: PR

HNDB 9.5.1 (2023-11-05)

No drug resistance mutations were found for PI.

Drug resistance interpretation: RT

NRTI Mutations:

NNRTI Mutations:

RT Other Mutations:

None

G190A

P4T • E6D • K20R • V35T • V60I • K122E • D123S • K173T • Q174K • I180K • Q207A • R211N • K219X • P225X • H235M • D237* • K238Q • P243L • V245L • P247L • D250K • S251T • W252G • A253 • V254L • N255S • D256* • I257Y • Q258T • K259E • W266* • A267V • A272P • I274M • K275R • V276* • K277T • Q278L • L279V

Nucleoside Reverse Transcriptase Inhibitors

abacavir (ABC)

Susceptible

zidovudine (AZT)

Susceptible

stavudine (D4T)

Susceptible

didanosine (DDI)

Susceptible

emtricitabine (FTC)

Susceptible

lamivudine (3TC)

Susceptible

tenofovir (TDF)

Susceptible

Non-nucleoside Reverse Transcriptase Inhibitors

doravirine (DOR)

Susceptible

efavirenz (EFV)

Intermediate Resistance

etravirine (ETR)

Potential Low-Level Resistance

nevirapine (NVP)

High-Level Resistance

rilpivirine (RPV)

Low-Level Resistance

RT comments

NNRTI

- G190A is a non-polymorphic mutation that causes high-level resistance to NVP and intermediate resistance to EFV. It does not significantly reduce susceptibility to RPV, ETR, or DOR.

Other

- K238T/N are uncommon non-polymorphic mutations selected in persons receiving NVP and EFV usually in combination with K103N. Alone, K238T/N appear to have minimal effects on NNRTI susceptibility. K238Q is a highly unusual mutation at this position.
- This virus is predicted to have low-level reduced susceptibility to RPV. The use of the combination of CAB/RPV should be considered to be relatively contraindicated.

Mutation scoring: RT

HNDB 9.5.1 (2023-11-05)

No drug resistance mutations were found for NRTI.

Drug resistance mutation scores of NNRTI:

Download CSV					
Rule	DOR ⚖	EFV ⚖	ETR ⚖	NVP ⚖	RPV ⚖
G190A	0	45	10	60	15