PatientID: HIVDR-1770-23

Sebuttemba 27, 2023

## Color Code

HR: High-Level Resistance

LR: Low-Level Resistance

IR: Intermediate Resistance

S: Susceptible

DRUG.CLASS	DRUG	RESISTANCE.PROFILE	DRMS.above.20.percent.prevalence
PI	ATV	S	
	DRV	$\mathbf{S}$	
	FPV	$\mathbf{S}$	
	IDV	$\mathbf{S}$	
	LPV	$\mathbf{S}$	
	NFV	S	
	SQV	$\mathbf{S}$	
	TPV	$\mathbf{S}$	
NRTI	ABC	$_{ m PLR}$	
	AZT	IR	
	D4T	IR	
	DDI	LR	D67S;K219E;T215C
	FTC	${f S}$	
	LMV	$\mathbf{S}$	
	TDF	PLR	
NNRTI	DOR	$_{ m LR}$	
	EFV	$_{ m HR}$	
	ETR	$_{ m HR}$	Y181V;K103N
	NVP	$_{ m HR}$	
	RPV	$_{ m HR}$	
INSTI	BIC	$\mathbf{S}$	
	CAB	$\mathbf{S}$	
	DTG	$\mathbf{S}$	
	EVG	$\mathbf{S}$	
	RAL	${f S}$	

## Appendix

## Drug abbreviations in full

DRUG.CLASS	ABBREVIATION	DRUG.NAME
	ATV	Atazanavir
	DRV	Darunavir
	FPV	Fosamprenavir
PI	IDV	Indinavir
11	LPV	Lopinavir
	NFV	Nelfinavir
	SQV	Saquinavir
	TPV	Tipranavir
	ABC	Abacavir
	AZT	Azidothymidine
	DFT	Stavudine
NRTI	DDI	Didanosine
	FTC	Emtricitabine
	LMV	Lamivudine
	TDF	Tenofovir
	DOR	Doravirine
	EFV	Efavirenz
NNRTI	ETR	Etravirine
	NVP	Nevirapine
	RPV	Rilpivirine
	BIC	Bictegravir
	CAB	Cabotegravir
INSTI	DTG	Dolutegravir
	EVG	Elvitegravir
	RAL	Raltegravir

## Comments

DRUG.CLASS	COMMENTS		
PI			
NRTI	D67N is a non-polymorphic TAM associated with low-level resistance to AZT.		
	D67G/E/S/T/H are non-polymorphic NRTI-selected mutations that generally occur in		
	viruses with multiple TAMs.		
	K219E/Q/N/R are accessory TAMS that usually occur in combination with multiple other		
	TAMs.		
	T215Y/F are TAMs that causes intermediate/high-level resistance to AZT and potentially		
	low-level resistance to ABC and TDF. T215S/C/D/E/I/V/N/A/L do not reduce NRTI		
	susceptibility but arise from viruses that once contained T215Y/F. The presence of one of		
	these revertant mutations suggests that the patient may have once been infected with a		
	virus containing T215Y/F.		
NNRTI	K103N is a non-polymorphic mutation that confers high-level reductions in NVP and EFV		
	susceptibility. It is the most commonly transmitted DRM.		
	Y181I/V are 2-base pair non-polymorphic mutations selected by NVP and ETR. They		
	cause high-level resistance to NVP, ETR, and RPV but not EFV. Their effects on DOR		
	have not been well-characterized.		
INSTI			