

INSTI Major Mutations: [N155H](#)

INSTI Accessory Mutations: [D232N](#)

IN Other Mutations: D6E • E10D • A23S • V31I • L101I • T124A • V151I • K156N • V201I • M275V

Integrase Strand Transfer Inhibitors	
bictegravir (BIC)	Potential Low-Level Resistance
cabotegravir (CAB)	Low-Level Resistance
dolutegravir (DTG)	Potential Low-Level Resistance
elvitegravir (EVG)	High-Level Resistance
raltegravir (RAL)	High-Level Resistance

IN comments

Major

- N155H** is a common nonpolymorphic INSTI-resistance mutations. It has been reported in a high proportion of persons developing VF and HIVDR while receiving RAL, EVG, DTG, and CAB. Alone, it reduces RAL and EVG susceptibility about 10 and 30-fold, respectively. It has minimal effect on susceptibility to DTG, BIC, and CAB.

Accessory

- D232N** is a common nonpolymorphic accessory mutation selected in persons receiving RAL and EVG. Alone, it has little effect on INSTI susceptibility.

Other

- V151I** is an accessory INSTI selected mutation that occurs in 1% to 3% of viruses from ART-naïve persons depending on subtype. Alone, it appears to have little or no effect on INSTI susceptibility.
- This virus is predicted to have low-level reduced susceptibility to **CAB**. The use of the combination of **CAB**/RPV should be considered to be relatively contraindicated.

Drug resistance mutation scores of INSTI:

Download CSV

Rule	BIC ÷	CAB ÷	DTG ÷	EVG ÷	RAL ÷
N155H	10	25	10	60	60
D232N	0	0	0	10	10
Total	10	25	10	70	70