PatientID: HDR118

Okitobba 06, 2023

Color Code

HR: High-Level Resistance

LR: Low-Level Resistance

IR: Intermediate Resistance

S: Susceptible

DRUG.CLASS	DRUG	RESISTANCE.PROFILE	DRMS.above.20.percent.prevalence
PI	ATV	S	;K43T
	DRV	\mathbf{S}	
	FPV	\mathbf{S}	
	IDV	\mathbf{S}	
	LPV	\mathbf{S}	
	NFV	$_{ m PLR}$	
	SQV	\mathbf{S}	
	TPV	PLR	
NRTI	ABC	IR	Y115F
	AZT	\mathbf{S}	
	D4T	\mathbf{S}	
	DDI	\mathbf{S}	
	FTC	${f S}$	
	LMV	\mathbf{S}	
	TDF	LR	
NNRTI	DOR	${f S}$	
	EFV	$_{ m PLR}$	
	ETR	PLR	E138Q
	NVP	PLR	
	RPV	LR	
INSTI	BIC	${f S}$	
	CAB	\mathbf{S}	
	DTG	\mathbf{S}	
	EVG	\mathbf{S}	
	RAL	${f S}$	

Appendix

Drug abbreviations in full

DRUG.CLASS	ABBREVIATION	DRUG.NAME
	ATV	Atazanavir
	DRV	Darunavir
	FPV	Fosamprenavir
PI	IDV	Indinavir
11	LPV	Lopinavir
	NFV	Nelfinavir
	SQV	Saquinavir
	TPV	Tipranavir
	ABC	Abacavir
	AZT	Azidothymidine
	DFT	Stavudine
NRTI	DDI	Didanosine
	FTC	Emtricitabine
	LMV	Lamivudine
	TDF	Tenofovir
	DOR	Doravirine
	EFV	Efavirenz
NNRTI	ETR	Etravirine
	NVP	Nevirapine
	RPV	Rilpivirine
	BIC	Bictegravir
	CAB	Cabotegravir
INSTI	DTG	Dolutegravir
	EVG	Elvitegravir
	RAL	Raltegravir

Comments

DRUG.CLASS	COMMENTS
PI	K43T is a nonpolymorphic accessory mutation selected by ATV and LPV. Its phenotypic effect on currently used PIs is uncertain.
NRTI	Y115F causes intermediate resistance to ABC and low-level resistance to TDF.
NNRTI	E138Q/G are non-polymorphic accessory mutations selected by ETR occasionally NVP and EFV. They cause low-level reductions in susceptibility to NVP, RPV, and ETR.
INSTI	