MicroRally

MR Adapter-5

Revision 1

Inline OR-ing diode adapter

Title: Cover sheet	MicroRally
Project: MR Adapter-5	Revision: 1
Size: A4	Page 1 of 4
Author: Andis Jargans	Date: 20.07.2021
File name: Title.SchDoc	

2.0mm pitch connecotrs can be soldered.



Solder R1 to have two low side switches that control one relay.

Solder R2 to low side control two relays from two different power domains, with single switch.

Title: Connections	MicroRally
Project: MR Adapter-5	Revision: 1
Size: A4	Page 2 of 4
Author: Andis Jargans	Date: 20.07.2021
File name: Connections.SchDoc	

H1
A4 Drawing
PCB DRAWING A4

H2
2 Layer Stackup
STACKUP 2 LAYER

H3
Gerber Notes
GERBER NOTES

H4
Code MR
Signature Code

H5
WEEE
WEEE Trash

FI1

Fiducial 1:2mm

FI2

Fiducial 1:2mm

Title: Miscellaneous	MicroRally
Project: MR Adapter-5	Revision: 1
Size: A4	Page 3 of 4
Author: Andis Jargans	Date: 20.07.2021
File name: Miscellaneous.SchDoc	

Revision history

Revison	Date	Fixed issue	Changes
r1	2021-07-20		Initial design.

Title: Revision history	MicroRally
Project: MR Adapter-5	Revision: 1
Size: A4	Page 4 of 4
Author: Andis Jargans	Date: 20.07.2021
File name: History.SchDoc	