CONTACT (tblcontact)

- Do not add the contact right away. I noticed that when I give my name, it automatically saves it to the database straight away which causes a duplicate record because it will add another contact again once the email and phone number is given.



BOOKING (tblbookings)

- Format the time so RP can read it properly.
  - For example: Put 0930 instead of 930



- Use 'SetDate' field instead 'SDate' for the setup date
- Update 'EntryDate' when a new booking is created so we know when was the quote generated

EQUIPMENT (tblItemtran)

- Find the package components on vwProdsComponents Table view and insert them on the tblitemtran table. Make sure the parent item is also included. This way, the system can fetch the update components. Just filter it using the parent_code and variable_part = 0
- For example for the PCLPRO code

```
FROM [AITESTDB].[dbo].[vwProdsComponents]
where parent_code = 'PCLPRO' and variable_part = 0
```

Results | Messages

ID	parent_code	product_code	qty_v5	sub_seq_no	variable_part	ContactID	Select
5263	PCLPRO	DELL3580	1	1	0	-1	Y
20	PCLPRO	PCL-PRO	1	2	0	-1	Y
3424	PCLPRO	DELLG15	1	3	0	-1	Y
21	PCLPRO	PC-MOUSE	1	4	0	-1	N
22	PCLPRO	SOFTCASE	1	5	0	-1	Y
23	PCLPRO	LAP-PWR	1	6	0	-1	N
3662	PCLPRO	HARDCASE	1	7	0	-1	Y
5294	PCLPRO	MBALPHAS	1	8	0	-1	Y

- Input sequence no (seq_no) and subsequence (sub_seq_no). This is important in displaying the items in order especially the package items.

	ID	booking_no_v32	heading_no	seq_no	sub_seq_no	trans_type_v41	product_code_v42	del_time_hour	del_time_min	return_time_hour	return_time_min	tr
73	1758906	C0000300003	0	8	0	0	VLDIST12	9	5	23	35	1
74	1758911	C0000300003	0	9	0	0	HPBAV2	9	5	23	35	1
75	1758912	C0000300003	0	9	1	0	VVSCR150	9	5	23	35	2
76	1758913	C0000300003	0	9	2	0	VVPRO6KL	9	5	23	35	2
77	1758914	C0000300003	0	9	3	0	VVPROLNS	9	5	23	35	2
78	1758915	C0000300003	0	9	4	0	VVPRJBKT	9	5	23	35	2
79	1758920	C0000300003	0	10	0	0	V800MK2	9	5	23	35	1
80	1758924	C0000300003	0	11	0	0	PCLPRO	9	5	23	35	1
81	1758925	C0000300003	0	11	1	0	PCL-PRO	9	5	23	35	1
82	1758926	C0000300003	0	11	2	0	PC-MOUSE	9	5	23	35	1
83	1758927	C0000300003	0	11	3	0	SOFTCASE	9	5	23	35	1
84	1758928	C0000300003	0	11	4	0	LAP-PWR	9	5	23	35	1
85	1758936	C0000300003	0	13	0	0	LCDHD40	9	5	23	35	1

- Package and Component should only have 1 seq_no. We must put a sub_seq_no on the components which we can pull from the vwProdscomponents table
  - This will ensure that the components are below the package name

	ID	booking_no_v32	heading_no	seq_no	sub_seq_no	trans_type_v41	product_code_v42	del_time_hour	del_time_min	return_time_hour	return_time_min	tr
73	1758906	C0000300003	0	8	0	0	VLDIST12	9	5	23	35	1
74	1758911	C0000300003	0	9	0	0	HPBAV2	9	5	23	35	1
75	1758912	C0000300003	0	9	1	0	VVSCR150	9	5	23	35	2
76	1758913	C0000300003	0	9	2	0	VVPRO6KL	9	5	23	35	2
77	1758914	C0000300003	0	9	3	0	VVPROLNS	9	5	23	35	2
78	1758915	C0000300003	0	9	4	0	VVPRJBKT	9	5	23	35	2
79	1758920	C0000300003	0	10	0	0	V800MK2	9	5	23	35	1
80	1758924	C0000300003	0	11	0	0	PCLPRO	9	5	23	35	1
81	1758925	C0000300003	0	11	1	0	PCL-PRO	9	5	23	35	1
82	1758926	C0000300003	0	11	2	0	PC-MOUSE	9	5	23	35	1
83	1758927	C0000300003	0	11	3	0	SOFTCASE	9	5	23	35	1
84	1758928	C0000300003	0	11	4	0	LAP-PWR	9	5	23	35	1
85	1758936	C0000300003	0	13	0	0	LCDHD40	9	5	23	35	1

- Set the itemtype of each item. This very important in the computation of the total amount. This is also the field that influence the collapsed/expand feature.
  - Set the itemtype base on the following criteria:
    - Package should have itemtype = 1
    - Components should have itemtype = 2
    - The rest should have itemtype = 0

- Components must have a parentcode

LABOR (tblCrew)

- techrateisHourorDay field should be = H not D
- Person field should have empty values
- Start time and End Time should be filled out

  Fields:

  Start time (This will be based on the collected time)

  del_time_hour

  del_time_min

  End Time (Just add 1 hour on the collected time for (setup,packdown,rehearsal), for operate/technician on site, it would be based on the event end time)

  return_time_hour

  return_time_min



- Hours for technician on site/operate task should be based on the duration of the event and not fixed 1 hour.



- Put S.T. values which is just equal to the hours + mins work

  Sample Data:

#	Designation	Task	tart dat	Time	End date	Time	Days	Hours	Mins	Unpaid Hou	Unpaid M	S.T.	O.T.	D.T.	Qty	Technicia
1	AVTECH - AV Technician	2 - Setup	17/10/2	0600	17/10/20	0730	1.00	1	30	0	0	1.50	0.00	0.00	1	
2	AVTECH - AV Technician	15 - Test & Connect	17/10/2	0730	17/10/20	0830	1.00	1	0	0	0	1.00	0.00	0.00	1	
3	AVTECH - AV Technician	4 - Pack Down	17/10/2	1700	17/10/20	1800	1.00	1	0	0	0	1.00	0.00	0.00	1	

- Get the Rate from tblInvmas_Labour_Rates (Field is Labour_rate) by querying the table with the parameters below:

  tblinvmasID = 2939 (This is the ID of AVTECH)

  Locn = 20 (This is Microhire westin code)

  IsDefault = 1

```sql
SELECT TOP (1000) [ID]
      ,[tblInvmasID]
      ,[rate_no]
      ,[Labour_rate]
      ,[Locn]
      ,[IsDefault]
      ,[DefaultRate]
  FROM [AITESTDB].[dbo].[tblInvmas_Labour_Rates]
  where tblInvmasID = 2939 and locn = 20
```

100 %

Results | Messages

	ID	tblInvmasID	rate_no	Labour_rate	Locn	IsDefault	DefaultRate
1	2741	2939	1	110	20	1	NULL
2	2742	2939	2	165	20	0	NULL
3	2743	2939	3	0	20	0	NULL
4	2744	2939	4	0	20	0	NULL
5	2745	2939	5	0	20	0	NULL
6	2746	2939	6	0	20	0	NULL
7	2747	2939	7	0	20	0	NULL
8	2748	2939	8	0	20	0	NULL
9	2749	2939	9	0	20	0	NULL
10	2750	2939	10	0	20	0	NULL
11	2751	2939	11	0	20	0	NULL
12	2752	2939	12	0	20	0	NULL
13	2753	2939	13	0	20	0	NULL
14	2754	2939	14	0	20	0	NULL
15	2755	2939	15	0	20	0	NULL

VENUE (tblbookings)

- The room should be filled out. Right now the system is not fetching the room name.
- The Region and Location are wrong. It should default to westin brisbane location

  Set it with the following information:

  From_locn = 20

  Return_to_locn = 20

  Trans_to_locn = 20