# Teams App Mobile debugging tool setup guide

Document version: 1.0.0

Document last updated: March 22 2023 11:55:44 IST

## Introduction

This guide will help you setup debug tool using which you will have access to following for your Teams mobile app

- 1. Interactive console
- 2. DOM Explorer
- 3. Network Monitor
- 4. Object Explorer
- 5. Device Information etc.

## **Required Components**

- 1. vorlonjs
- 2. ngrok (or any tunnel tool of your choise)
- 3. Teams Toolkit (VSCode)

## Setting up Vorlon

- 1. Install
- 2. Configure SSL
- 3. Run

#### Install

```
npm i −g vorlon
```

If installation fails due to permission issue use sudo

## Configure Vorlon for SSL

You need to modify the configuration file config.json of Vorlon that has just been installed on your machine and edit the config.json file to set the useSSLAzure property to true.

You can find where the global NPM packages are stored on your machine as:

```
# Mac and Windows
$ where vorlon
/Users/username/.nvm/versions/node/v18.13.0/bin/vorlon
```

In this case your config.json file will be located under /Users/username/.nvm/versions/node/v18.13.0/lib/node\_modules/vorlon/Serv er/config.json

Now edit the file and toggle the "useSSLAzure" : flase to true

#### Run

Ensure that your node version is set to 16.13.0

You can use NVM tp set node version to 16.13.0

```
$ node -v
v18.13.0 ★
$ nvm use 16.13
Now using node v16.13.0 (npm v8.1.0)
$ node -v
v16.13.0 ▼
```

```
$ vorlon
(node:64032) Warning: Accessing non-existent property 'lineno' of module
exports inside circular dependency
(Use `node --trace-warnings ...` to show where the warning was created)
(node:64032) Warning: Accessing non-existent property 'column' of module
exports inside circular dependency
(node:64032) Warning: Accessing non-existent property 'filename' of
module exports inside circular dependency
(node:64032) Warning: Accessing non-existent property 'lineno' of module
exports inside circular dependency
(node:64032) Warning: Accessing non-existent property 'column' of module
exports inside circular dependency
(node:64032) Warning: Accessing non-existent property 'filename' of
module exports inside circular dependency
(node:64032) Warning: Accessing non-existent property 'padLevels' of
module exports inside circular dependency
2023-0-24 22:4:20 - info: Vorlon.js PROXY listening at 0.0.0.0:5050
2023-0-24 22:4:20 - info: Vorlon.js SERVER listening at 0.0.0.0:1337
```

V


## Setting up ngrok

#### 1. Download

Download and install ngrok https://ngrok.com/download

#### 2. Create an acount

Sign up to create an account and to get your token. A free token should be enough.



Copy your token somewhere for future reference.

### 3. Configuring ngrok

We will need *ngrok* to create a tunnel from our localhost to a public URL. You will need to expose 2 endpoints:

- 1. Pointing to the your Teams app itself that will run on localhost:53000
- 2. Another one pointing to Vorlon. js running by default on localhost: 1337

#### ngrok.yml

PROFESSEUR: M.DA ROS

Now create a file named ngrok.yml in location of you choice and paste this inside:

```
version: "2"
region: <region without quotes>
authtoken: <auth token without quotes>

tunnels:
    addr: https://localhost:53000
    proto: http
    schemes:
    - https

vorlon:
```

```
addr: https://localhost:1337
proto: http
schemes:
- https
```

Replace with region which is closest to you to improve performance. You can pick region from this link

Replace with the token you've just copied before.

#### 4. Running ngrok

```
ngrok start --all --config=./ngrok.yml
ngrok
Add Single Sign-On to your ngrok dashboard via your Identity Provider:
https://ngrok.com/dashSSO
Session Status
                             online
Account
                             <ngrok account name> (Plan: Free)
Update
                             update available (version 3.1.1, Ctrl-U to
update)
Version
                             3.1.0
                             United States (us)
Region
                             217ms
Latency
Web Interface
                             http://127.0.0.1:4040
Forwarding
                             https://77c7-2405-201-d002-e0fe-58ce-a0d4-
9469-642b.ngrok.io -> https://localhost:53000
                             https://ccb2-2405-201-d002-e0fe-58ce-a0d4-
9469-642b.ngrok.io -> https://localhost:1337
                                            rt1
                             ttl opn
Connections
                                                     rt5
                                                             p50
p90
                             6
                                 0
                                             0.00
                                                     0.00
                                                             0.01
0.01
```


## Your Teams App configuration

(Example with VS Code with Team Tookit)

Configuring you app local hosting path in project

- 1. Open the templates/appPackage/manifest.template.json file
- 2. In the contentUrl and websiteUrl properties values, replace {{{state.fx-resource-frontend-hosting.endpoint}}} with the ngrok forwarding URL generated for the Teams app (port 53000)

3. Then, in the validDomains property, replace {{state.fx-resource-frontend-hosting.domain}} to the ngrok generated domain for it.



### Configuring Vorlon.js path in your Teams app

Open you index.html which for standard teams app project will be at tabs/public/index.html and insert below line as first script to be loaded

<script src="https://<your-ngrok-vorlon-url>/vorlon.js"></script>

Replace with your ngrok tunnel path to port 1337

You should have something like this:

```
HELLO-WORLD-TAB-WIT...
   deploy.png
                               <html lang="en":
   * favicon.ico
                                  <script src="https://7bed-2405-201-d002-e0fe-58ce-a0d4-9469-642b.ngrok.io/vorlon.js"></script>
  hello.png
                                   <meta charset="utf-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
Kel="icon" href="%PUBLIC_URL%/favicon.ico" />

    env.teamsfx.local

   gitignore.
                                   <title>Microsoft Teams Tab</title>
 {} package.ison
 stsconfig.json

√ templates

                                 > appPackage
                               </body>
 gitignore

♥ cli.md

{} package-lock.json
> OUTLINE
> NPM SCRIPTS
                                                                                                        Ln 15, Col 51 Spaces: 2 UTF-8 LF HTML & \(\Omega\)
```

## Example with Teams demo tab app

You're now ready to press F5!


This will configure the Teams App manifest, package the app, and deploy it to your M365 developer tenant

Your default browser should be opened automatically to ask you to install the Teams Toolkit generated application:




Click Add.

If everything went well, you should have this page displayed:



#### Vorlon Dashboard

And if you navigate to the Vorlon.js dashboard, you should see 1 client already connected: Open http://localhost:1337/ in your browser




## Click on the **Identify a client** button.

PROFESSEUR: M.DA ROS

It should display a big 0 number in your Teams web client.

Hover the body tag and it should change the background color of the Teams app in yellow:




### Running on iOS/Android device

- 1. Open Teams on your mobile (iPhone or Android).
- 2. Find your app in the ... more command bar at the bottom of your screen.

### **Exploring DOM**


Once opened, a new client should be detected by the Vorlon dashboard. You should now be able to hover the DOM and it should be reflected on the mobile side by changing the background color to yellow once again.




## Live editing HTML

PROFESSEUR: M.DA ROS

Find the <h1> for the "Congratulations!" text and change it to "Bravo!".




Press the save icon, the change should be reflected on the client.



### Executing command via interactive console

You can also execute some code remotely using the interactive console.

Enter: alert ("Hello from the Server!) and press enter.



And yes, you can also read the various errors, warnings or messages in the interactive console to help you troubleshoot your app running on your remote device.

Once fixed, the DOM Explorer is supposed also to help you fixing your CSS in a dynamic interactive way.