


SafeGuard
Search policies, reports, training, and more...
DN
Welcome, Dean Nath
Employee
Home
Ticket Form
Search
SAF0001106
DN
Dean Nath
2026-11-06 09:38:56
SAF0001106 Created
Start
Your request has been submitted
Number
SAF0001106
State
Open
Priority
4 - Low
Created
just now
Options
Name of Injured Person
Aileen Mottern
Date of Incident
2026-11-06 09:37:32
Location of Incident
Warehouse
Reported By
Dean Nath
Nature of Incident
Slip, Trip or Fall
Slip Incident Type
Fall from height
Severity of Incident
Serious
Activate Windows


Risk Assessments
Number
Search
Actions on selected rows...
New
All
Number
Name
Assessment Type
Requested Date
Location of Incident
Priority
Potenetial Severity
Likelihood
Risk Status
Assigned Assesor
Hazard/Concern
Assess
RIS0001002 Arron Ubhi Workplace 2026-08-23 15:13:40 Warehouse 2 Moderate Likely Assigned Alyssa Biasotti
RIS0001004 Benjamin Schkade Equipment 2026-08-12 10:57:56 Production 2 - High Critical Possible Assigned Ore Adetuyi Damage guard on cutting on cutting machine The gu can be
RIS0001005 Abel Tuter Workplace 2026-08-07 10:53:27 Loading Bay 2 Serious Likely Open (empty) The wet floor in the loading bay is caus... Inadeq non-sli
RIS0001006 Allan Schwantd Activity 2026-08-04 11:08:47 Store Office 2 - High Serious Almost Certain Assigned Ore Adetuyi Manual handling of heavy boxes in store Staff lif withou
RIS0001007 Bernard Laboy Process 2026-08-19 11:12:14 Production 1 - Critical Serious Possible Assigned Umar Shaibu Chemical fumes during the mixing process Local e is insuf
RIS0001008 Bernard Laboy Process 2026-08-19 11:12:14 Production 1 - Critical Serious Possible Assigned Umar Shaibu Chemical fumes during the mixing process Local e is insuf
RIS0001009 Carla Humble Activity 2026-06-17 11:22:15 Maintenance 1 - Critical Critical Possible Assigned Umar Shaibu Working at height on the roof access No fall place
RIS0001010 Berta Karczewski Equipment 2026-08-08 11:25:44 Store Office 2 - High Critical Unlikely Assigned Ore Adetuyi Faulty electrical socket in the workshop The so marks
RIS0001011 Andrew Jackson Workplace 2026-08-10 11:28:48 Other 3 - Moderate Moderate Likely Assigned Samantha Louis Uneven pavement in the staff car park Multipl identifi
Activate Windows




Near Miss Reports | Number | Search | Actions on selected rows... | New


All


Number	Reported By	Date of Near Miss	Near Miss Category	Location of Near Miss	Description	Potential Severity	Likelihood	Risk Rating	Resolution Date	Resolution Notes
Search	Search	Search	Search	Search	Search	Search	Search	Search	Search	Search
NMR0001006	Umar Shaibu	2026-07-13 11:10:50	Unsafe Condition	Other	Loose handrail on third floor	Serious	Possible	9	(empty)	
NMR0001007	Sam Sorokin	2026-07-05 11:14:52	Unsafe Condition	Loading Bay	Uneven floor surface near loading bay	Moderate	Likely		(empty)	
NMR0001008	Samantha Louis	2026-07-05 11:17:48	Unsafe Act	Warehouse	Extension cable left across walkway	Moderate	Likely		(empty)	
NMR0001009	Abraham Lincoln	2026-08-02 11:19:51	Equipment Issue	Loading Bay	Faulty toaster producing smoke	Moderate	Possible		(empty)	
NMR0001010	Umar Shaibu	2026-08-03 11:22:55	Unsafe Condition	Warehouse	Broken concrete slab creating a trip hazard	Serious	Possible		(empty)	
NMR0001011	Allie Pumphrey	2026-07-28 11:28:00	Unsafe Condition	Warehouse	Exposed harp edge on machine guard	Serious	Possible		(empty)	
NMR0001012	Andrew Och	2026-08-02 11:30:23	Unsafe Condition	Warehouse	Missing cover on electrical distribution...	Critical	Unlikely		(empty)	
NMR0001013	Allie Pumphrey	2026-07-07 11:32:38	Unsafe Act	Office	Overloaded shelf at risk of collapse	Serious	Possible		(empty)	
					Chemical bottle					


Activate Windows





Activate Windows
Go to Settings to activate Windows.


Safety Reports
Number
Search
Actions on selected rows...
New
All > Active = true > Severity of Incident = Critical
Number
First name
Email
Department
Date of Incident
Nature of Incident
Location of Incident
Description of Incident
Severity of Incident
Incident Status
=Critical
SAF0001006
Cameron
cameron.richard@example.com
Development
2026-08-05 18:09:35
Manual Handling
Loading Bay
Attempted to move a 45 kg carton alone a...
Critical
New
SAF0001020
Cameron
cameron.richard@example.com
Development
2026-08-04 10:54:27
Fire or Electrical
Offsite
Received electric shock while testing a ...
Critical
New
SAF0001050
Allyson
allyson.gillispie@example.com
Development
2026-08-20 20:50:59
Slip, Trip or Fall
Office
Critical
New
SAF0001072
Waldo
waldo.edberg@example.com
Sales
2026-10-22 06:42:00
Chemical or Environmental Exposure
Warehouse
Critical
Closed



Training Records
Number
Search
Actions on selected rows...
New
All > Training Status = Expired
Number
Employee to attend training
Training Status
Priority
Request Status
Training Date
Result
Expiry Date
Renewal Date
Search
=Expired
TR0001001 Abel Tuter Expired 4 - Low 2025-07-07 Pass 2026-07-16 (empty)
TR0001002 Adela Cervantsz Expired 4 - Low 2025-06-11 Pass 2026-06-19 (empty)
TR0001009 Bertram Quertermous Expired 4 - Low Submitted 2025-05-05 Pass 2026-05-26 (empty)
TR0001010 Damion Matkin Expired 4 - Low 2025-02-04 Pass 2026-02-12 (empty)
TR0001011 Callie Leboeuf Expired 4 - Low 2025-07-22 Pass 2026-07-25 (empty)
TR0001012 Eddie Gauer Expired 4 - Low Approved 2025-07-01 Pass 2026-07-03 (empty)
TR0001025 Carmella Wishman Expired 4 - Low Submitted 2026-09-07 2027-09-07 2026-09-07 13:47:33
TR0001026 Allan Schwantd Expired 4 - Low Pending 2026-08-27 2027-08-27 2026-08-27 13:56:11


SG Safety Incident Handler
Active
Test
Deactivate
Activate
16 If: Investigation Outcome = Corrective Action...
Trigger - Record Created or Updated→...→Investigation Outcome...
Corrective Action Required = True
false
true
17 If: Risk Rating ≥ 15
Trigger - Record Created or Updated→...→Risk Rating is greater than or is 15
false
true
18 Update Safety Report Record
19 Else If: Risk Rating ≥ 10
Trigger - Record Created or Updated→...→Risk Rating is greater than or is 10
false
true
20 Update Safety Report Record
21 Else If: Risk Rating ≥ 5
Trigger - Record Created or Updated→...→Risk Rating is greater than or is 5
false
true
22 Update Safety Report Record
24 Update Safety Report Record
25 Create Corrective Action Record
CAPA Created
26 SG Send Safety Notification
Email = Investigation Officer
27 End Flow
Search
ERROR HANDLER
Activate Windows
Go to Settings to activate Windows.



SG Safety Incident Handler
Active
View:
Test
Deactivate
Activate
Search
7
If: Investigation required is false
false
{ Trigger - Record Created or Updated +... + Severity of Incident is Minor AN...
true
8
Update Safety Report Record
10
If: Severity = Critical or Serious
false
{ Trigger - Record Created or Updated +... + Severity of Incident is Critical O...
true
11
Update Safety Report Record
12
SG Send Safety Notification
13
If: Investigation Officer = Assigned
false
Trigger - Record Created or Updated +... + Investigating Officer is not empty
true
14
Update Safety Report Record
15
SG Send Safety Notification
110%
View
ERROR HANDLER
Status: Draft
Application: SafeGuard
Activate Windows
Go to Settings to activate Windows.


SG Safety Incident Handler
Active
Test
Deactivate
Activate
Trigger
Safety Report Created or Updated
1
SG Send Safety Notification
Acknowledgement Email
2
SG Send Safety Notification
Safety Manager Email
3
If: Incident Status is empty.
Trigger - Record Created or Updated → ... → Incident Status is empty
false
true
4
Update Safety Report Record
Incident Status = New
5
Post a Message
6
Update Safety Report Record
Risk Rating Score
If: Investigation required is
Search
ERROR HANDLER
Activate Windows
Go to Settings to activate Windows.
Status: Draft
Application: SafeGuard


1. AI identifies and advises




2. Missing info and similar reports




Report Something



Request Something





Safety Manager: incident list opens




Number	First name	Email	Department	Date of Incident	Nature of Incident	Description of Incident	Severity of Incident
SAF0001001	Dean	dean@example.com	Warehouse	2026-08-12 15:43:11	Manual Handling	incorrect lifting	Serious
SAF0001004	Dean	dean@example.com	Warehouse	2026-08-10 17:50:59	Slip, Trip or Fall	Slipped on a wet floor near the loading ...	Moderate
SAF0001005	Bart	bart.hachey@example.com	Product Management	2026-08-03 17:56:07	Slip, Trip or Fall	Tripped over an extension cable	Minor
SAF0001006	Cameron	cameron.richard@example.com	Development	2026-08-05 18:09:35	Manual Handling	Attempted to move a 45 kg carton alone a...	Critical
SAF0001010	David	david.loo@example.com	Development	2026-07-06 19:08:24	Fire or Electrical	Smoke inhalation from a small electrical...	Serious
SAF0001011	Sabrina	sabrina.deppert@example.com	Sales	2026-08-03 19:16:29	Manual Handling	Developed wrist pain from continuous dat...	Moderate
SAF0001015	Daniel	daniel.zill@example.com	Finance	2026-07-20 10:25:52	Slip, Trip or Fall	Fell from a ladder while inspecting the ...	Serious
SAF0001016	Eddie	eddie.gauer@example.com	IT	2026-07-15 10:36:04	Chemical or Environmental Exposure	spilled cleaning chemical on hand while ...	Moderate
SAF0001017	Abraham	abraham.lincoln@example.com	(empty)	2026-07-16 10:43:07	Slip, Trip or Fall	Twisted ankle on uneven pavement in car ...	Minor
SAF0001018	Alfonso	alfonso.griglen@example.com	IT	2026-07-22 10:47:36	Violence & Aggression	Persistent verbal bullying by a colleagu...	Moderate
SAF0001019	Bart	bart.hachey@example.com	Product Management	2026-07-31 10:50:46	Violence & Aggression	Physically pushed by an aggressive visit...	Serious


HR: same list, blocked by ACL







Activate Windows
Go to Settings to activate Windows.


Access Control
x_snc_safeguard_safety_incident.investigation_outcom0
Type record
Operation read
Admin overrides
Decision Type Allow If
Protection policy -- None --
Name x_snc_safeguard_safety_incident.investigation_outcom0
Description Allow read for investigation_outcom0 in x_snc_safeguard_safety_incident, for users with roles (x_snc_safeguard.executive, x_snc_safeguard.safety_manager, x_snc_safeguard.admin).
Application SafeGuard
Active
Advanced
Conditions
Access Control Rules have two decision types, and these types will behave differently depending on conditions.
1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.
More Info
Requires role
1 to 3 of 3
Role
x_snc_safeguard.executive
x_snc_safeguard.safety_manager
x_snc_safeguard.admin
Security Attribute Condition
Local or Existing Existing
Security Attribute
Condition (empty)
Activate Windows
Go to Settings to activate Windows.


SafeGuard
All
Favorites
History
Workspaces
Admin
SafeGuard - Home
Search
SAFEGUARD WORKPLACE SAFETY
YOUR SAFETY OUR PRIORITY
Activate Windows
Go to Settings to activate Windows.


SafeGuard
Search policies, reports, training, and more...
DN
Welcome, Dean Nath
Employee
Good afternoon Dean Nath
Your safety matters. Let's work together to keep our workplace safe.
Monday, November 9, 2026
SafeGuard
Workplace Safety
Home
Report Incident
Report Near Miss
Request PPE
Request Training
Request Consultation
Request Risk Assessment
Request Inspection
My Reports
3
My Safety Overview
Open Incident Reports
5
View details
Open Near Misses
1
View details
My Pending Actions
0
View details
Training Needing Attention
1
View details
My PPE Requests Open
1
View details
My Tasks
1
Training: Manual Handling
Status: Expired
No date
View all tasks
Recent Reports
View all
SAF0001109
SAF0001109: Fall fro a ladder during inspection
New
2026-11-09
SAF0001108
SAF0001108: Fell from height
New
2026-11-08
SAF0001107
SAF0001107: Fell from a height
New
SafeGuard AI
Safety Guidance
Here are five practical workplace safety tips:
1. Keep walkways clear: Store tools, boxes, and cables properly to prevent slips, trips, and falls.
2. Wear correct PPE: Always use the required personal protective equipment, such as safety boots, eye protection, or gloves, for your work area.
3. Practice safe lifting: Bend your knees, keep heavy items close to your body, and ask for assistance when lifting
Report a Near Miss
Back to menu
Ask SafeGuard AI...
Ask SafeGuard AI
Activate Windows
Go to Settings to activate Windows.
SafeGuard
© 2026 SafeGuard. All rights reserved.
Privacy Policy
Terms of Use
Help
Contact Us
SafeGuard v2.0


SafeGuard
Knowledge
Service Catalog
Dashboard
Employee Portal
BK
Beauty Kenneth
Safety Manager
A Safer Workplace Starts with You
Report incidents, raise near misses, track training and access safety resources — all in one place.
Report
Quick and easy incident reporting
Prevent
Identify risks and prevent harm
Protect
Together, we build a safer workplace
Your Safety Matters
Report an Incide
SafeGuard AI
Show safety overview
Based on SafeGuard records for November 2026, here is the safety overview based on the latest 500 records per table:
Summary of Safety Data:
- Safety incidents total: 39
- Open incidents: 33
- Incidents reported this month: 15
- Open investigations: 27
- Corrective actions total: 86
- Open corrective actions: 83
Show safety overview
Show overdue corrective actions
Show open investigations
Ask SafeGuard AI...
Ask SafeGuard AI
Incident Management
Review reports, investigate incidents and update their status
33 open, 10 pending review
Near Miss Management
Assess risks and identify preventive measures.
13 open
Safety Dashboard
View safety KPIs, reports and trends. (Managers only)
Slips, Trips and Falls Awareness Week
Join us from 2–6 June for workshops and toolbox...
Corrective Actions
Assign actions, monitor
Training Compliance
Identify employees with
PPE Requests
Request, approve and
Activate Windows
Go to Settings to activate Windows.

COR0001075	Corrective Actions	(empty)	Pending	SAF0001001	2 - High	(empty)
COR0001076	Corrective Actions	(empty)	Pending	SAF0001001	2 - High	(empty)
COR0001077	Corrective Actions	(empty)	Pending	SAF0001004	4 - Low	(empty)
COR0001078	Corrective Actions	(empty)	Pending	SAF0001004	4 - Low	(empty)
COR0001079	Corrective Actions	(empty)	Pending	SAF0001106	2 - High	(empty)
COR0001080	Preventive Actions	(empty)	Pending	NMR0001043	4 - Low	(empty)
COR0001081	Preventive Actions	(empty)	Pending	NMR0001010	4 - Low	(empty)
COR0001082	Preventive Actions	(empty)	Pending	NMR0001010	4 - Low	(empty)

Activate Windows
Go to Settings to activate W



SafeGuard

Workplace Safety Management

REPORTING FROM

Warehouse





Report Something

Safety incidents, near misses and risk assessments →




Request Something

PPE, safety inspections, consultations and training →

🚑 **Life-threatening emergency:** Call **999**

🏥 **Non-emergency medical:** Call **111**


Back to SafeGuard Portal


Search SafeGuard Safety Management
SafeGuard Safety ...
Up to 50% off paid subscriptio...
Offer ends 21 Nov
Find a conversation...
Huddles
Directories
Starred
Drag and drop important stuff here
Channels
safety-manager-channel
safety-manager-channel
2
Messages
Add canvas
A new incident has been reported with a reference number: SAF0001054.
Check the SafeGuard application or email for details.
A new incident has been reported with a reference number: SAF0001111.
Check the SafeGuard application or email for details.
A new incident has been reported with a reference number: SAF0001112.
Check the SafeGuard application or email for details.
A new incident has been reported with a reference number: SAF0001113.
Check the SafeGuard application or email for details.
A new incident has been reported with a reference number: SAF0001114.
Check the SafeGuard application or email for details.
A new incident has been reported with a reference number: SAF0001115.
Check the SafeGuard application or email for details.
New




Number	First name	Email	Department	Date of Incident	Nature of Incident	Description of Incident	Severity of Incident	Root Cause	Action Status	Inve
SAF0001001	Dean	dean@example.com	Warehouse	2026-08-12 15:43:11	Manual Handling	incorrect lifting	Serious	Human Error	Open	
SAF0001004	Dean	dean@example.com	Warehouse	2026-08-10 17:50:59	Slip, Trip or Fall	Slipped on a wet floor near the loading ...	Moderate	Environment	Open	
SAF0001005	Bart	bart.hachey@example.com	Product Management	2026-08-03 17:56:07	Slip, Trip or Fall	Tripped over an extension cable	Minor	Environment	Overdue	
SAF0001006	Cameron	cameron.richard@example.com	Development	2026-08-05 18:09:35	Manual Handling	Attempted to move a 45 kg carton alone a...	Critical	Human Error	Open	
SAF0001010	David	david.loo@example.com	Development	2026-07-06 19:08:24	Fire or Electrical	Smoke inhalation from a small electrical...	Serious	Equipment Failure		
SAF0001011	Sabrina	sabrina.deppert@example.com	Sales	2026-08-03 19:16:29	Manual Handling	Developed wrist pain from continuous dat...	Moderate			
SAF0001015	Daniel	daniel.zill@example.com	Finance	2026-07-20 10:25:52	Slip, Trip or Fall	Fell from a ladder while inspecting the ...	Serious	Equipment Failure	Overdue	
SAF0001016	Eddie	eddie.gauer@example.com	IT	2026-07-15 10:36:04	Chemical or Environmental Exposure	spilled cleaning chemical on hand while ...	Moderate	Procedure Issue	Overdue	
SAF0001017	Abraham	abraham.lincoln@example.com	(empty)	2026-07-16 10:43:07	Slip, Trip or Fall	Twisted ankle on uneven pavement in car ...	Minor			
SAF0001018	Alfonso	alfonso.griglen@example.com	IT	2026-07-22 10:47:36	Violence & Aggression	Persistent verbal bullying by a colleagu...	Moderate			
SAF0001019	Bart	bart.hachey@example.com	Product Management	2026-07-31 10:50:46	Violence & Aggression	Physically pushed by an aggressive visit...	Serious			
SAF0001020	Cameron	cameron.richard@example.com	Development	2026-08-04	Fire or Electrical	Received electric shock	Critical			

Activate Windows
Go to Settings to activate Windows.


SafeGuard Safety Manager Dashboard
Edit
SafeGuard
Critical/High Corrective Actions
20
Open Corrective Actions
7
Ongoing Investigations
16
Total Risk Assessment
2
Overdue Risk Assessment
0
Overdue Corrective Actions
6
Total Safety Inspection
3
Total New Incidents
16
Training Request
2
PPE Request
7
Overdue Safety Inspection
3
Open Near Misses
4
Total Safety Consultation
4
Operational Chart
Training Request Status
Investigation Status
Risk Assessment Status
PPE Request Status
Inspection Status
Consultation Status
Corrective Action Status
Incident Review Status
Near Miss Trends
Activate Windows
Go to Settings to activate Windows.

Created	Recipients	Subject	State
Search	sm.safeguard@momentum.com	Search	Search
2026-08-13 13:57:16	sm.safeguard@momentum.com	Staff Certification Expiring in 60 Days — Adela — Fire Safety Awareness	Ready
2026-08-15 09:56:40	sm.safeguard@momentum.com	Staff Certification Expiring in 60 Days — Bertram — Equipment Operation	Ready
2026-11-05 14:27:25	sm.safeguard@momentum.com	Urgent: Investigation is Needed	Ready
2026-08-15 09:56:41	sm.safeguard@momentum.com	Staff Certification Expiring in 60 Days — Bart — Manual Handling	Ready
2026-11-05 14:02:10	sm.safeguard@momentum.com	Urgent: Investigation is Needed	Ready
2026-11-06 15:37:46	sm.safeguard@momentum.com	Urgent: Investigation is Needed	Ready
2026-08-19 10:30:38	sm.safeguard@momentum.com	New Safety Report — SAF0001005Slip, Trip or Fall	Ready
2026-08-15 09:56:38	sm.safeguard@momentum.com	Staff Certification Expiring in 60 Days — Eddie — Emergenecy Evacuation	Ready
2026-08-15 09:56:50	sm.safeguard@momentum.com	URGENT — Staff Certification Expiring in 30 Days —Eddie	Ready
2026-11-05 14:37:46	sm.safeguard@momentum.com	Urgent: Investigation is Needed	Ready
2026-08-15 09:56:31	sm.safeguard@momentum.com	Staff Certification Expiring in 60 Days — Angelo — Fire Safety Awareness	Ready
2026-08-13 13:57:28	sm.safeguard@momentum.com	EXPIRED — Staff Certification — Immediate Action — Abel	Ready
2026-11-09 17:07:44	sm.safeguard@momentum.com	New near miss reported	Ready
2026-08-15 09:56:35	sm.safeguard@momentum.com	Staff Certification Expiring in 60 Days — Callie — Manual Handling	Ready
2026-11-09 17:19:05	sm.safeguard@momentum.com	Urgent: Investigation is Needed	Ready
2026-11-09 14:16:33	sm.safeguard@momentum.com	Urgent: Investigation is Needed	Ready
2026-08-15 09:56:48	sm.safeguard@momentum.com	URGENT — Staff Certification Expiring in 30 Days —Callie	Ready
2026-11-09 14:16:33	sm.safeguard@momentum.com	Urgent: Investigation is Needed	Ready
2026-08-15 09:56:54	sm.safeguard@momentum.com	URGENT — Staff Certification Expiring in 30 Days —Bart	Ready
2026-08-15 09:56:34	sm.safeguard@momentum.com	Staff Certification Expiring in 60 Days — Mac — First Aid at Work	Ready
2026-08-15 09:56:46	sm.safeguard@momentum.com	URGENT — Staff Certification Expiring in 30 Days —Angelo	Ready
2026-08-12 17:54:41	sm.safeguard@momentum.com	New Safety Report — SAF0001004Slip, Trip or Fall	Ready
2026-08-15 09:57:08	sm.safeguard@momentum.com	EXPIRED — Staff Certification — Immediate Action — Damion	Ready
2026-08-15 10:06:37	sm.safeguard@momentum.com	New Safety Report — SAF0001037Chemical or Environmental Exposure	Ready
2026-11-09 17:12:19	sm.safeguard@momentum.com	New PPE Request.	Ready
2026-08-15 09:57:00	sm.safeguard@momentum.com	EXPIRED — Staff Certification — Immediate Action — Callie	Ready

Activate Windows
Go to Settings to activate Windows.


SafeGuard Accident Report
SAF0001107
Discuss
Follow
Update
Number
SAF0001107
Active
Name of Injured Person
Alejandra Prenatt
Email
alejandra.prenatt@example.com
Immediate Action Taken
Witness #1
Email
Reported By
Dean Nath
Investigation Required?
Created
2026-11-07 23:58:54
Likelihood
Possible
First Aid Given
Was Medical Attention Required?
Risk Rating
9
Other
Incident Status
New
Department
Production
Location of Incident
Other
Date of Incident
2026-11-07 23:55:57
Witness #2
Email
Severity of Incident
Serious
Nature of Incident
Slip, Trip or Fall
Slip Incident
Fall from height
Other
production
Investigation
Investigation Start Date
2026-11-09 14:21:16
Investigating Officer
Dean Nath
Investigation Outcome
Corrective Action Required
Detailed Findings
Investigation Status
Pending Review
Investigation End Date
Contributing Factors
Activate Windows
Go to Settings to activate Windows.

Training Records | Number | Search | Actions on selected rows... | New

All

Number ▲	Employee to attend training	Training Status	Priority	Request Status	Training Date	Result	Expiry Date	Renewal Date
Search	Search	Search	Search	Search	Search	Search	Search	Search
TR0001001	Abel Tuter	Expired	4 - Low		2025-07-07	Pass	2026-07-16	(empty)
TR0001002	Adela Cervantsz	Expired	4 - Low		2025-06-11	Pass	2026-06-19	(empty)
TR0001005	Bart Hachey	Completed	4 - Low	Submitted	2025-08-13	Pass	2026-09-04	(empty)
TR0001006	Alissa Mountjoy	Completed	4 - Low		2025-10-07	Pass	2026-10-26	(empty)
TR0001007	Angelo Ferentz	Completed	4 - Low	Pending	2025-08-22	Pass	2026-08-28	(empty)
TR0001008	Mac Marksberry	Completed	4 - Low		2025-09-24	Pass	2026-09-28	(empty)
TR0001009	Bertram Quertermous	Expired	4 - Low	Submitted	2025-05-05	Pass	2026-05-26	(empty)
TR0001010	Damion Matkin	Expired	4 - Low		2025-02-04	Pass	2026-02-12	(empty)
TR0001011	Callie Leboeuf	Expired	4 - Low		2025-07-22	Pass	2026-07-25	(empty)
TR0001012	Eddie Gauer	Expired	4 - Low	Approved	2025-07-01	Pass	2026-07-03	(empty)
TR0001013	Benjamin Schkade	Completed	4 - Low		2025-10-07	Pass	2026-10-14	(empty)
TR0001024	Barton Friesner		4 - Low		2026-09-10		2027-09-10	(empty)
TR0001025	Carmella Wishman	Expired	4 - Low	Submitted	2026-09-07		2027-09-07	2026-09-07 13:47:33
TR0001026	Allan Schwantd	Expired	4 - Low	Pending	2026-08-27		2027-08-27	2026-08-27 13:56:11
TR0001029	Chad Miklas	Scheduled	4 - Low	Approved	2026-09-15			(empty)

Activate Windows