VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

---

1. Use MongoDB to implement the following DB operations

   1. Create a database called 'vehicles' and *write* a MongoDB query to select database as "vehicles".

```
> use vehicles;
< switched to db vehicles
```

   2. Write a MongoDB query to display all the databases.

```
> show dbs;
< admin   360.00 KiB
  local    29.41 GiB
```

   3. Create a collection called 'two_wheelers'. (use capping) and Create a collection called 'four_wheelers'.

```
> db.createCollection("two_wheelers", { capped: true, size: 100000 });
  db.createCollection("four_wheelers");
< { ok: 1 }
```

   4. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
> db.two_wheelers.insertMany([
    { bike_name: "Splendor Plus", model: "gear", category: "100cc", colors_available: ["black", "blue", "sport red"], manufacturer: "Hero", performan
    { bike_name: "Activa 6G", model: "gearless", category: "100cc", colors_available: ["white", "grey", "red"], manufacturer: "Honda", performance: 9
    { bike_name: "Pulsar 150", model: "gear", category: "150cc", colors_available: ["black", "red"], manufacturer: "Bajaj", performance: 8, timestamp
    { bike_name: "Duke 200", model: "gear", category: "200cc", colors_available: ["orange", "white", "black"], manufacturer: "KTM", performance: 9, t
    { bike_name: "Jupiter", model: "gearless", category: "125cc", colors_available: ["blue", "brown"], manufacturer: "TVS", performance: 7, timestamp
  ]);
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69b12eb23db6a127474fb000'),
      '1': ObjectId('69b12eb23db6a127474fb001'),
      '2': ObjectId('69b12eb23db6a127474fb002'),
      '3': ObjectId('69b12eb23db6a127474fb003'),
      '4': ObjectId('69b12eb23db6a127474fb004')
    }
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

---

5. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
> db.four_wheelers.insertMany([
    { vehicle_name: "Swift", model: "own", category: "car", variants: ["vxi", "zxi", "petrol"], manufacturer: "Maruti Suzuki", performance: 8, timest
    { vehicle_name: "Innova Crysta", model: "commercial", category: "car", variants: ["diesel", "zxi"], manufacturer: "Toyota", performance: 9, times
    { vehicle_name: "Eicher Pro 2049", model: "commercial", category: "mini truck", variants: ["diesel", "cng"], manufacturer: "Eicher", performance:
    { vehicle_name: "Tata LPT 1918", model: "commercial", category: "heavy truck", variants: ["diesel"], manufacturer: "Tata Motors", performance: 8,
    { vehicle_name: "i20", model: "own", category: "car", variants: ["asta", "petrol"], manufacturer: "Hyundai", performance: 9, timestamp: new Date(
  ]);
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69b12ebc3db6a127474fb005'),
      '1': ObjectId('69b12ebc3db6a127474fb006'),
      '2': ObjectId('69b12ebc3db6a127474fb007'),
      '3': ObjectId('69b12ebc3db6a127474fb008'),
      '4': ObjectId('69b12ebc3db6a127474fb009')
    }
  }
```

6. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

```
> db.two_wheelers.find().pretty();
  db.four_wheelers.find().pretty();
< {
    _id: ObjectId('69b12ebc3db6a127474fb005'),
    vehicle_name: 'Swift',
    model: 'own',
    category: 'car',
    variants: [
      'vxi',
      'zxi',
      'petrol'
    ],
    manufacturer: 'Maruti Suzuki',
    performance: 8,
    timestamp: 2023-04-10T00:00:00.000Z,
    price: 700000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
{
  _id: ObjectId('69b12ebc3db6a127474fb006'),
  vehicle_name: 'Innova Crysta',
  model: 'commercial',
  category: 'car',
  variants: [
    'diesel',
    'zxi'
  ],
  manufacturer: 'Toyota',
  performance: 9,
  timestamp: 2022-02-15T00:00:00.000Z,
  price: 2000000
}
{
  _id: ObjectId('69b12ebc3db6a127474fb007'),
  vehicle_name: 'Eicher Pro 2049',
  model: 'commercial',
  category: 'mini truck',
  variants: [
    'diesel',
    'cng'
  ],
  manufacturer: 'Eicher',
  performance: 7,
  timestamp: 2021-06-25T00:00:00.000Z,
  price: 1200000
}
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
{
  _id: ObjectId('69b12ebc3db6a127474fb008'),
  vehicle_name: 'Tata LPT 1918',
  model: 'commercial',
  category: 'heavy truck',
  variants: [
    'diesel'
  ],
  manufacturer: 'Tata Motors',
  performance: 8,
  timestamp: 2020-10-18T00:00:00.000Z,
  price: 2500000
}
{
  _id: ObjectId('69b12ebc3db6a127474fb009'),
  vehicle_name: 'i20',
  model: 'own',
  category: 'car',
  variants: [
    'asta',
    'petrol'
  ],
  manufacturer: 'Hyundai',
  performance: 9,
  timestamp: 2023-11-01T00:00:00.000Z,
  price: 900000
}
```

7. Write a MongoDB query to display only vehicle name and price in all the collection of the database

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.two_wheelers.find({}, { _id: 0, bike_name: 1, price: 1 });
  db.four_wheelers.find({}, { _id: 0, vehicle_name: 1, price: 1 });
< {
    vehicle_name: 'Swift',
    price: 700000
  }
  {
    vehicle_name: 'Innova Crysta',
    price: 2000000
  }
  {
    vehicle_name: 'Eicher Pro 2049',
    price: 1200000
  }
  {
    vehicle_name: 'Tata LPT 1918',
    price: 2500000
  }
  {
    vehicle_name: 'i20',
    price: 900000
  }
```

8. Write a MongoDB query to display two_wheelers from a particular company

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.two_wheelers.find({ manufacturer: "Honda" }).pretty();
< {
    _id: ObjectId('69b12eb23db6a127474fb001'),
    bike_name: 'Activa 6G',
    model: 'gearless',
    category: '100cc',
    colors_available: [
      'white',
      'grey',
      'red'
    ],
    manufacturer: 'Honda',
    performance: 9,
    timestamp: 2022-08-15T00:00:00.000Z,
    price: 80000
  }
```

9. Write a MongoDB query to display four_wheelers available in diesel variants

```
> db.four_wheelers.find({ variants: "diesel" }).pretty();
< {
    _id: ObjectId('69b12ebc3db6a127474fb006'),
    vehicle_name: 'Innova Crysta',
    model: 'commercial',
    category: 'car',
    variants: [
      'diesel',
      'zxi'
    ],
    manufacturer: 'Toyota',
    performance: 9,
    timestamp: 2022-02-15T00:00:00.000Z,
    price: 2000000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
{
  _id: ObjectId('69b12ebc3db6a127474fb007'),
  vehicle_name: 'Eicher Pro 2049',
  model: 'commercial',
  category: 'mini truck',
  variants: [
    'diesel',
    'cng'
  ],
  manufacturer: 'Eicher',
  performance: 7,
  timestamp: 2021-06-25T00:00:00.000Z,
  price: 1200000
}
{
  _id: ObjectId('69b12ebc3db6a127474fb008'),
  vehicle_name: 'Tata LPT 1918',
  model: 'commercial',
  category: 'heavy truck',
  variants: [
    'diesel'
  ],
  manufacturer: 'Tata Motors',
  performance: 8,
  timestamp: 2020-10-18T00:00:00.000Z,
  price: 2500000
}
```

10. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.two_wheelers.find({ performance: { $gt: 5 } }, { _id: 0, bike_name: 1, category: 1, manufacturer: 1 });
  db.four_wheelers.find({ performance: { $gt: 5 } }, { _id: 0, vehicle_name: 1, category: 1, manufacturer: 1 });
< {
    vehicle_name: 'Swift',
    category: 'car',
    manufacturer: 'Maruti Suzuki'
  }
  {
    vehicle_name: 'Innova Crysta',
    category: 'car',
    manufacturer: 'Toyota'
  }
  {
    vehicle_name: 'Eicher Pro 2049',
    category: 'mini truck',
    manufacturer: 'Eicher'
  }
  {
    vehicle_name: 'Tata LPT 1918',
    category: 'heavy truck',
    manufacturer: 'Tata Motors'
  }
  {
    vehicle_name: 'i20',
    category: 'car',
    manufacturer: 'Hyundai'
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

---

2. Use MongoDB to implement the following DB operations for a Zoo

1. Create a database called 'animal' and *write* a MongoDB query to select database as 'animal'.

```
> use animal;
< switched to db animal
```

2. Write a MongoDB query to display all the databases.

```
> show dbs;
< vehicles  144.00 KiB
  admin     360.00 KiB
  local      29.41 GiB
```

3. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.

```
> db.createCollection("wild_animals",{capped:true, size:10000,max:100})
< { ok: 1 }
> db.createCollection("domestic_animals")
< { ok: 1 }
```

4. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.wild_animals.insertMany([
    {
      animal_name: "Lion",
      nature: "harm",
      favorite_foods: ["meat", "deer"],
      care_taker_name: "John Doe",
      life_span: 12,
      timestamp: new Date("2026-01-15"),
      expenses: 50000
    },
    {
      animal_name: "Tiger",
      nature: "harm",
      favorite_foods: ["meat", "rabbits"],
      care_taker_name: "Jane Smith",
      life_span: 15,
      timestamp: new Date("2026-02-01"),
      expenses: 60000
    },
    {
      animal_name: "Elephant",
      nature: "harmless",
      favorite_foods: ["grass", "fruits"],
      care_taker_name: "Bob Wilson",
      life_span: 60,
      timestamp: new Date("2026-01-20"),
      expenses: 80000
    },
    {
      animal_name: "Bear",
      nature: "harm",
      favorite_foods: ["meat", "berries"],
      care_taker_name: "Alice Brown",
      life_span: 25,
      timestamp: new Date("2026-02-10"),
      expenses: 45000
    },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
  {
    animal_name: "Eagle",
    nature: "harmless",
    favorite_foods: ["rabbits", "fish"],
    care_taker_name: "Charlie Green",
    life_span: 30,
    timestamp: new Date("2026-03-01"),
    expenses: 30000
  }
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b133388d722a910b7ebcb9'),
    '1': ObjectId('69b133388d722a910b7ebcba'),
    '2': ObjectId('69b133388d722a910b7ebcbb'),
    '3': ObjectId('69b133388d722a910b7ebcbc'),
    '4': ObjectId('69b133388d722a910b7ebcbd')
  }
}
```

5. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.domestic_animals.insertMany([
    {
      animal_name: "Dog",
      gender: "male",
      favorite_foods: ["meat", "bones"],
      animal_petname: "Buddy",
      life_span: 12,
      timestamp: new Date("2026-01-10"),
      expenses: 10000
    },
    {
      animal_name: "Cat",
      gender: "female",
      favorite_foods: ["fish", "milk"],
      animal_petname: "Whiskers",
      life_span: 15,
      timestamp: new Date("2026-01-25"),
      expenses: 8000
    },
    {
      animal_name: "Cow",
      gender: "female",
      favorite_foods: ["grass", "hay"],
      animal_petname: "Bessie",
      life_span: 20,
      timestamp: new Date("2026-02-05"),
      expenses: 25000
    },
    {
      animal_name: "Horse",
      gender: "male",
      favorite_foods: ["grass", "oats"],
      animal_petname: "Thunder",
      life_span: 25,
      timestamp: new Date("2026-02-20"),
      expenses: 35000
    },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
  {
    animal_name: "Rabbit",
    gender: "female",
    favorite_foods: ["carrots", "vegetables"],
    animal_petname: "Bunny",
    life_span: 8,
    timestamp: new Date("2026-03-05"),
    expenses: 5000
  }
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b133428d722a910b7ebcbe'),
    '1': ObjectId('69b133428d722a910b7ebcbf'),
    '2': ObjectId('69b133428d722a910b7ebcc0'),
    '3': ObjectId('69b133428d722a910b7ebcc1'),
    '4': ObjectId('69b133428d722a910b7ebcc2')
  }
}
```

6. Write a MongoDB query to display all documents available in wild_animals and domastic_animals.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.wild_animals.find().pretty()
< {
    _id: ObjectId('69b133388d722a910b7ebcb9'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [
      'meat',
      'deer'
    ],
    care_taker_name: 'John Doe',
    life_span: 12,
    timestamp: 2026-01-15T00:00:00.000Z,
    expenses: 50000
  }
  {
    _id: ObjectId('69b133388d722a910b7ebcba'),
    animal_name: 'Tiger',
    nature: 'harm',
    favorite_foods: [
      'meat',
      'rabbits'
    ],
    care_taker_name: 'Jane Smith',
    life_span: 15,
    timestamp: 2026-02-01T00:00:00.000Z,
    expenses: 60000
  }
  {
    _id: ObjectId('69b133388d722a910b7ebcbb'),
    animal_name: 'Elephant',
    nature: 'harmless',
    favorite_foods: [
      'grass',
      'fruits'
    ],
    care_taker_name: 'Bob Wilson',
    life_span: 60,
    timestamp: 2026-01-20T00:00:00.000Z,
    expenses: 80000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
{
  _id: ObjectId('69b133388d722a910b7ebcbc'),
  animal_name: 'Bear',
  nature: 'harm',
  favorite_foods: [
    'meat',
    'berries'
  ],
  care_taker_name: 'Alice Brown',
  life_span: 25,
  timestamp: 2026-02-10T00:00:00.000Z,
  expenses: 45000
}
{
  _id: ObjectId('69b133388d722a910b7ebcbd'),
  animal_name: 'Eagle',
  nature: 'harmless',
  favorite_foods: [
    'rabbits',
    'fish'
  ],
  care_taker_name: 'Charlie Green',
  life_span: 30,
  timestamp: 2026-03-01T00:00:00.000Z,
  expenses: 30000
}
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.domestic_animals.find().pretty()
< {
    _id: ObjectId('69b133428d722a910b7ebcbe'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [
      'meat',
      'bones'
    ],
    animal_petname: 'Buddy',
    life_span: 12,
    timestamp: 2026-01-10T00:00:00.000Z,
    expenses: 10000
  }
  {
    _id: ObjectId('69b133428d722a910b7ebcbf'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [
      'fish',
      'milk'
    ],
    animal_petname: 'Whiskers',
    life_span: 15,
    timestamp: 2026-01-25T00:00:00.000Z,
    expenses: 8000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
{
  _id: ObjectId('69b133428d722a910b7ebcc0'),
  animal_name: 'Cow',
  gender: 'female',
  favorite_foods: [
    'grass',
    'hay'
  ],
  animal_petname: 'Bessie',
  life_span: 20,
  timestamp: 2026-02-05T00:00:00.000Z,
  expenses: 25000
}
{
  _id: ObjectId('69b133428d722a910b7ebcc1'),
  animal_name: 'Horse',
  gender: 'male',
  favorite_foods: [
    'grass',
    'oats'
  ],
  animal_petname: 'Thunder',
  life_span: 25,
  timestamp: 2026-02-20T00:00:00.000Z,
  expenses: 35000
}
{
  _id: ObjectId('69b133428d722a910b7ebcc2'),
  animal_name: 'Rabbit',
  gender: 'female',
  favorite_foods: [
    'carrots',
    'vegetables'
  ],
  animal_petname: 'Bunny',
  life_span: 8,
  timestamp: 2026-03-05T00:00:00.000Z,
  expenses: 5000
}
```

7. Write a MongoDB query to display only animal name and expenses in all the collection of the database

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.wild_animals.find({}, { animal_name: 1, expenses: 1, _id: 0 });
  db.domestic_animals.find({}, { animal_name: 1, expenses: 1, _id: 0 });
< {
    animal_name: 'Dog',
    expenses: 10000
  }
  {
    animal_name: 'Cat',
    expenses: 8000
  }
  {
    animal_name: 'Cow',
    expenses: 25000
  }
  {
    animal_name: 'Horse',
    expenses: 35000
  }
  {
    animal_name: 'Rabbit',
    expenses: 5000
  }
```

8. Write a MongoDB query to display domestic_animals whose life is a particular year

```
> db.domestic_animals.find({ life_span: 15 })
< {
    _id: ObjectId('69b133428d722a910b7ebcbf'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [
      'fish',
      'milk'
    ],
    animal_petname: 'Whiskers',
    life_span: 15,
    timestamp: 2026-01-25T00:00:00.000Z,
    expenses: 8000
```

9. Write a MongoDB query to display wild_animals available under a particular care_taker

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.wild_animals.find({ care_taker_name: "John Doe" })
< {
    _id: ObjectId('69b133388d722a910b7ebcb9'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [
      'meat',
      'deer'
    ],
    care_taker_name: 'John Doe',
    life_span: 12,
    timestamp: 2026-01-15T00:00:00.000Z,
    expenses: 50000
  }
```

10. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
> db.wild_animals.find(
    { life_span: { $gt: 5 } },
    { animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0 }
  );
  db.domestic_animals.find(
    { life_span: { $gt: 5 } },
    { animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0 }
  );
< {
    animal_name: 'Dog',
    favorite_foods: [
      'meat',
      'bones'
    ],
    expenses: 10000
  }
  {
    animal_name: 'Cat',
    favorite_foods: [
      'fish',
      'milk'
    ],
    expenses: 8000
  }
  {
    animal_name: 'Cow',
    favorite_foods: [
      'grass',
      'hay'
    ],
    expenses: 25000
  }
  {
    animal_name: 'Horse',
    favorite_foods: [
      'grass',
      'oats'
    ],
    expenses: 35000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: J Midhun Raj **Reg. no.: 23BCE7623**

```
{
  animal_name: 'Rabbit',
  favorite_foods: [
    'carrots',
    'vegetables'
  ],
  expenses: 5000
}
```