

(/)

(<https://trpcycling.com/category/>)  
(<https://trpcycling.com/>)

[HOME](https://trpcycling.com/) [CX](https://trpcycling.com/shop/category/cx/) [account/](https://trpcycling.com/account/) [CX BR](https://trpcycling.com/shop/category/cx/)  
([HTTPS://TRPCYCLING.COM](https://trpcycling.com/)) / ([HTTPS://TRPCYCLING.COM/SHOP/CATEGORY/CX/](https://trpcycling.com/shop/category/cx/)) / ([HTTP](https://trpcycling.com/account/))  
**FREE SHIPPING ON ALL ORDERS OVER \$200, USE CODE: SHIP4FREETRP DURING CHECKOUT** **BRAKE**



## SPYRE

Dual piston actuated mechanical disc brake for road and CX.

PRODUCT NAME	SPYRE
MOUNTING TYPE	FLAT
LIST PRICE	\$64.99 IN STOCK

**ADD TO CART**

### INFORMATION

#### PRODUCT DESCRIPTION

The Spyre, a mechanical disc brake that offers superior performance with incredibly easy setup. This is a dual piston actuated mechanical disc brake caliper which provides precise clamping force. This translates into even pad and rotor wear because the rotor does not need to flex to one side during

braking. We added a simple cable barrel adjuster to make fine tuning

easy. All of this in an incredibly thin 40mm, 146g package, that works with any drop bar levers on the market. Rotors and adapters are sold separately.

For tandem bikes, we recommend the Spyre caliper paired with our 2.3 mm thick rotors. This will give optimum stopping performance for you and your partner.

---

## **SPECIFICATIONS**

### **SPYRE**

- Weight: 154g per caliper
- Dual sided actuation
- Works with ALL cable actuated road levers. Compressionless (linear strand) housing is highly recommended
- Comes with TRP ultra-grippy semi-metallic pads
- Calipers are compatible with Shimano M525/M515 pads
- 160mm rotors recommended on front wheel
- Rotors, adapters, and flat mount mounting bolts sold separately
- All flat mount calipers being mounted to the fork require the FF-5 Front Flat Mount 140/160mm adapter
- For help identifying mounting type see our guide [here](https://trpcycling.com/wp-content/uploads/2017/10/PM-vs-FM-FR.jpg). (<https://trpcycling.com/wp-content/uploads/2017/10/PM-vs-FM-FR.jpg>)

**REAR FLAT MOUNT BOLT LENGTH  
GUIDE  
([HTTPS://TRPCYCLING.COM/WP-  
CONTENT/UPLOADS/2017/10/TECH-  
DOC-FLATMOUNT BOLT-  
LENGTH REV-21.JPG](https://trpcycling.com/wp-content/uploads/2017/10/TECH-DOC-FLATMOUNT-BOLT-LENGTH-REV-21.JPG))**

**OWNER'S MANUAL DOWNLOAD**  
**(HTTPS://TRPCYCLING.COM/WP-**  
**CONTENT/UPLOADS/2017/10/2016-**  
**SPYRE-PM-AND-FM-MANUAL-**  
**06012016-REV-B-COPY-1.PDF)**

~~MTB(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/) TRPCYCLING.COM/ATHLETES/ANTOINETTE/MTB/~~  
~~DOWN(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/) DOWN(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/)~~  
~~ROAD(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/) ROAD(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/)~~  
~~CX(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/) CX(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/)~~  
~~TRI/TT(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/) TRI/TT(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/)~~  
~~LEGAL(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/) LEGAL(HTTPS://TRPCYCLING.COM/SHOPS/ATHLETES/ANTOINETTE/MTB/MTB/)~~

## CYCLING COMPONENTS

(<https://www.facebook.com/ITRPcycli>  
[www.youtube.com/channel/UC8qfara1ces](https://www.youtube.com/channel/UC8qfara1ces)) /trp  
fahesgn)