Data Structures Using Java

D. S. Malik P. S. Nair

THOMSON
CORSTNANOSON

TABLEOF

XXV

PREFACE

| 1. Software Engineering Principles and Java Classes | |
|--|----|
| Software Life Cycle | 2 |
| Software Development Phase | 2 |
| Analysis | -3 |
| Design | 3 |
| Implementation | 4 |
| Testing and Debugging | 6 |
| Algorithm Analysis: The Big-O Notation | 8 |
| User-Defined Classes | 15 |
| Constructors | 18 |
| Unified Modeling Language Diagrams | 19 |
| Variable Declaration and Object Instantiation | 20 |
| Accessing Class Members | 23 |
| Built-In Operations on Classes | 24 |
| The Assignment Operator and Classes: A Precaution | 24 |
| Class Scope | 26 |
| Definitions of the Constructors and Methods of the class clock | 26 |
| The Copy Constructor | 35 |
| Classes and the Method toString | 36 |
| Static Members of a Class | 37 |

| Static Variables (Data Members) of a Class | 39 |
|---|-----|
| Finalizer | 40 |
| Creating Your Own Packages | 40 |
| Multi-File Programs | 41 |
| The Reference this | 44 |
| Inner Classes | 46 |
| Abstract Data Types | 46 |
| Programming Example: Candy Machine | 48 |
| Identifying Classes, Objects, and Operations | 61 |
| Quick Review | 62 |
| Exercises | 64 |
| Programming Exercises | 71 |
| | |
| 2. Inheritance and Exception Handling | 75 |
| Inheritance | 76 |
| Using Methods of the Superclass in a Subclass | 78 |
| Constructors of the Superclass and Subclass | 83 |
| Protected Members of a Class | 92 |
| The class Object | 96 |
| Objects of Superclasses and Subclasses | 98 |
| The Operator instanceof | 99 |
| Abstract Methods and Classes | 104 |
| Composition | 105 |
| Exception Handling | 110 |
| Java Exception Hierarchy | 111 |
| The Exception Hierarchy | 115 |

| Checked and Unchecked Exceptions | 117 |
|--|--|
| Handling Exceptions within a Program | 118 |
| try/catch/finally Block | 118 |
| Rethrowing and Throwing an Exception | 124 |
| Exception Handling: Techniques | 129 |
| Creating Your Own Exception Classes | 130 |
| Programming Example: Grade Report | 133 |
| Quick Review | 155 |
| Exercises | 157 |
| Programming Exercises | 165 |
| | |
| | |
| Array-Based Lists | 169 |
| | |
| Type of List Elements | 171 |
| Type of List Elements class IntElement | 171 173 |
| 7 A | |
| class IntElement | 173 |
| class IntElement class StringElement | 173 175 |
| class IntElement class StringElement class ArrayListClass | 173 175 177 |
| class IntElement class StringElement class ArrayListClass Unordered List | 173 175 177 187 |
| class IntElement class StringElement class ArrayListClass Unordered List Time-Complexity of List Operations | 173 175 177 187 191 |
| class IntElement class StringElement class ArrayListClass Unordered List Time-Complexity of List Operations class Vector | 173 175 177 187 191 198 |

Table of Contents

Exercises

Programming Exercises

XII

| 4. Linked Lists | 22 |
|---|------|
| Linked Lists | 202 |
| Some Properties of Linked Lists | 224 |
| Traversing a Linked List | 223 |
| Item Insertion and Deletion | 22. |
| Insertion | 2,20 |
| Deletion | 23: |
| Building a Linked List | 23 |
| Building a Linked List Forward | 234 |
| Building a Linked List Backwards | 238 |
| Linked List as an ADT | 24(|
| Length of the List | 24: |
| Retrieve Data from the First and the Last Nodes | 24: |
| Insert First Node | 240 |
| Insert Last Node | 247 |
| Сору | 2.47 |
| Copy Constructor | 249 |
| Copy List | 245 |
| Definition of the class LinkedListClass | 249 |
| Unordered Linked Lists | 250 |
| Search List | 251 |
| Delete Node | 252 |
| Ordered Linked Lists | 259 |
| Search List | 260 |
| Insert Node | 261 |
| Deleta Nada | 266 |

| | Table of Contents | îńx |
|---|-------------------|------|
| Doubly Linked Lists | | 271 |
| Default Constructor | | 2.74 |
| isEmptyList | | 274 |
| Initialize List | | 274 |
| Length of the List | | 274 |
| Print | | 2.75 |
| Reverse Print List | | 275 |
| Search List | | 275 |
| First and the Last Element | | 276 |
| Insert Node | | 276 |
| Delete Node | | 279 |
| Linked Lists with Header and Trailer Nodes | | 282 |
| Circular Linked Lists | | 283 |
| Programming Example:Video Store | | 285 |
| Quick Review | | 307 |
| Exercises | | 308 |
| Programming Exercises | | 313 |
| | | |
| | | |
| . Recursion | | 317 |
| Recursive Definitions | | 318 |
| Direct and Indirect Recursion | | 320 |
| Infinite Recursion | | 320 |
| Problem Solving Using Recursion | | 321 |
| Programming Example: Converting a Number from Decimal to Binary | | 336 |
| Programming Example: Sierpinski Gasket | | 339 |
| Recursion or Iteration? | | 344 |
| | | |

| Recursion and Backtracking: 8-Queens Puzzle | 345 |
|---|-----|
| Backtracking | 346 |
| n-Queens Puzzle | 346 |
| Backtracking and 4-Queens Puzzle | 348 |
| 8-Queens Puzzle | 349 |
| Quick Review | 353 |
| Exercises | 355 |
| Programming Exercises | 357 |
| | |
| | |
| 6. Stacks | 365 |
| Stacks | 366 |
| Stack Operations | 368 |
| StackExcept.ion Class | 369 |
| Implementation of Stacks as Arrays | 370 |
| Initialize Stack | 373 |
| Empty Stack | 374 |
| Full Stack | 375 |
| Push | 375 |
| Top Element | 377 |
| Pop | 377 |
| Сору | 378 |
| Constructors | 379 |
| Copy Constructor | 380 |

380

382

Copy Stack

Programming Example: Highest GPA

| Linked Implementation of Stacks | 387 |
|--|-----|
| Initialize Stack | 390 |
| Push | 391 |
| Return the Top Element | 394 |
| Pop | 394 |
| Stack as Derived from the class LinkedListClass | 396 |
| Application of Stacks: Postfix Expression Calculator | 398 |
| Postfix Expression Calculator: Graphical User Interface (GUI) | 410 |
| Removing Recursion; Nonrecursive Algorithm to Print a Linked List Backwards | 417 |
| class Stack | 424 |
| Quick Review | 426 |
| Exercises | 427 |
| Programming Exercises | 430 |
| | |
| | |
| . Queues | 433 |
| Queues | 434 |
| Queue Operations | 434 |
| Queue Exception Class | 435 |
| Implementation of Queues as Arrays | 436 |
| Linked Implementation of Queues | 449 |
| Queue Derived from the class LinkedListClass | 453 |
| Priority Queues | 455 |
| Application of Queues: Simulation | 456 |
| Designing a Queuing System | 457 |
| Customer | 458 |

| Server | 461 |
|---|-----|
| Server List | 465 |
| Waiting Customers' Queue | 469 |
| Quick Review | 478 |
| Exercises | 479 |
| Programming Exercises | 483 |
| | |
| | |
| 8. Search Algorithms | 485 |
| Search Algorithms | 486 |
| Sequential Search | 487 |
| Ordered Lists | 489 |
| Binary Search | 491 |
| Performance of Binary Search | 494 |
| Insertion into an Ordered List | 497 |
| Lower Bound on Comparison-Based Search Algorithms | 499 |
| Hashing | 500 |
| Hash Functions: Some Examples | 501 |
| Collision Resolution | 502 |
| Collision Resolution: Open Addressing | 502 |
| Deletion: Open Addressing | 507 |
| Hashing: Implementation Using Quadratic Probing | 509 |
| Collision Resolution: Chaining (Open Hashing) | 511 |
| Hashing Analysis | 513 |
| Quick Review | 514 |
| Exercises | 517 |
| Programming Exercises | 519 |

A.

xvii

| 9. Sorting Algorithms | 521 |
|---|--------------|
| Sorting Algorithms | 522 |
| Selection Sort: Array-Based Lists | 522 |
| Analysis: Selection Sort | 528 |
| Insertion Sort: Array-Based Lists | 5 2 9 |
| Insertion Sort: Linked List-Based Lists | 535 |
| Analysis: Insertion Sort | 540 |
| Lower Bound on Comparison-Based Sort Algorithms | 540 |
| Quick Sort: Array-Based Lists | 542 |
| Analysis: Quick Sort | 548 |
| Merge Sort: Linked List-Based Lists | 549 |
| Divide | 551 |
| Merge | 553 |
| Analysis: Merge Sort | 557 |
| Heap Sort: Array-Based Lists | 557 |
| Build Heap | 558 |
| Analysis: Heap Sort | 566 |
| Priority Queues (Revisited) | 567 |
| Programming Example: Election Results | 568 |
| Quick Review | 587 |
| Exercises | 588 |
| Programming Exercises | 589 |
| | |
| | |
| O. Binary Trees | 593 |
| Binary Trees | 594 |
| Copy Tree | 600 |

xviii

| Binary Tree Traversal | 601. |
|---|-------|
| Inorder Traversal | 601 |
| Preorder Traversal | 602 |
| Postorder Traversal | 602 |
| Implementing Binary Trees | 605 |
| Binary Search Trees | 611 |
| Search | 614 |
| Insert | 616 |
| Delete | 618 |
| Binary Scarch Tree: Analysis | 625 |
| Nonrecursive Binary Tree Traversal Algorithms | 626 |
| Nonrecursive Inorder Traversal | 626 |
| Nonrecursive Preorder Traversal | 628 |
| Nonrecursive Postorder Traversal | 629 |
| AVL (Height-Balanced) Trees | 630 |
| Insertion into AVL Trees | 633 |
| AVL Tree Rotations | 640 |
| Deletion from AVL Trees | 653 |
| Analysis: AVL Trees | 654 |
| Programming Example: Video Store (Revisited) | 655 |
| Quick Review | 662 |
| Exercises | 665 |
| Programming Exercises | 669 |
| | |
| | |
| Graphs | 671 |
| Testendescrices | (29/3 |

Graph Definitions and Notations

| APPENDIX D Packages and User-Defined Classes | 731 |
|--|-----|
| Dattar.Lement and its Subclasses | 731 |
| Class: DataElement | 731 |
| Class; IntRlement | 732 |
| Class: LongElement | 735 |
| Class: Charrlement | 736 |
| Class: FloatElement | 738 |
| Class: DoubleRlement | 739 |
| Class: BooleanElement | 741 |
| Class: StringElement | 742 |
| Using User-Defined Classes in a Program | 744 |
| Hirst Way | 744 |
| Second Way | 745 |
| Using a Software Development Kit (SDK) | 745 |
| | |
| | |
| APPENDIX E Java Classes | TAT |
| Class: Boolean (Package java.lang) | 747 |
| Constructors | 747 |
| Methods | 747 |
| Class: Character (Package java. Lang) | 748 |
| Constructor | 748 |
| Methods | 748 |
| Class: DecimalFormat (Package java.text) | 749 |
| Constructors | 749 |
| Methods | 749 |

| | 133.131.15 | 4% |
|--|------------|-----|
| Class: Double (Package java.lang) | | 749 |
| Named Constants | | 749 |
| Constructors | | 750 |
| Methods | | 750 |
| Class: Exception (Package java.lang) | | 751 |
| Constructors | | 751 |
| Class: FileReader (Package java.io) | | 751 |
| Constructors | | 751 |
| Methods | | 751 |
| Class: FileWriter (Package java.io) | | 751 |
| Constructors | | 751 |
| Methods | | 752 |
| Class: Float (Package java.lang) | | 752 |
| Named Constants | | 752 |
| Constructors | | 752 |
| Methods | | 752 |
| Class: InputStreamReader (Package java.io) | | 753 |
| Constructors | | 753 |
| Methods | | 754 |
| Class: Integer (Package java. lang) | | 754 |
| Named Constants | | 754 |
| Constructors | | 754 |
| Methods | | 754 |
| Class: JButton (Package javax.swing) | | 755 |
| Constructors | | 755 |
| Methods | | 756 |
| | | |

| Class: JFrame (Package javax.swing) | 757 |
|--|-----|
| Constructors | 757 |
| Methods | 758 |
| Class: JLabel (Package javax.swing) | 759 |
| Constructors | 759 |
| Methods | 759 |
| Class: JrextField (Package javax.swing) | 760 |
| Constructors | 760 |
| Methods | 761 |
| Class: Long (Package java. lang) | 762 |
| Named Constants | 762 |
| Constructors | 762 |
| Methods | 762 |
| Class: Math (Package java.lang) | 763 |
| Methods | 763 |
| Class: PrintWriter (Package java.io) | 764 |
| Constructors | 764 |
| Methods | 765 |
| Class: Stack (Package java.util) | 766 |
| Constructors | 766 |
| Methods | 766 |
| Class: String (Package java.lang) | 766 |
| Constructors | 766 |
| Methods | 767 |
| Class: StringTokenizer (Package java.util) | 769 |
| Constructors | 769 |
| Methods | 769 |
| | |

791 791

Methods and Parameters

Value-Returning Methods

xxiv Data Structures Using Java

| voi.d Methods | 793 |
|--|-----|
| Variables as Parameters | 794 |
| Arrays | 795 |
| Accessing Array Components | 795 |
| Array Index Out of Bounds Exception | 796 |
| Arrays and the Instance Variable Length | 796 |
| Arrays as Parameters to Methods | 797 |
| | |
| | |
| APPENDIX G References | 799 |
| | |
| | |
| APPENDIX H Answers to Selected Exercises | 801 |
| Chapter 1 | 801 |
| Chapter 2 | 802 |
| Chapter 3 | 803 |
| Chapter 4 | 804 |
| Chapter 5 | 804 |
| Chapter 6 | 805 |
| Chapter 7 | 805 |
| Chapter 8 | 806 |
| Chapter 9 | 807 |
| Chapter 10 | 808 |
| Chapter 11 | 810 |
| | |