CS110 / INDEPENDENCE ROAD

# team / Daniel P

Issued: Nov 12, 2026, 1:40 PM Pacific

Record: FORM-45BB65BC77CE9BCDC045F54E

### Personal public verification code: VIEW-F7D74B4BB42295C1385C9AC8

Include your own public code with every assignment, even in a team folder. Never submit your private recovery key.

SHA-256: 4a4ddf5edf83a4acb517e8ab82f587cc5b3316a69b00bc03a86872b82aa659d0

Verify the record number at courses.addp2p.com/development-road/independence/index.html?view=verify

An issued record preserves submitted information. It is not a grade or proof of comprehension.

**team**

TEAM-269007727C029395881B847D

**Name**

Hello W0rld

**lead**

Jonathan Pacheco

### Team members

**0**

**Name**

Jonathan Pacheco

**verificationCode**

VIEW-C1DF8802051C3182CACFD51C

**Preparation record**

PREP-53EF46ED82D48E4FF37852C8

**Contribution record**

FORM-C103AB4D637529014D1B3044

### timeA

**Time code**

TIME-A85BF3A8C72D776094A7AB2A

**Name**

Jonathan Pacheco

**Action**

A

**Server arrival**

2026-11-10T20:59:51.006Z

**Class starts**

2026-11-10T20:45:00Z

**Calculated late points**

10

**Late deduction points**

10

## CS110 / INDEPENDENCE ROAD

**Review status**

Calculated  awaiting instructor review

### recovery

**Review status**

Not requested

**requestedAt**

**restoredPoints**

0

**approvedAt**

### 1

**Name**

Daniel P

**verificationCode**

VIEW-F7D74B4BB42295C1385C9AC8

**Preparation record**

PREP-96FF36A18133575134FE8F7B

**Contribution record**

FORM-87874BE9C4FCF366B4F39A07

### timeA

**Time code**

TIME-4F8DBA903D16D16DB556B1C7

**Name**

Daniel P

**Action**

A

**Server arrival**

2026-11-10T21:01:12.353Z

**Class starts**

2026-11-10T20:45:00Z

**Calculated late points**

15

**Late deduction points**

15

**Review status**

Calculated  awaiting instructor review

### recovery

**Review status**

## CS110 / INDEPENDENCE ROAD

Not requested

**requestedAt**

**restoredPoints**

0

**approvedAt**

### 2

**Name**

Mio Bal

**verificationCode**

VIEW-1D0EE6618FF85176E000F76F

**Preparation record**

PREP-6C20F4A6F469739949D22A09

**Contribution record**

FORM-36881D3E28DC812F9C965C07

### timeA

**Time code**

TIME-37FFAE74CF45602E6AE292FB

**Name**

Mio Bal

**Action**

A

**Server arrival**

2026-11-10T21:04:20.187Z

**Class starts**

2026-11-10T20:45:00Z

**Calculated late points**

15

**Late deduction points**

15

**Review status**

Calculated  awaiting instructor review

### recovery

**Review status**

Not requested

**requestedAt**

**restoredPoints**

## CS110 / INDEPENDENCE ROAD

0

**approvedAt**

### 3

**Name**

Paul Duarte

**verificationCode**

VIEW-D6229C41CDF9D72898103AD1

**Preparation record**

PREP-C0059638ED12F077299C8876

**Contribution record**

FORM-E22E83FB0552E81B4FABB096

### timeA

**Time code**

TIME-EB56D0EBBF2FE04C99E154A7

**Name**

Paul Duarte

**Action**

A

**Server arrival**

2026-11-10T21:04:26.730Z

**Class starts**

2026-11-10T20:45:00Z

**Calculated late points**

15

**Late deduction points**

15

**Review status**

Calculated  awaiting instructor review

### recovery

**Review status**

Not requested

**requestedAt**

**restoredPoints**

0

**approvedAt**

### 4

## CS110 / INDEPENDENCE ROAD

**Name**

Isaias Gonzalez

**verificationCode**

VIEW-96D81229B82D42821761D79C

**Preparation record**

PREP-BA594AF95049458268DBB86B

**Contribution record**

FORM-B883703959F0D5C2FC523F37

### timeA

**Time code**

TIME-9E53134C2FBB9BFFA655E685

**Name**

Isaias Gonzalez

**Action**

A

**Server arrival**

2026-11-12T21:23:07.677Z

**Class starts**

2026-11-10T20:45:00Z

**Calculated late points**

2915

**Late deduction points**

20

**Review status**

Calculated  awaiting instructor review

### recovery

**Review status**

Not requested

**requestedAt**

**restoredPoints**

0

**approvedAt**

### Attention Accord plan

**mission**

a story we want to see is a minecraft mod with aspects of pokemon. a playable goal is to be to throw a pokeball at a minecraft mod

**framework**

my team a I choose P2P for the simple fact it will help us with the use of organized sources and will help us with the

## CS110 / INDEPENDENCE ROAD

game engine setup.

**pipeline**

rgrtb

Background  owner Jonathan  2026-11-11T15:45 to 2026-11-10T16:22 Pacific

Assets  owner Mio  2026-11-11T15:45 to 2026-11-10T17:37 Pacific

Body Frame  owner Isaias  2026-11-11T16:22 to 2026-11-11T16:22 Pacific

Output  owner Daniel  2026-11-11T15:45 to 2026-11-11T16:22 Pacific

Result  owner Paul  2026-11-11T15:45 to 2026-11-10T16:22 Pacific

Background: Learn the lore from both source materials (Minecraft and Poke mon). Build the world of Minecraft, a free roam where the main character is a combination of Ash and Steve.

Assets: Assets: Getting the elements that will be edited and used in the creation of the mod: - Characters, text, animation, 3d models, fonts, audio, etc. Obtaining everything that will be used in order to achieve the results, aka also the things the audience will view.

Body Frame: Build/configure: Put the blocky world together, add an Ash-Steve character so he can walk around, and set up the basic controls for throwing Poke balls and catching Poke mon as well of building like in a Minecraft world.

The output is for are mod to allow the player/consumer to be able to throw a poke ball to a Minecraft mob it will also make a custom world when loaded for the player with bits of Poke mon while still looking like Minecraft.

Results: Results - We have achieved the results we wanted. We wanted to make a mod pack for the video game Minecraft where we added a poke-ball from Poke mon.

**tech**

As a team we have chosen to use unity as the main engine for our game because of our knowledge in C#. We are also going to be using Unity Hub and Package manager. We chose this because based on the lesson videos we saw, we learned a few things about characters and how to create a functioning game, so we have information to get started. Additionally, it is also because we felt that it would be easiest to work with.

**Time code**

Classes & components

Class | Responsibility | GameObject

pokeballitem | Allows players to throw poke balls  | Poke Ball

PokeballProjectille  | Handles Poke  Ball throwing and collision | Projectile

MobCaptureSystem | Detects and captures Minecraft mobs | Minecraft Mob

PokemonCompanion | Handles captured Poke mon companions | Pokemon Entity

PokemonWorldGenerator  | Generates Poke mon-inspired terrain | Minecraft World

Variables / properties

Name : type | Value / purpose | Used by

pokeBallCount : int | Number of Poke  Balls the player has | PokeBallItem

captureChance : float | Determines the chance of capturing a mob | MobCaptureSystem

targetMob : Entity | Stores the Minecraft mob being targeted | PokeBallProjectile

isCaptured : boolean | Checks whether a mob has been captured | MobCaptureSystem

pokemonName : String | Stores the captured Poke mon's name | PokemonCompanion

**communication**

Working agreements

Agreement | Owner / where recorded | time

Wednesday | Discord | 20:00

**reuse**


We can reuse the organization patters we are learning/learned from the 6 videos we saw on game development using Unity and Talsta. We can also reuse the story element to build upon what we have and use the skills we have learned to revise our work. We can also continue to further use AI to keep us on track and add new ideas.

**boardNotes**

We all had planned to call over Zoom, however, we ran into technical difficulties so we decided to switch to Discord instead. We were on a call for over 2 hours working out our goals and coming up with ideas for our creation. We talked about what elements we want to include in our game, and we also created task boards to help us stay organized. We gave each other different jobs so we can work on separate things, we also discussed how we will be moving forward from this point on as a team.

## Whiteboard

this diagram explains are teams jobs/roles that they will finish up and have done before the end of class




## Whiteboard

Background: Learn the lore from both source materials (Minecraft and Poke mon). Build the world of Minecraft, a free roam where the main character is a combination of Ash and Steve.


Assets: Assets: Getting the elements that will be edited and used in the creation of the mod: - Characters, text,

animation, 3d models, fonts, audio, etc. Obtaining everything that will be used in order to achieve the results, aka also the things the audience will view.

Body Frame: Build/configure: Put the blocky world together, add an Ash-Steve character so he can walk around, and set up the basic controls for throwing Poke balls and catching Poke mon as well of building like in a Minecraft world.

The output is for are mod to allow the player/consumer to be able to throw a poke ball to a Minecraft mob it will also make a custom world when loaded for the player with bits of Poke mon while still looking like Minecraft.

Results: Results - We have achieved the results we wanted. We wanted to make a mod pack for the video game Minecraft where we added a poke-ball from Poke mon.




rgrtb

**codeTables**

**0**

**id**

ef30df39-930f-4018-b419-5dab8a52ac67

**title**

Classes & components

**columns**

**0**

**label**

Class

**type**

text

**1**

## CS110 / INDEPENDENCE ROAD

**label**

Responsibility

**type**

text

**2**

**label**

GameObject

**type**

text

**rows**

**0**

**0**

pokeballitem

**1**

Allows players to throw poke balls

**2**

Poke Ball

**1**

**0**

PokeballProjectille

**1**

Handles Poke  Ball throwing and collision

**2**

Projectile

**2**

**0**

MobCaptureSystem

**1**

Detects and captures Minecraft mobs

**2**

Minecraft Mob

**3**

**0**

PokemonCompanion

**1**

Handles captured Poke mon companions

**2**

Pokemon Entity

**4**

## CS110 / INDEPENDENCE ROAD

**0**

PokemonWorldGenerator

**1**

Generates Poke mon-inspired terrain

**2**

Minecraft World

**1**

**id**

072f78f4-71c5-4c23-8cba-52d59895a195

**title**

Variables / properties

### columns

**0**

**label**

Name : type

**type**

text

**1**

**label**

Value / purpose

**type**

text

**2**

**label**

Used by

**type**

text

### rows

**0**

**0**

pokeBallCount : int

**1**

Number of Poke  Balls the player has

**2**

PokeBallItem

**1**

**0**

captureChance : float

**1**

## CS110 / INDEPENDENCE ROAD

Determines the chance of capturing a mob

**2**

MobCaptureSystem

**2**

**0**

targetMob : Entity

**1**

Stores the Minecraft mob being targeted

**2**

PokeBallProjectile

**3**

**0**

isCaptured : boolean

**1**

Checks whether a mob has been captured

**2**

MobCaptureSystem

**4**

**0**

pokemonName : String

**1**

Stores the captured Poke mon's name

**2**

PokemonCompanion

### communicationTables

**0**

**id**

29d4e2a2-1221-47a4-a8ed-49ee95612d19

**title**

Working agreements

### columns

**0**

**label**

Agreement

**type**

text

**1**

**label**

Owner / where recorded

## CS110 / INDEPENDENCE ROAD

**type**

text

**2**

**label**

time

**type**

time

**rows**

**0**

**0**

Wednesday

**1**

Discord

**2**

20:00

### Task list

**0**

**id**

71f2f3b5-d3b2-4a4e-8679-33989ce1ef90

**task**

background making

**Task owner reference**

Jonathan Pacheco

**Deadline**

2026-11-12T20:30

**Completed**

false

**Execution / result**

**1**

**id**

696d909d-803f-4c6b-822a-b181d9b141bd

**task**

checking the output

**Task owner reference**

Daniel P

**Deadline**

2026-11-12T20:30

**Completed**

## CS110 / INDEPENDENCE ROAD

false

**Execution / result**

**2**

**id**

beb67b75-0e4d-4bf1-84bf-f4ae0e218857

**task**

finding the assets

**Task owner reference**

Mio Bal

**Deadline**

2026-11-12T20:30

**Completed**

false

**Execution / result**

**3**

**id**

ce0efaf1-e575-48a0-b9ea-6ec5f7de7345

**task**

testing the final results

**Task owner reference**

Paul Duarte

**Deadline**

2026-11-12T20:30

**Completed**

false

**Execution / result**

**4**

**id**

f1e25ce5-e695-4fbf-81d9-3bc4d427c905

**task**

help build hello world

**Task owner reference**

Isaias Gonzalez

**Deadline**

2026-11-12T20:30

**Completed**

## CS110 / INDEPENDENCE ROAD

false

**Execution / result**

**revision**

11