

1. A 15-year-old girl complains of general weakness, dizziness, and frequent fainting spells. She does not eat enough. Recently, she has been noticing a distortion of taste, a desire to eat chalk and raw minced meat. Her menstruations have been occurring since the age of 13 and are profuse and irregular. What substance causes sideropenic syndrome if its levels in the human body are low?

- a. Hemosiderin
- b. Folic acid
- c. Copper
- d. Vitamin B₁₂

e. Iron

2. A woman with candidiasis was prescribed an antifungal drug that disrupts the synthesis of ergosterol, but can cause dyspeptic disorders (diarrhea, nausea), hepatotoxicity, and headache as its side effects. What drug is it?

a. Fluconazole

- b. Metronidazole
- c. Clarithromycin
- d. Albendazole
- e. Acyclovir

3. A 45-year-old woman developed an acute inflammatory disease of the upper respiratory tract and eyes during the season of flowering. She presents with hyperemia, edema, and mucous discharge. What type of leukocytosis would be most characteristic in this case?

a. Basophilia

b. Eosinophilia

- c. Monocytosis
- d. Neutrophilia
- e. Lymphocytosis

4. D-galactose reacts with an ammonia solution of silver oxide. What functional group makes this reaction possible?

a. Aldehyde group

- b. Ether group
- c. Ester group
- d. Hydroxyl group
- e. Carboxyl group

5. Which one of the listed heterocyclic compounds exhibits the strongest basic properties?

a. Pyrrolidine

- b. Pyrrole
- c. Thiophene
- d. Pyridine
- e. Furan

6. What is the name of the five-membered heterocycle that contains nitrogen heteroatoms of the pyrrole and pyridine type?

- a. Thiazole
- b. Pyrazolidine
- c. Piperidine
- d. Triazole
- e. Pyrazole

7. What is the name of the lower expanded hollow part of the pistil that contains ovules in a flower?

a. Ovary

- b. Style
- c. Stigma
- d. Gynoecium
- e. Receptacle

8. A patient presents with intestinal obstruction and a decrease in the bactericidal effect of gastric

juice, which contributes to the growth of putrefactive microflora. In this case, increased excretion of a certain substance can be observed in urine. Name this substance.

- a. Indican
- b. Protein
- c. Lactic acid
- d. Glucose
- e. Creatine

9. What medium is used in quantification of halide ions by means of Volhard method (thiocyanometry)?

- a. Weakly alkaline
- b. Phosphate acid
- c. Neutral
- d. Strongly alkaline
- e. Nitric acid

10. A patient was prescribed losartan potassium for treatment of arterial hypertension. What is the mechanism of action of this drug?

- a. Blockade of angiotensin receptors
- b. Inhibition of angiotensin-converting enzyme
- c. Calcium channel block
- d. Activation of central alpha-adrenergic receptors
- e. Inhibition of phosphodiesterase

11. When harvesting inflorescences, it was determined that their main axis was well developed and the flowers were almost at the same level, despite being attached to peduncles of varying length. What type of inflorescence is it?

- a. Spike
- b. Corymb
- c. Umbel
- d. Botryoid
- e. Flat capitulum

12. In cases of methanol poisoning, one of the treatment methods requires administering ethanol (orally or intravenously) in doses large enough to cause intoxication in a healthy person. Why is this treatment method effective?

- a. Ethanol inhibits methanol diffusion
- b. Ethanol breaks down faster than methanol
- c. Ethanol competes with methanol for the active site of alcohol dehydrogenase
- d. Ethanol inactivates alcohol dehydrogenase
- e. Ethanol blocks alcohol dehydrogenase coenzyme

13. A newborn has been diagnosed with Down syndrome, accompanied by mental retardation, short stature, short fingers and toes, and Mongoloid slant of the eyes. Karyotyping detects trisomy 21. What type of hereditary pathology is Down syndrome?

- a. Gametopathy
- b. Fetopathy
- c. Blastopathy
- d. Molecular genetics disease
- e. Chromosome abnormality

14. Microscopy of the leaf epidermis reveals stinging hairs with a tall multicellular base, into which the base of an ampoule-shaped living cell with a small head filled with formic acid is immersed. What plant can be characterized by such emergences?

- a. *Artemisia absinthium*
- b. *Chelidonium majus*
- c. *Bidens tripartita*
- d. *Urtica dioica*

e. *Achillea millefolium*

15. A patient was prescribed an antiplatelet agent that has an effect on thromboxane A₂ formation in platelets. What drug is it?

a. Acetylsalicylic acid

b. -

c. Menadione

d. Adrenaline tartrate

e. Prednisolone

16. The manufacturer has stated that the half-life of ibuprofen is 2 hours. A patient has been prescribed 400 mg of the drug. How much ibuprofen (mg) will remain in the patient's body 6 hours after taking this dose of the drug?

a. 25

b. 100

c. 0

d. 150

e. 50

17. A patient diagnosed with arterial hypertension was prescribed lisinopril. What is the mechanism of action of this drug?

a. Stimulation of alpha₂-adrenergic receptors

b. Stimulation of beta-adrenergic receptors

c. Blockade of calcium channels in vascular smooth muscle

d. Blockade of beta-adrenergic receptors

e. Inhibition of angiotensin-converting enzyme

18. In the process of studying a new lipophilic compound, it was established that after glucuronidation it rapidly excretes with urine. What is the significance of glucuronidation in drug metabolism?

a. Strengthening plasma protein binding

b. Intensifying breakdown and absorption in the stomach

c. Increasing water solubility for renal excretion

d. Increasing lipophilicity to improve absorption

e. Preventing binding to the target receptor

19. Which one of the listed solutions will have the highest Van't Hoff isotonic coefficient, if their molar concentration and temperature are the same?

a. LiCl

b. C₆H₁₂O₆

c. AlBr₃

d. MgCl₂

e. CaCO₃

20. What structures enable the release of weak solutions of mineral (or, less often, organic) substances in the form of droplets and are arranged in groups on the serrations of the leaf margin?

a. Laticifers

b. Hydathodes

c. Osmophores

d. Idioblasts

e. Emergences

21. What end product forms as a result of beta-oxidation of fatty acids with an odd number of carbon atoms?

a. Propionyl-CoA

b. Acetyl-CoA

c. Palmitoyl-CoA

d. Acetoacetyl-CoA

e. Stearoyl-CoA

22. Protein-containing liquids, where proteins must remain undenatured, undergo sterilization at the temperature of 56-58°C in several 60-minute-long sessions over the course of 5 days. What method of sterilization is it?

- a. Tyndallization
- b. Autoclaving
- c. Flame sterilization
- d. Moist heat sterilization
- e. Pasteurization

23. A plant is completely submerged in water. What ecological group does this plant belong to?

- a. Succulents
- b. Mesophytes
- c. Xerophytes
- d. Hygrophytes
- e. Hydrophytes

24. Microscopy of a rhizome detects periphloematic vascular bundles. What plant does this rhizome belong to?

- a. *Acorus calamus*
- b. *Elymus repens*
- c. *Potentilla erecta*
- d. *Dryopteris filix-mas*
- e. *Convallaria majalis*

25. A 54-year-old man with 4-year-long history of chronic glomerulonephritis and 2-year-long history of persistent arterial hypertension made an appointment with a doctor. What substance synthesized in the kidneys plays an important role in the development of arterial hypertension in this patient?

- a. Erythropoietin
- b. Vitamin D
- c. Renin
- d. Nitric oxide
- e. Aldosterone

26. People, who were in the building during a fire, suffer from carbon monoxide poisoning. What type of hypoxia can be observed in this case?

- a. Circulatory hypoxia
- b. Respiratory hypoxia
- c. Tissue hypoxia
- d. Hemic hypoxia
- e. Hypoxic hypoxia

27. A 55-year-old patient was prescribed an organic nitrate drug for rapid relief of angina pectoris attacks. Select this drug from the list.

- a. -
- b. Propranolol hydrochloride
- c. Verapamil hydrochloride
- d. Digoxin
- e. Glycerol trinitrate

28. Disperse systems can be divided into lyophilic and lyophobic ones, based on the intensity of interaction between the particles of the dispersed phase and the dispersion medium. What disperse system is lyophobic?

- a. Solutions of high-molecular compounds
- b. Surfactant solutions
- c. Foams
- d. Tannin solutions
- e. Clay dispersions

29. A patient complains of headache episodes with nausea and vomiting. During examination,

patient's blood pressure - 180/100 mm Hg, blood glucose levels - 14.8 mmol/L. Magnetic resonance tomography detects pituitary adenoma. What pathology has caused the development of hyperglycemia in this patient?

- a. Cushing disease
- b. Diabetes insipidus
- c. Hypothyroidism
- d. Addison disease
- e. Pituitary dwarfism

30. A 65-year-old man developed third-degree atrioventricular block. What medicine should be prescribed for this patient?

- a. Digoxin
- b. Verapamil hydrochloride
- c. Metoprolol
- d. Amiodarone hydrochloride
- e. Atropine sulfate

31. What specific reagent is used for identification of Fe^{2+} cations?

- a. H_2SO_4
- b. $\text{K}_2\text{Na}[\text{Co}(\text{NO}_2)_6]$
- c. $\text{K}_3[\text{Fe}(\text{CN})_6]$
- d. NaOH
- e. NH_4OH

32. What anticholinesterase agent can be used to stimulate intestinal peristalsis in the patients during the postoperative period?

- a. Suxamethonium chloride
- b. Metoprolol
- c. Neostigmine methylsulfate
- d. Adrenaline tartrate
- e. Salbutamol

33. What feature of a leaf is characteristic of Poaceae?

- a. Leaf sheath
- b. Leaf blade
- c. Petiole
- d. Stipules
- e. Ochrea

34. What indicator is used in titrimetric determination of substances by means of mercurimetry (complexometry)?

- a. Potassium chromate
- b. Phenolphthalein
- c. Starch
- d. Diphenylcarbazide
- e. Methyl orange

35. What group reagent can be used to separate group III cations (acid-base classification), when conducting systematic analysis of a mixture?

- a. Alkali and hydrogen peroxide
- b. Ammonia
- c. Sulfuric acid
- d. Hydrochloric acid
- e. Barium chloride

36. A 48-year-old patient complains of thirst, frequent urination, dryness of skin and mucosa, and trophic ulcers that appeared on his legs. Examination detects blood glucose levels of 16 mmol/L and glucose in urine. What disease has occurred in the patient?

- a. Diabetes insipidus

- b. Nephrogenic diabetes insipidus
- c. Kidney failure

d. Diabetes mellitus

- e. Insulinoma

37. How does the value of the critical micelle concentration in homologous series change when the molecular mass of the surfactant increases?

a. Decreases

- b. Reaches its maximum and then decreases
- c. Sharply increases
- d. Increases
- e. Remains unchanged

38. What amine causes a positive isonitrile reaction?

a. N,N-Dimethylamine

b. Benzylamine

- c. Diphenylamine
- d. Tetramethylammonium chloride
- e. Diethylamine

39. What inflorescences are most typical of the Brassicaceae family?

- a. Spadix, spike
- b. Corymb, umbel
- c. Round or flat capitulum

d. Raceme, panicle

- e. Compound corymb, compound umbel

40. What reaction can be used to identify multiple bonds in organic compounds?

- a. Kuchero reaction
- b. Claisen condensation
- c. Hofmann rearrangement
- d. Friedel-Crafts alkylation

e. Wagner reaction

41. Amylolytic enzymes catalyze hydrolysis of polysaccharides and oligosaccharides. They have an effect on the following chemical bond:

- a. Amide bond
- b. Peptide bond
- c. Glycosidic bond
- d. Hydrogen bond
- e. Phosphodiester bond

42. What group of broncholytics is used for treatment of patients with bronchial asthma?

- a. Anticholinesterase drugs
- b. Nicotinic agonists
- c. beta₂-adrenergic agonists
- d. Muscarinic agonists
- e. beta-adrenergic blockers

43. What laboratory glassware is used for dissolving an exactly measured out sample when preparing a primary standard solution?

- a. Measuring glass
- b. Measuring flask
- c. Beaker
- d. Test tube
- e. Cylinder

44. What adsorption indicator is used in quantification of iodides by means of the Fajans method?

a. Eosin

- b. Diphenylamine
- c. Phenolphthalein
- d. Murexide
- e. Methyl orange

45. A 34-year-old woman with bronchitis has persistent, dry, non-productive cough. Her physician prescribed her a centrally acting antitussive drug. Select this drug from the list.

- a. Bromhexine hydrochloride
- b. Mucaltin
- c. Ambroxol hydrochloride
- d. Acetylcysteine
- e. Glaucine hydrochloride

46. In the patient's blood, increased activity of AST, LDH1, LDH2, and CPK was detected. What organ is the most likely site of a pathological process in this case?

- a. Adrenal glands
- b. Liver
- c. Kidneys
- d. Skeletal muscles
- e. Heart muscle

47. A flower has many stamens, fused together by filaments into several bundles. What type of androecium is it?

- a. Diadelphous
- b. Monadelphous
- c. Polyadelphous
- d. Didynamous
- e. Tetradynamous

48. Pathogenic microorganisms can be characterized by the presence of enzymes of aggression that determine their virulence. Select an enzyme of aggression from the list below.

- a. Transferase
- b. Carbohydrase
- c. Lyase
- d. Oxidase
- e. Hyaluronidase

49. What compound contains a primary aromatic amino group?

- a. $C_6H_5-NH_2$ (aniline)
- b. $(CH_3)_2NH$ (dimethylamine)
- c. $(C_6H_5)_3N$ (triphenylamine)
- d. $(CH_3)_3N$ (trimethylamine)
- e. $(CH_3)_3C-NH_2$ (tert-butylamine)

50. What is characteristic of benign tumors?

- a. Cancer cachexia
- b. Invasion into the surrounding tissues
- c. Expansive growth
- d. Infiltrating growth
- e. Metastasis

51. A pharmacy has decided to use the biological method to test the quality of instrument sterilization in an autoclave. What microorganisms should be used for this purpose?

- a. Streptococcus pyogenes
- b. Salmonella typhi
- c. Bacillus subtilis
- d. Yersinia pestis
- e. Borrelia recurrentis

52. What functional groups are present in the cyclic forms of ribose and deoxyribose?

- a. Only carboxylic
- b. Hydroxylic and carboxylic
- c. Only aldehyde
- d. Only hydroxylic**
- e. Hydroxylic and aldehyde

53. What method of instrumental analysis can be used for quantification of hydrochloric and boric acids in a mixture?

- a. Polarimetry
- b. Spectrophotometry
- c. Infrared spectroscopy
- d. Potentiometry**
- e. Chromatography

54. Analysis of a medicinal plant shows that its leaves are collected into a basal rosette, the leaves themselves are broadly ovate or elliptic with arcuate venation, while the flowers are small, unremarkable, and assembled into an inflorescence - a dense spike. What plant can be characterized by such features?

- a. *Vinca minor*
- b. *Plantago major***
- c. *Taraxacum officinale*
- d. *Chelidonium majus*
- e. *Althaea officinalis*

55. Disperse systems can be distinguished from true solutions by the bluish glow of colloidal solutions against a dark background when illuminated from the side. Name this phenomenon.

- a. Fluorescence
- b. Chemiluminescence
- c. Emission
- d. Opalescence**
- e. Scattering

56. A patient has pulmonary edema. What drug must be prescribed in this case to reduce the volume of circulating blood?

- a. Amiodarone hydrochloride
- b. Verapamil hydrochloride
- c. Metoprolol
- d. Magnesium sulfate
- e. Furosemide**

57. A plant has essential oil glands, its fruit is an achene, its inflorescence is a flat capitulum. What plant family can be characterized by such features?

- a. Asteraceae**
- b. Lamiaceae
- c. Rosaceae
- d. Solanaceae
- e. Scrophylariaceae

58. After being stung by bees, the patient developed Quincke's edema. What drug should the patient be urgently administered for the treatment of this condition?

- a. Adrenaline tartrate**
- b. Furosemide
- c. Diphenhydramine hydrochloride
- d. Propranolol hydrochloride
- e. Atropine sulfate

59. A doctor has prescribed benzylpenicillin for the treatment of a surgical patient with numerous abscesses of staphylococcal etiology. What is the mechanism of action of this antibiotic?

- a. Disruption of cell wall synthesis
- b. Disruption of nucleic acid synthesis
- c. Inhibition of DNA topoisomerases
- d. Inhibition of cytoplasmic membrane functions
- e. Disruption of ribosomal protein synthesis

60. What side effect is characteristic of lisinopril?

- a. Dry cough
- b. Hyperglycemia
- c. Bronchospasm
- d. Orthostatic hypertension
- e. Red urine

61. What is the structural formula for 3-chloropropene?

- a. $\text{ClCH}_2\text{-CH=CH}_2$
- b. $\text{CH}_2=\text{CCl-CH}_3$
- c. $\text{CH}_2=\text{CH-CH=CHCl}$
- d. ClCH=CH-CH_3
- e. $\text{ClCH}_2\text{-CH=CH-CH}_3$

62. A 14-year-old boy, who has been suffering from bronchial asthma since childhood, after significant physical exertion developed shortness of breath and impaired respiratory rate and depth, characterized by difficult and prolonged exhalation. What pathological type of breathing has developed in this case?

- a. Expiratory dyspnea
- b. Kussmaul breathing
- c. Biot's breathing
- d. Gasping
- e. Inspiratory dyspnea

63. Monosaccharides can be easily oxidized, but depending on the nature of the oxidant and the conditions under which oxidation occurs, different products will form. What compound forms when D-glucose is oxidized using bromine water?

- a. D-Glucuronic acid
- b. D-Glucaric acid
- c. D-glucose osazone
- d. Bromoderivative of D-glucose
- e. D-Gluconic acid

64. When a pharmaceutical company was manufacturing an enzyme drug, a violation of the technological process occurred: the drug was heated to 85°C . What changes will be observed in its enzyme activity?

- a. Increased enzyme activity due to increased molecular motion
- b. Minor changes in enzyme activity due to enzyme thermostability
- c. Impaired structure of metal ions in the active site
- d. Temporary decrease in enzyme activity that later resumes after cooling
- e. Protein denaturation and complete loss of enzyme activity

65. What cations are present in a solution if, after adding dimethylglyoxime (Chugaev reagent) and ammonia buffer solution to it, a bright crimson intracomplex compound forms as a result?

- a. Cobalt cations
- b. Calcium cations
- c. Aluminum cations
- d. Copper cations
- e. Nickel cations

66. A patient has been hospitalized with the diagnosis of diabetic hyperglycemic coma. The patient's breathing is slow, deep, and noisy. The inhalation phase is longer than the exhalation phase. What type of breathing has developed in the patient?

- a. Cheyne-Stokes breathing
- b. Gasping
- c. Kussmaul breathing
- d. Biot breathing
- e. Apneic breathing

67. What method of chromatographic analysis can be used for separation, identification, and quantification of methanol and ethanol in a mixture?

- a. Gas-liquid chromatography
- b. Precipitation chromatography
- c. Planar chromatography
- d. Ion exchange chromatography
- e. Paper chromatography

68. Primary and secondary nitroalkanes are tautomeric compounds. What tautomerism is characteristic of these compounds?

- a. Tautomerism of azoles
- b. Amino-imino tautomerism
- c. Lactam-lactim tautomerism
- d. Keto-enol tautomerism
- e. Aci-nitro tautomerism

69. A patient diagnosed with arterial hypertension has been prescribed a drug with an antihypertensive, antianginal, and antiarrhythmic effect. Name this drug.

- a. Adrenaline tartrate
- b. Dopamine hydrochloride
- c. Clonidine
- d. Metoprolol
- e. Fenoterol

70. Urinalysis of a patient with diabetes mellitus detects glucosuria. What is the renal threshold for glucose reabsorption?

- a. 10 mmol/L
- b. 15 mmol/L
- c. 20 mmol/L
- d. 5 mmol/L
- e. 1 mmol/L

71. A solution contains aluminum, potassium, and sodium cations. Into this solution a small amount of ammonium hydroxide and alizarin solution was added, resulting in production of a bright red precipitate (varnish). What ion has been detected as the result of this reaction?

- a. Calcium
- b. Potassium
- c. Barium
- d. Aluminum
- e. Sodium

72. In systematic analysis of group IV cations, hydrogen peroxide must be added along with the group reagent. Why must this substance be added?

- a. For more complete precipitation of these cations
- b. For formation of peroxide compounds of these cations
- c. For destruction of hydrate complexes
- d. For formation of hydroxo- and oxoanions of these elements at the lowest oxidation degrees
- e. For formation of hydroxo- and oxoanions of these elements at the highest oxidation degrees

73. When studying the chemical properties of an organic compound, it was established that it exhibits basic properties and easily undergoes halogenation and diazotization reactions. What compound meets these criteria?

- a. Naphthalene

- b. Phenol
- c. Toluene
- d. Benzene

e. Aniline

74. In the cells of eukaryotic organisms, the DNA is bound to proteins. What proteins are bound to the DNA molecule and stabilize it?

- a. Globulins
- b. Interferons
- c. Glutelins

d. Histones

e. Albumins

75. A bodybuilder athlete came to a pharmacy complaining of hyperthermia. To improve his athletic performance, he used the banned doping compound 2,4-dinitrophenol that uncouples oxidative phosphorylation. What effect of this compound on mitochondria can explain these symptoms?

- a. Increased acetyl-CoA levels and stimulation of tricarboxylic acid cycle
- b. Increased oxygen consumption and activation of ATP synthesis
- c. Increased use of ATP for cAMP synthesis

d. Decreased ATP synthesis and energy release in the form of heat

e. Decreased oxygen consumption and inhibition of ATP synthesis

76. Phosphorylation reactions in the cell are catalyzed by enzymes that have the trivial name of "kinases". What class of enzymes do they belong to?

a. Transferases

b. Lyases

c. Oxidoreductases

d. Ligases

e. Isomerases

77. What titrants are used in quantification of iodides by means of back titration, using the Volhard method?

a. Silver nitrate, ammonium thiocyanate

b. Mercury(II) nitrate, ammonium thiocyanate

c. Silver nitrate, sodium chloride

d. Mercury(I) nitrate, potassium thiocyanate

e. Mercury(I) nitrate, ammonium thiocyanate

78. What indicator is used in argentometric determination of chloride ions in Mohr's method?

a. Methyl red

b. Diphenylcarbazone

c. Eosin

d. Fluorescein

e. Potassium chromate

79. The fructose molecule belongs to ketoses. What phenomenon causes fructose to take part in the "silver mirror" reaction?

a. Mutarotation

b. Epimerization

c. Conformation

d. Condensation

e. Dehydration

80. At a pharmaceutical factory, an alkaloid must be extracted from a herbal raw material. What would ensure effective extraction of this substance?

a. The substance must have different solubility in two different solvents

b. The substance must enter into a chemical reaction with the solvent

c. The extraction process must be carried out at a high temperature

d. Solvents must have similar polarity values

e. Solvents must be miscible with each other

81. A doctor prescribed zopiclone to a patient complaining of insomnia. This drug has a hypnotic effect, because it interacts with certain receptors. Name these receptors.

a. Benzodiazepine and GABA receptors

b. Muscarinic and nicotinic acetylcholine receptors

c. H₁- and H₂-histamine receptors

d. Serotonin and opioid receptors

e. alpha- and beta-adrenergic receptors

82. What product forms as a result of aldehydes and ketones reacting with primary amines?

a. Nitrile

b. Azomethine

c. Alcohol

d. Thiol

e. Diazine

83. What drug inhibits hydroxymethylglutaryl-CoA reductase enzyme and reduces cholesterol synthesis?

a. Hydrochlorothiazide

b. Atorvastatin

c. Lisinopril

d. Amlodipine besylate

e. Furosemide

84. What principle is used when calculating the phase transition temperature at different pressure?

a. Konovalov rules

b. Mendeleev-Clapeyron equation

c. Clausius-Clapeyron equation

d. Trouton rule

e. Gibbs phase rule

85. What is the name of the single elongated crystals with pointed ends that can be detected during the microscopy of the herbal raw material harvested from a monocotyledonous plant?

a. Druses

b. Globoids

c. Crystalline sand

d. Styloids

e. Cystoliths

86. Berberis vulgaris has spines that are modifications of:

a. Leaves

b. Stems

c. Stipules

d. Petioles

e. Rachises

87. What type of chromatography includes the gas-liquid chromatography?

a. Adsorption chromatography

b. Gel chromatography

c. Ion exchange chromatography

d. Affinity chromatography

e. Distribution chromatography

88. What pair of compounds can be distinguished from each other using the silver mirror reaction?

a. Propanal and propanone

b. 1,3-Butadiene and 1,2-butadiene

c. Ethanol and ethylene glycol

d. n-Butane and isobutane

e. Propane and propene

89. A man diagnosed with epilepsy has been taking phenobarbital for a long time. Over time, he has noticed a decrease in the therapeutic effect of the drug - he has developed tolerance to this drug. What is the mechanism of developing tolerance to phenobarbital?

a. Inhibition of biotransformation

b. Acceleration of biotransformation

c. Weakening of the absorption process

d. Increased sensitivity of receptors

e. Accumulation of the substance in the body

90. A patient diagnosed with stomatitis was prescribed a fat-soluble vitamin preparation that takes part in redox processes and accelerates mucosal epithelization. What drug is it?

a. Folic acid

b. Retinol acetate

c. Ascorbic acid

d. -

e. Ergocalciferol

91. What enzyme is used to synthesize genes from matrix RNA on DNA in RNA-containing viruses?

a. Reverse transcriptase

b. DNA ligase

c. Exonuclease

d. Endonuclease

e. Helicase

92. Select from the list a quantitative characteristic of Brownian motion.

a. Resistance of the medium

b. Diffusion coefficient

c. Average particle displacement over time

d. Coefficient of friction

e. Coefficient of proportionality

93. What value is used when calculating the osmotic pressure of electrolyte solutions according to the Van 't Hoff's law?

a. Activity coefficient

b. Cryoscopic constant

c. Ebullioscopic constant

d. Osmotic coefficient

e. Isotonic coefficient

94. A sample of medicinal raw material was inoculated on the Sabouraud medium in order to detect phytopathogenic microorganisms in it. What microorganisms are detected this way?

a. Actinomycetes

b. Fungi

c. Bacteria

d. Protozoa

e. Viruses

95. Phellogen forms from pericycle or ground tissue that develops meristematic activity. What type of tissue is phellogen?

a. Mechanical

b. Vascular

c. Secretory

d. Meristematic

e. Dermal

96. On day 20 after a massive hemorrhage, the patient with an injury to the subclavian artery underwent a blood test. What blood test findings indicate an increase in erythropoiesis?

- a. Anisocytosis
- b. Anisochromia
- c. Poikilocytosis
- d. Hypochromia
- e. Reticulocytosis**

97. What compound is a base for organic dyes and belongs to isolated polynuclear arenes?

- a. Anthracene
- b. Cumene
- c. Benzene
- d. Triphenylmethane**
- e. Phenanthrene

98. What fluid will cause plasmolysis of human blood cells, if it is mistakenly administered intravenously?

- a. 3.5% NaCl solution**
- b. 0.9% NaCl solution
- c. 0.9% glucose solution
- d. Distilled water
- e. 3.5% glucose solution

99. Spore formation helps microbes survive in the environment. What microorganisms are spore formers?

- a. Clostridium**
- b. Staphylococcus
- c. Peptococcus
- d. Bacteroides
- e. Peptostreptococcus

100. What titrimetric methods can be used for quantification of streptocide (sulfanilamide, a primary aromatic amine) in a drug?

- a. Permanganometry, bromatometry
- b. Bromatometry, nitritometry**
- c. Complexonometry, nitritometry
- d. Nitritometry, argentometry
- e. Bromatometry, complexonometry

101. What is the typical sign of the initial stage of acute renal failure?

- a. Polyuria
- b. Pollakiuria
- c. Dysuria
- d. Anuria**
- e. Nocturia

102. What substance is a unique accumulator, donor, and transformer of energy within the body?

- a. Acetyl-CoA
- b. Adenosine triphosphate**
- c. Succinyl-CoA
- d. Creatine phosphate
- e. Phosphoenolpyruvate

103. Interleukin-1 is one of the secondary pyrogens in a fever. What cells are the main producers of this pyrogen?

- a. Lymphocytes
- b. Eosinophils
- c. Tissue basophils
- d. Platelets
- e. Macrophages**

104. Bacteriology of secretions from the patient's wound, stained using the Gram technique, revealed purple spherical microorganisms, arranged like a grape cluster. What microorganisms are the most likely cause of this disease?

- a. *Proteus vulgaris*
- b. *S. aureus*
- c. *Neisseria*
- d. *E. coli*
- e. *Salmonella typhimurium*

105. A 35-year-old patient complains of intense thirst, headache, and irritability. The 24-hour fluid intake is 9 liters. The 24-hour diuresis is increased. The patient was diagnosed with diabetes insipidus. This pathology is associated with impaired production of a certain hormone. Name this hormone.

- a. Vasopressin
- b. Catecholamines
- c. Aldosterone
- d. Thyroxine
- e. Glucocorticoids

106. A 65-year-old man has been diagnosed with benign prostatic hyperplasia. What adrenoblocker should he be prescribed?

- a. Metoprolol
- b. Adrenaline tartrate
- c. Doxazosin mesylate
- d. -
- e. Propranolol hydrochloride

107. A pharmaceutical company is developing a new antitumor drug that targets an enzyme that takes part in DNA replication. What enzyme is targeted by this drug?

- a. Reverse transcriptase
- b. RNA polymerase
- c. Aminoacyl-tRNA synthetase
- d. Topoisomerase
- e. Peptidyl transferase

108. What is propene structural formula?

- a. -
- b. $\text{CH}_3\text{-CH=CH-CH}_3$
- c. $\text{CH}_3\text{-CH=CH}_2$
- d. $\text{CH}_3\text{-CH}_2\text{-CH}_3$
- e. $\text{CH}_3\text{-CH}_2\text{-CH=CH-CH}_3$

109. A Gram-stained smear shows large oval violet cells that form pseudomycelium. Name these microorganisms.

- a. *Mucor fungi*
- b. *Actinomycetales*
- c. *Plasmodium malariae*
- d. *Candida fungi*
- e. *Penicillium fungi*

110. Species pectorales herbal tea contains pieces of bright yellow, sweet-tasting roots. What medicinal plant is it?

- a. *Valeriana officinalis*
- b. *Glycyrrhiza glabra*
- c. *Althaea officinalis*
- d. *Acorus calamus*
- e. *Plantago major*

111. Allopurinol is used to reduce the formation of uric acid in the treatment of gout. What enzyme is inhibited by this medicine?

- a. Arginase
- b. Xanthine oxidase**
- c. Amylase
- d. Lactate dehydrogenase
- e. Catalase

112. An alkali was added into the solution being analyzed. When heated, the solution produced a gas. This gas changes the color of a moist litmus paper from red to blue, which indicates the presence of the following ions in the solution:

- a. NH_4^+**
- b. Bi^{3+}
- c. CO_3^{2-}
- d. Cl^-
- e. Pb^{2+}

113. After examination, a child was diagnosed with scarlet fever. What microorganism is the causative agent of this disease?

- a. Meningococcus
- b. Staphylococcus
- c. Klebsiella
- d. Actinomycete
- e. Streptococcus**

114. What monomer is the basis for natural rubber?

- a. Isoprene**
- b. Ethene
- c. Propene
- d. Divinyl
- e. 1-Butyne

115. After evaporation of the solution that is being analyzed, the remaining dry residue turns the colorless flame of the burner purple. What ions are present in the solution, as indicated by this reaction?

- a. Ammonium ions
- b. Sodium ions
- c. Lithium ions
- d. Barium ions
- e. Potassium ions**

116. Polarimetry is used for determining optically active substances. What substance can be determined, using this method?

- a. Copper sulfate
- b. Sodium chloride
- c. Calcium nitrate
- d. Glucose**
- e. Potassium iodide

117. A patient with arterial hypotension accompanied by collapse was administered phenylephrine hydrochloride to increase the blood pressure. What receptors are stimulated by this drug?

- a. Angiotensin receptors
- b. beta-adrenergic receptors
- c. alpha-adrenergic receptors**
- d. Muscarinic acetylcholine receptors
- e. Nicotinic acetylcholine receptors

118. When carbohydrate intake is excessive, insulin stimulates conversion of carbohydrates into lipids in the cells of adipose tissue. What biochemical process enables this conversion?

- a. Gluconeogenesis
- b. Uric acid synthesis

c. Heme synthesis

d. Synthesis of higher fatty acids

e. Lipolysis

119. Hepatitis B patients and hepatitis B carriers cannot be potential donors, because there is a risk of transmitting the infection to the recipient along with blood and blood products. What transmission route is characteristic of this infection?

a. Alimentary transmission

b. Airborne-droplet transmission

c. Parenteral transmission

d. Arthropod-borne transmission

e. Airborne-dust transmission

120. Microscopy of plants detects parenchymal cells with thin membranes, a large nucleus, and a large number of ribosomes. What tissue is it?

a. Mechanical tissue

b. Dermal tissue

c. Parenchyma

d. Secretory tissue

e. Meristematic tissue

121. Morphological analysis shows that the length of a leaf blade exceeds 1.5-2 times its width and the widest part is located closer to the base. What shape of the leaf blade is it?

a. Elliptic

b. Linear

c. Lanceolate

d. Ovate

e. Narrowly ovate

122. What law underlies the method of spectrophotometry in the ultraviolet region of the spectrum?

a. Ohm law

b. Beer-Bouguer-Lambert law

c. Faraday law

d. Stokes-Lommel law

e. Rayleigh law

123. A 45-year-old man has been hospitalized with intense pain in the right hypochondrium. He was diagnosed with cholelithiasis accompanied by biliary colic. What drug should be prescribed in this case to eliminate the pain syndrome?

a. Drotaverine hydrochloride

b. Bisacodyl

c. -

d. Pancreatin

e. Almagel

124. Microbiological testing of vaginal suppositories shows that they do not meet the requirements of the Pharmacopoeia. What microflora was detected in the suppositories, causing this conclusion?

a. Micrococci

b. Sarcina

c. Lactobacilli

d. Pseudomonas aeruginosa

e. Tetracocci

125. Administration of adrenaline increases glucose levels in the blood. What process is mainly activated in this case?

a. Gluconeogenesis

b. Glycogenesis

c. Glycogenolysis

d. Lipogenesis

e. Pentose phosphate pathway

126. Name the phenomenon when aerosol particles move in the direction of decreasing temperature.

- a. Photophoresis
- b. Electrophoresis
- c. Thermophoresis
- d. Sedimentation
- e. Peptization

127. A patient has been hospitalized with signs of ascites. The doctor prescribed the patient spironolactone to enhance the diuretic effect of hydrochlorothiazide. What effect does this drug have besides its diuretic effect?

- a. Antispasmodic
- b. Sedative
- c. Potassium-sparing
- d. Analgesic
- e. Irritant

128. After a long course of antibiotic therapy, the patient developed a complication characterized by the formation of white coating on the oral mucosa. Microscopy of swabs from the affected areas reveals oval budding microorganisms. Inoculation of the obtained material on the Sabouraud medium results in growth of smooth white colonies. What drug should be used for the etiotropic treatment of this disease?

- a. Fluconazole
- b. Doxycycline
- c. Isoniazid
- d. Acyclovir
- e. Albendazole

129. What electrode can be used as an indicator electrode in titration of bases?

- a. Silver chloride electrode
- b. Quinhydrone electrode
- c. Glass electrode
- d. Calomel electrode
- e. Platinum electrode

130. What is the effect of electron-accepting substituents (type II substituents) on the course of electrophilic substitution (SE) reactions in arenes?

- a. They speed up the reaction and are meta-directors
- b. They speed up the reaction and are ortho- and para-directors
- c. They have no effect on the reaction
- d. They slow down the reaction and are meta-directors
- e. They slow down the reaction and are ortho- and para-directors

131. What titrimetric method of analysis can be used for quantification of magnesium chlorides in a mixture that contains both potassium and magnesium chlorides?

- a. Complexonometry
- b. Permanganatometry
- c. Nitritometry
- d. Argentometry
- e. Mercurimetry

132. What method of microspecimen staining can be used to detect Mycobacterium tuberculosis?

- a. Neisser stain
- b. Gram stain
- c. Ziehl-Nielsen stain
- d. Romanowsky-Giemsa stain
- e. Burri-Gins stain

133. During practice, a student was tasked with classifying plants, dividing them into monocotyledons and dicotyledons. What family of plants belongs to the monocotyledons?

- a. Rosaceae
- b. Fabaceae
- c. Lamiaceae
- d. Poaceae
- e. Brassicaceae

134. What reagent can be used for identification of lead cations according to the State Pharmacopoeia of Ukraine?

- a. Sodium hydroxide
- b. Formaldehyde solution
- c. Sodium sulfite
- d. Potassium iodide
- e. Urea

135. What antiprotozoal drug has anti-Helicobacter pylori effect?

- a. Rifampicin
- b. Albendazole
- c. Isoniazid
- d. -
- e. Metronidazole

136. What heterocycle has acidophobic properties?

- a. Thiophene
- b. Pyrrole
- c. Pteridine
- d. Pyrimidine
- e. Quinoline

137. What is benzene formula?

- a. C₆H₆
- b. C₄H₄
- c. C₆H₈
- d. C₁₀H₈
- e. C₆H₁₀

138. Ledum palustre leaves are leathery, with a flat elongated leaf blade, curved downward edges, and brown hairs on the underside. What family does this plant belong to?

- a. Brassicaceae
- b. Rosaceae
- c. Lamiaceae
- d. Ericaceae
- e. Fabaceae

139. For tetanus prevention a certain toxin is used. This toxin is being inactivated with formaldehyde (0.4%) under the temperature of 39°C over the course of 4 weeks. Name the resulting preparation.

- a. Antitoxic serum
- b. Killed vaccine
- c. Immunoglobulin
- d. Adjuvant
- e. Anatoxin

140. A patient has been admitted to the hematology department of a hospital. He has history of frequent cases of acute respiratory viral infections and tonsillitis. Examination reveals enlarged lymph nodes. Blood test results: anemia, lymphocytosis, a small number of lymphoblasts, and Gumprecht shadows in the blood smear. What pathology has most likely occurred in this patient?

- a. Multiple myeloma
- b. Chronic lymphocytic leukemia

- c. Agranulocytosis
- d. Chronic myeloid leukemia
- e. Lymphogranulomatosis

141. What type of pharmaceutical interaction is it, when absorption of tetracycline drugs becomes reduced if they are taken simultaneously with antacids?

- a. Pharmacodynamic incompatibility
- b. Synergism
- c. Pharmaceutical incompatibility
- d. Pharmacokinetic incompatibility
- e. Functional antagonism

142. What bioactive peptide is a major intracellular antioxidant and performs coenzyme functions?

- a. Oxytocin
- b. Hemoglobin
- c. Liberine
- d. Glutathione
- e. Bradykinin

143. A 50-year-old patient has been hospitalized into the intensive care unit with complaints of weakness, shortness of breath, and constricting pain behind the sternum. Examination reveals that the patient's condition is moderately severe, heart rate - 80/min, blood pressure - 130/85 mm Hg. ECG shows deep Q waves and ST segment elevation. Acutely increased activity of AST, CPK-MB, and troponins is observed in the blood. What pathological condition can be characterized by the described symptoms and laboratory test results?

- a. Pericarditis
- b. Myocarditis
- c. Myocardial infarction
- d. Pulmonary embolism
- e. Angina pectoris

144. In human body, stable glucose levels are maintained by balanced levels of insulin and counterinsular hormones. What endocrine pathology causes development of persistent hypoglycemia?

- a. Insulinoma
- b. Cushing disease
- c. Pheochromocytoma
- d. Acromegaly
- e. Thyrotoxicosis

145. What H₂-histamine blocker can be used to treat peptic ulcer disease of the stomach with increased secretory function?

- a. Levocetirizine
- b. Omeprazole
- c. Atropine sulfate
- d. Famotidine
- e. Drotaverine hydrochloride

146. What is the mechanism of action of antiviral drug acyclovir?

- a. Inhibition of nucleic acid synthesis
- b. Blockade of cell wall synthesis
- c. Antagonism with para-aminobenzoic acid
- d. Inhibition of protein synthesis
- e. Increasing the cell membrane permeability

147. A person has been hospitalized with the diagnosis of malaria. What route of infection transmission is characteristic of this disease?

- a. Indirect contact transmission
- b. Fecal-oral transmission

- c. Arthropod-borne transmission
- d. Airborne and droplet transmission
- e. Direct contact transmission

148. The synthesis of thyroid hormones is carried out from tyrosine in a special protein of the thyroid gland. Name this protein.

- a. Albumin
- b. Interferon
- c. Immunoglobulin
- d. Thyroglobulin
- e. Histone

149. After adding a barium chloride solution to the solution being analyzed, a white precipitate, insoluble in acids and alkalis, formed. What anions are present in the analyzed solution?

- a. Sulfate anions
- b. Carbonate anions
- c. Nitrate anions
- d. Chloride anions
- e. Phosphate anions

150. What structures of a flower originate from the stem?

- a. Calyx and stamens
- b. Calyx and corolla
- c. Stamens and pistils
- d. Receptacle and perianth
- e. Pedicel and receptacle