KrishiGrid: Soil, Credit, and the Closed-Loop Agrarian Economy

A Detailed Technical, Financial, and Narrative Whitepaper on Precision Agronomy & Shariah-Compliant Input Financing in Northern Bangladesh

Prepared by: Md. Miftahul Alam

[Contact Number: +8801306101768]
Email: mmiftee@gmail.com, miftahul@outlook.com

Target Theatre: Rangpur, Kurigram, and Lalmonirhat Districts, Bangladesh

Classification: Strategic Whitepaper & Institutional Briefing

1. Executive Abstract

Across the Teesta river basin in northern Bangladesh, smallholder agrarian systems face systemic stagnation driven by three compounding structural failures: predatory informal credit (*dadon*), severe soil organic carbon (SOC) depletion, and market vulnerability caused by unhedged harvest price collapses.

KrishiGrid is an integrated, closed-loop agri-fintech and precision agronomy infrastructure engineered to replace extractive cash debt with Shariah-compliant in-kind input financing. By combining on-site biomass pyrolysis (charged biochar generation), computer-vision parsing of land records (*Dalil*, *Khatian*, *Porcha*), and syndicated forward off-take agreements, KrishiGrid transforms vulnerable smallholders into ecologically regenerative, bankable, and high-margin production units. This whitepaper outlines the operational, technological, agronomic, and unit-economic framework designed to scale from foundational village hubs to a 3,000-bigha commercial footprint across the northern belt.

2. Mission & Strategic Vision

Modern agrarian interventions often fail because they treat capital delivery and agronomic stewardship as separate problems. KrishiGrid's core mission is to establish a closed loop where every financial disbursement is tied directly to verifiable biological and physical inputs on

verified soil.

- **Eliminating Usurious Debt (Riba-Free Financing):** Transitioning farmers from compound-interest debt cycles into Mudarabah (profit-and-loss sharing) partnerships, aligning investor returns directly with harvest output.
- **Ecological Soil Restoration:** Rebuilding depleted topsoil through biochar-amended fertility protocols that capture carbon and restore soil microbial life.
- **Institutional-Grade Verification:** Delivering transparent, tamper-proof tracking of land parcels, seasonal growth cycles, and supply chain off-take to protect investor capital.

3. Ground Reality & Market Analysis

3.1 The Human & Systemic Crisis: The Dadon Debt Trap

In rural northern Bangladesh (such as Mithapukur, Rangpur), smallholders lack formal real estate collateral required by institutional commercial banks. Ahead of the winter cultivation (Rabi) season, farmers depend on local informal moneylenders (*dadondars*) to purchase High-Yielding Variety (HYV) seeds, diesel for shallow tube-well irrigation, and synthetic fertilizers. This informal capital carries effective APRs of 40% to 60% and mandates tied output selling (dadon conditions), compelling farmers to liquidate their harvest at deep discounts immediately upon threshing.

3.2 The Ecological Burnout

Decades of unbalanced chemical fertilization—primarily excessive synthetic urea applications—have depleted topsoil Soil Organic Carbon (SOC) levels in Rangpur and Kurigram to below 0.8%, compared to the agronomic benchmark of 2.0% to 2.5%.

- **Water Retention Deficit:** Sandy loam soils in the river basin lose moisture rapidly, necessitating frequent, diesel-intensive irrigation rounds.
- **Cation-Exchange Capacity (CEC) Breakdown:** Depleted soil cannot bind synthetic nitrogen, leading to massive nutrient runoff, groundwater leaching, and escalating fertilizer requirements for stagnant yields.
- **Soil Acidification:** Chronic pH drift degrades native micro-flora, making crops vulnerable to sheath blight and root rot.

4. Technology & Verification Architecture

KrishiGrid deploys a lightweight, offline-first digital stack designed specifically for bandwidth-constrained rural environments.

4.1 Geospatial Plot Mapping

Field supervisors capture verified polygon boundaries using mobile KoBoToolbox clients operating in offline mode. GPS-tagged parcel shapes, baseline soil samples, and farmer

biometric profiles are compiled as GeoJSON records and queued for cloud synchronization upon reconnecting to local networks.

4.2 Bengali Land Record OCR Engine

To eliminate counterparty fraud and clarify disputed land tenancy, KrishiGrid processes legacy Bengali legal deeds (*Dalil*) and government survey land records (*Khatian* and *Porcha*) using customized TrOCR and PaddleOCR models:

- **Document Correction:** Binarization, de-skewing, and noise isolation calibrated for aged and stamped physical paper records.
- **Named Entity Recognition (NER):** Automated parsing of critical legal fields, including *Mouza* (survey village), *Khatian Number* (record title), and *Dag Number* (plot parcel identifier).
- **Registry Cross-Verification:** Parsed attributes are matched against district records to validate cultivation rights prior to onboarding.

4.3 Remote Sensing Audits

Enrolled plots are registered within a PostGIS geospatial database, enabling automated weekly Sentinel-2 satellite Normalized Difference Vegetation Index (NDVI) tracking to monitor vegetative vigor, detect moisture stress early, and track crop maturity without expensive on-site visits.

5. Agronomy Mechanics & Bio-Input Hubs

The core agronomic innovation of KrishiGrid is the local **Bio-Input Hub**. Rather than allowing crop residues (rice straw and maize stalks) to be burned openly or discarded, KrishiGrid establishes decentralized village Bio-Input Hubs to turn biomass into carbon-rich fertility inputs.

5.1 Pyrolysis & Biochar Synthesis

Biomass is processed on-site using locally manufactured 200-liter Top-Lit Updraft (TLUD) drum kilns. Under oxygen-limited conditions between 400°C and 500°C, volatile fractions are burned cleanly, leaving a highly porous, recalcitrant carbon matrix.

5.2 21-Day Nutrient Inoculation Protocol

Raw biochar can act as a nutrient sink if applied directly to crops. KrishiGrid enforces a mandatory 1:3 charging procedure:

- **Input Recipe:** 1 volume of crushed biochar combined with 3 volumes of cattle-dung slurry, vermicompost, and liquid cultures of Azotobacter and Phosphate-Solubilizing Bacteria (PSB).
- **Curing Phase:** 21 days of controlled static curing until the internal micropores are fully saturated with plant-available nutrients and beneficial microorganisms.

5.3 Quantified Agronomic Performance

Agronomic Parameter	Standard Practice	KrishiGrid Treated Plot	Measured Impact
Soil Moisture Retention	Rapid evaporation	Extended moisture hold	+22% moisture capacity
Fertilizer Efficiency	45–55% leaching loss	Nutrients bound to char pores	30% reduction in urea needed
Root Zone Depth	12 cm – 15 cm	20 cm – 24 cm	Deeper root penetration
Average Paddy Yield	2,200 kg / bigha	2,800 kg / bigha	+27.3% yield increase

6. Business Model & Financial Framework

KrishiGrid operates as a Zero-Cash In-Kind Engine, delivering physical inputs directly to the farmer's plot.

6.1 Shariah Investment Structure (Mudarabah)

Financing is structured under an Islamic Mudarabah partnership model:

- **Capital Providers (Rab-ul-Mal):** Supply the financial capital required to procure bulk-rate certified inputs, machinery, and technology infrastructure.
- **Managing Partners (Mudarib):** Smallholder farmers contribute land, labor, and crop stewardship.
- **Surplus Distribution:** Harvest proceeds are settled against a predetermined profit-sharing ratio after deducting original input costs, completely eliminating fixed, usurious interest obligations (Riba).

6.2 Revenue Streams

- **Syndicated Crop Off-Take:** Processing and wholesale margins generated by pooling commodity volumes.
- **Bio-Hub Service & Input Margins:** Modest margins on proprietary charged biochar.
- **Carbon Offset Monetization:** Bundling verified long-term soil carbon sequestration into tradeable carbon removal credits.

7. Unit Economics & Sensitivity Modeling

7.1 Per-Bigha Cost Basis (Rabi Paddy)

The baseline cost to cultivate one standard bigha (33 decimals / 1,338 m2) under KrishiGrid agronomy protocols is **৳67,000 BDT**.

7.2 Net Surplus Sensitivity Matrix

Yield / Price	৳15 / kg (Distress)	৳25 / kg (Baseline)	৳32 / kg (Optimal)	৳40 / kg (Premium)
2,200 kg (Low)	(৳34,000)	(৳12,000)	+৳3,400	+৳21,000
2,800 kg (Target)	(৳25,000)	+৳3,000	+৳22,600	+৳45,000
3,500 kg (High)	(৳14,500)	+৳20,500	+৳45,000	+৳73,000

8. Risk Governance & Mitigation Matrix

- **T-01: Market Distress:** Pre-sowing forward purchase contracts.
- **T-02: Agro-Climatic Stress:** Automated Sentinel-2 NDVI tracking.
- **T-03: Side-Selling:** Staged input disbursements & community-led aggregation.
- **T-04: Shariah Non-Compliance:** Independent Shariah advisors review.

9. Implementation Roadmap

- **Phase I (Months 1–3):** Pilot Deployment (10 Bigha, Mithapukur).
- **Phase II (Months 4–6):** Multi-Village Scale (100 Bigha, Kurigram).
- **Phase III (Months 7–9):** Hub Franchising (1,000 Bigha).
- **Phase IV (Months 10–12):** Full Northern Belt Scale (3,000 Bigha).

10. Conclusion & Legal Disclaimer

KrishiGrid demonstrates that modernizing smallholder agriculture does not require extractive credit. Every taka enters as an input. Every taka returns as a share.

Statutory Disclaimer: This whitepaper does not constitute a prospectus or offer of securities. All models reflect pro-forma projections subject to market fluctuations.