



Project Dynamo

Nine specialized models. One electric-drive platform. Two energy strategies.

2027 FUTURE VEHICLE CONCEPT

AN INDEPENDENT COGNISINT DESIGN AND PRODUCT STRATEGY STUDY

SPECIALIZATION WITHOUT FRAGMENTATION.

Dynamo is a scalable electric-drive architecture: shared hard points, interfaces, component families, energy bays, controls, production logic, and service knowledge support specialized vehicles without treating one invariant floorpan as the answer for every body.

Platform is readable shorthand. Dynamo does not claim that one invariant floorpan stretches from Captain to Ranch.

Derivatives and changes in the PE / BEV production mix retain the shared architecture, interfaces, component families, assembly logic, and service knowledge. Body-specific tooling, crash structure, cooling, plumbing, packaging, and capacity remain deliberately engineered for each vehicle.




ELECTRIC TRACTION. FROM RAIL TO ROAD.

Petro-Electric (PE) is Project Dynamo's product term for a plug-in series hybrid: an onboard prime mover generates electricity, while electric traction motors alone drive the wheels.

A diesel-electric locomotive makes traction electricity onboard. Dynamo PE adds a plug-in battery for routine battery-only driving, regenerative braking, and power buffering, so the generator can remain off until additional energy or system conditioning requires it.



THE ENERGY MODULE CHANGES. THE PROPULSION SYSTEM DOES NOT.



FORWARD ENERGY BAY

Generator cassette or supplemental BEV battery and power electronics.

AMIDSHIPS ENERGY BAY

PE fuel storage or vehicle-specific BEV battery capacity ahead of the rear axle.

ONE ELECTRICAL HANDSHAKE

A regulated high-voltage interface; the battery remains the immediate power buffer.

SEPARATE THERMAL JOBS

PE engine heat and lower-temperature battery, inverter, and drive-unit circuits remain distinct.

THE DIFFERENCE IS THE PATH TO THE WHEELS.

01 CONVENTIONAL ICE

Fuel > engine > transmission > wheels

Mature and familiar. Engine speed and road speed remain mechanically coupled.

02 CONVENTIONAL HYBRID

Fuel + battery > engine / motor / transmission > wheels

Efficient and proven, but retains a mechanical engine-to-wheel path while adding electric hardware.

03 DYNAMO PETRO-ELECTRIC

Fuel > Dynamo Module > electricity > battery / motor > wheels

Grid energy or onboard generation charges the battery. Traction motors alone drive the wheels.

04 BATTERY ELECTRIC

Grid > battery > motor > wheels

The simplest propulsion path, bounded by stored energy and charging access.

CHANGE THE MIX WITHOUT RESTARTING THE PROGRAM.

COMMON INTERFACES

Shared hard points, high-voltage connections, thermal backbone, and controls support both energy strategies.

COMPONENT FAMILIES

E-drives, electronics, switches, latches, seat hardware, sensors, and scaled modules repeat where repetition earns value.

BODY-SPECIFIC ENGINEERING

Tooling, crash structure, cooling, plumbing, packaging, capacity, and outer forms remain tailored to each mission.

PRODUCTION FLEXIBILITY

PE and BEV output can rebalance as customer preference, policy, fuel prices, charging access, and demand move.

SERVICE CONTINUITY

Shared diagnostics, training, parts logic, and accumulated technician knowledge continue across the family.

SPECIALTY DERIVATIVES

New bodies and performance versions retain the architecture and production system instead of forcing a restart.

NINE MODELS. ONE SHARED FOUNDATION.



SPACE THAT CHANGES WITH THE DAY.



CARGO DEPTH

Useful room remains behind a fully occupied third row.



THREE-ROW COMFORT

Track-mounted captain's chairs support ordinary passenger use.



HORIZONTAL STOWAGE

The third-row bench folds into a level, useful cargo surface.

The Constellation passenger van does not pretend that occupied rows disappear. Its low floor, removable second-row chairs, folding work surfaces, and horizontally stowing third-row bench support passenger comfort and practical cargo use. The Estate and XTour answer different needs with lower and medium profiles. No vehicle has to be all things to all people.

FROM LAST-MILE DELIVERY TO FIELD WORK.



TASKVAN DELIVERY

A credible sliding aperture, low step, and modular parcel shelving.



SKILLED TRADES

Organized tools and durable access serve the people doing the work.



MOBILE ENTERPRISE

Washable modules, refrigeration, tie-downs, and power export.

ONE WORK ARCHITECTURE, THREE DISTINCT MISSIONS

TaskVan handles enclosed delivery and trade work, Foreman adds a mid-size open bed, and Ranch supports full-size towing, hauling, and field work. Each retains body-specific engineering while drawing on shared controls, component families, service logic, and power export. Ranch's fold-flat work surface leaves room for a laptop, coffee, and documents; AC connections are supplied, not a laptop.

ONE CONTROL PHILOSOPHY. DISTINCT CABINS.



CAPTAIN

Anthracite foundations, a Travertine dash band and bolsters, and Brushed Aluminum touchpoints.



ESTATE

Oxblood bolsters, woven inserts, real controls, and useful storage.



CONSTELLATION

Sandstone, Nantucket Fog, and tactile Travertine support quiet passenger comfort.



HIGHROAD

Three usable rows, familiar physical controls, and durable materials without excess.

ABUNDANT CHARACTER, THOUGHTFULLY CONTAINED.

EXTERIOR PALETTE



COPPERCLAD



QUICKSILVER



CHERRY ROYAL



GLACIER



MIDNIGHT BLUE



AFTER SIX



CHAMPAGNE



BLUE ORDER




GRIDIRON



CANYON



PLATINUM MIST



LAKE EFFECT




DREADNOUGHT

CABIN COLORS AND MATERIAL FAMILIES




ANTHRACITE



OXBLOOD




SANDSTONE



NANTUCKET FOG




THALASSIC




TRAVERTINE

HARDWARE FINISHES



BRUSHED ALUMINUM



BLACK CHROME



DARK ANODIZED ALUMINUM

The cabin system supports smooth and woven variation, vegan leather alternatives, real leather, durable textiles, and mixed-material interiors within a defined architecture.

SENSE CONTEXT. CHOOSE A BOUNDED RESPONSE.



CABIN SAFE

A dog waits safely while actual thermal risk, not a timer, governs the response.



CABIN COMFORT

Tired hikers return to a pre-cooled XTour prepared around real conditions and return time.



RAIN GUARD

The Highroad verifies every closure and reports any obstruction or fault.

SENSE

Occupants, movement, temperature, weather, battery, time, location, and vehicle state.

UNDERSTAND

Onboard AI combines signals, detects contradictions, estimates risk, and predicts what follows.

PROTECT

A safety-certified controller selects bounded actions: monitor, heat, cool, close, notify, unlock, or request help.

AI interprets the situation. Safety-certified controls govern the response.



SPECIALIZATION WITHOUT RESTARTING THE ARCHITECTURE

ROOM FOR THE VEHICLES ENTHUSIASTS THOUGHT THE MARKET HAD FORGOTTEN.

Higher-output drive units, brakes, suspension tuning, cooling, wheels, and software create credible Captain, Fastback, and Estate derivatives. Progressive controls and predictable responses make the additional capability useful to ordinary drivers. The base models retain their current simulated targets; the presentation does not chase sub-three-second acceleration.

GROUNDING ENOUGH TO EVALUATE.

Model	L x W	Weight PE / BEV	Torque	Battery PE / BEV	Gen.	PE mpg	0-60	Top / cruise
Captain	181.8 x 72.2	3,590 / 3,670 lb	295 lb-ft	32 / 72 kWh	80 kW	39	6.1 s	118 / 75
Fastback	179.5 x 72.4	3,520 / 3,600 lb	310 lb-ft	32 / 72 kWh	80 kW	38	5.7 s	120 / 75
Estate	186.2 x 72.6	3,790 / 3,860 lb	315 lb-ft	36 / 78 kWh	85 kW	37	6.4 s	115 / 75
XTour	178.8 x 73.4	3,940 / 4,000 lb	335 lb-ft	38 / 78 kWh	90 kW	34	6.2 s	112 / 75
Highroad	194.0 x 77.4	4,740 / 4,860 lb	500 lb-ft	45 / 105 kWh	120 kW	28	5.8 s	112 / 70
Constellation	196.5 x 76.5	4,480 / 4,560 lb	360 lb-ft	42 / 95 kWh	105 kW	31	7.1 s	105 / 70
TaskVan	196.5 x 76.5	4,260 / 4,340 lb	360 lb-ft	42 / 95 kWh	105 kW	32	7.3 s	105 / 70
Foreman	200.5 x 76.8	4,450 / 4,560 lb	420 lb-ft	42 / 90 kWh	105 kW	30	6.3 s	110 / 70
Ranch	211.0 x 79.2	5,060 / 5,200 lb	540 lb-ft	52 / 115 kWh	130 kW	25	5.9 s	110 / 70

VERY RESTRAINED INTERNAL CALIBRATION

Status: concept. Basis: simulated design targets. PE and BEV Captain values share the same body, mission, and electric drive; no production vehicle is presented as an exact analogue. PE targets 39 mpg while the generator is running, a 32 kWh battery, and 6.1 seconds to 60 mph. BEV targets 28 kWh per 100 miles, a 72 kWh battery, and 5.9 seconds to 60 mph.

COMPETITIVE PRODUCTS. A RESILIENT PRODUCT SYSTEM.

VALUE TO PEOPLE

CHOOSE THE ENERGY STRATEGY. KEEP THE ELECTRIC DRIVE.

- PE plugs in for routine electric travel, then refuels quickly when distance or charging access demands it.
- BEV removes the prime mover for the lowest energy use and scheduled maintenance.
- Both retain electric torque, all-wheel drive, traction control, regenerative braking, and familiar character.

VALUE TO THE COMPANY

CHANGE THE MIX WITHOUT RESTARTING THE PROGRAM.

- Shared architecture and suppliers spread investment across nine specialized models.
- Production can rebalance PE and BEV without discarding factory, service, and technician knowledge.
- New derivatives retain the architecture while body-specific tooling and engineering remain honest.

1 electric-drive core > 2 energy strategies > 9+ specialized models

WHAT STILL HAS TO BE PROVED.

- A PE vehicle remains more complex and maintenance-intensive than a pure BEV.
- The generator, fuel, exhaust, cooling, and battery can erase weight savings if the module is not aggressively optimized.
- Sustained towing and mountain-grade performance depend on generator output, battery buffer, and thermal capacity.
- Occasional engine operation creates fuel-aging, catalyst-temperature, noise, vibration, emissions, and oil-conditioning challenges.
- Common Forward and Amidships Energy Bay interfaces do not mean a literal one-for-one volume swap.
- Cost, durability, repairability, certification, and real-world efficiency require full engineering validation.

ELECTRIC MOTORS AT THE WHEELS ARE NOT SPECULATIVE.

SERIES ELECTRIC PROPULSION

Ford Transit Custom PHEV

STATUS / BASIS: PRODUCTION PRECEDENT

Ford's 2019 plug-in van drove its front wheels exclusively with an electric motor; its 1.0-liter gasoline engine acted as a range extender.

[Ford Media Center](#)

SERIES ELECTRIC PROPULSION

Li Auto L series

STATUS / BASIS: PRODUCTION AND DEVELOPMENT CONTEXT

Li Auto has commercialized a family of extended-range electric SUVs while developing battery-electric platforms in parallel.

[Li Auto investor overview](#)

SERIES ELECTRIC PROPULSION

Edison Motors heavy trucks

STATUS / BASIS: APPROVED LOW-VOLUME PRODUCTION

Edison's Class 8 vocational trucks pair an onboard diesel generator with electric drive axles, carrying the rail-like series electric logic into demanding road work.

[Edison Motors](#)

Ford demonstrates a production plug-in range extender. Li Auto demonstrates a commercial family of extended-range electric SUVs. Edison Motors demonstrates the same electric-drive logic in demanding vocational trucks. Each example proves a part of the engineering premise; none is presented as a one-to-one Dynamo analogue.

THE CONTEXT HAS MOVED BEYOND AN ABSOLUTE FIRST.

ENERGY FLEXIBLE ARCHITECTURE

Scout Traveler and Terra with Harvester

STATUS / BASIS: MANUFACTURER PROGRAM

Scout plans the Traveler and Terra with either a full battery-electric system or a Harvester generator that recharges the high-voltage battery without mechanically driving the wheels.

Scout Motors support

ENERGY FLEXIBLE ARCHITECTURE

Stellantis STLA Frame

STATUS / BASIS: MANUFACTURER PLATFORM TARGET

Stellantis describes STLA Frame as a scalable, BEV-native multi-energy architecture for full-size trucks and SUVs, including BEV and range-extended electric configurations.

Stellantis

SCALABLE ELECTRIC ARCHITECTURE

Ford Universal EV Platform

STATUS / BASIS: MANUFACTURER PLATFORM TARGET

Ford's flexible electric platform and production system are intended to underpin multiple body styles, beginning with a midsize electric pickup targeted for 2027.

Ford

SCALABLE ELECTRIC ARCHITECTURE

Rivian R2 and R3

STATUS / BASIS: MANUFACTURER PLATFORM PROGRAM

Rivian's distinct R2 SUV and R3 crossover share a midsize platform, structural battery unit, drivetrain technology, network architecture, and software stack.

Rivian

A STARTING LINEUP, NOT A CLOSED CATALOG.

Project Dynamo begins with a balanced, North American-oriented nine-model family. A global automaker could choose different bodies for different markets while retaining shared hard points, propulsion, electronics, production logic, and service knowledge.

Illustrative platform possibilities only; not announced products or a complete roadmap.



ENGINEERED TO BENCHMARKS, NOT DOWN TO A PRICE POINT.

A durable architecture preserves more than invested capital: skilled work, supplier capability, service knowledge, useful products, and the trust earned when a company supports what it builds.



INDEPENDENT CONCEPT STUDY

Independent concept study. The fictional Clark Motor Company and its Red Trapezoid badge are the intellectual property of Cognisint LLC, copyright 2026. Manufacturers and products are named only as factual precedents and points of context. This work was not created for, commissioned by, sponsored by, reviewed by, or endorsed by any manufacturer. All Project Dynamo specifications, performance, costs, and efficiency figures are simulated design targets, not tested or certified claims. Vehicle and schematic imagery were produced with generative tools under human creative direction.



Time after time, you'll have everything you need in a Clark.

PROJECT DYNAMO