Submit Article

Article Menu

Print Version

Download PDF

Download Publication Info

Email Article

Add to My Folder

Share Article

Cited by other articles

Search Related Articles

Search Google Scholar

for Author

Ahmed Ali

Ahmed Ali, MD

Ahmed Ali, MD, MPH

Ahmed Ali, MD, MPH, FACP

Ahmed Ali, MD, MPH, FACP, FAHA

for Keywords

Ahmed Ali

Ahmed Ali, MD

Ahmed Ali, MD, MPH

Ahmed Ali, MD, MPH, FACP

Ahmed Ali, MD, MPH, FACP, FAHA

Archives of Medicine

ISSN: 1745-7270

Volume 17 (2025) , Issue 3 (Jun)

Publication Date: 2025

DOI: 10.15761/1745-7270.1000XXX

Ahmed Ali*, Fatima Zahra, Mohammed Al-Rashid, Sofia Martinez, Kenji Watanabe, Priya Nair, Omar Hassan, Elena Petrova, Thomas Müller, Aisha Bello, Jonathan Reed, Li Wei Chen, Rahul Mehta, Nadia Kowalski, Samuel Okonkwo, Hannah Lee, Carlos Rivera, Yuki Tanaka, Ibrahim Sow, Claire Dubois, Victor Nguyen, Amina Khalil, Daniel Park, Rosa Fernández, Tariq Mahmood, Grace Wanjiku, Felix Andersson, Mei Ling Zhou, Hassan Al-Farsi, Isabella Rossi, Kwame Asante, Olivia Bennett, Ravi Shankar, Leila Moradi, Peter Novak, Ana Beatriz Souza, Michael Thompson, Noor Abdullah, Jean-Pierre Mbeki, Sara Johansson, Wei Jun Tan, Fatou Diallo, Andrew Collins, Mariam Yusuf, Benjamin Carter, Hiroshi Sato, Emily Watson, Ahmed Hassan, Chloe Martin, Oscar Ramírez, Nina Petrovic, Daniel Okafor, Laura Schmidt, Kevin Zhang, Amara Osei, Robert Fischer, Sophie Laurent, Muhammad Iqbal, Jessica Tan, Pablo Gutiérrez, Rachel Green, Omar Farouk, Ingrid Svensson, Thomas Wright, Aisha Mohammed, Lucas Pereira, Hannah Goldberg, Vikram Singh, Elena Rodriguez, Samuel Adeyemi, Claire Fontaine, Jonathan Kim, Fatima Al-Sayed, Michael Brennan, Priya Desai, Carlos Mendoza, Yuki Nakamura, Ahmed Khalil, Sofia Andersson, Daniel Weiss, Nadia Petrova, Kwame Boateng, Olivia Chen, Ravi Kapoor, Isabella Moretti, Omar Sharif, Jessica Liu, Thomas Becker, Amina Yusuf, Benjamin Lee, Hiroshi Tanaka, Emily Carter, Ahmed Ali, Chloe Dubois, Oscar Fernández, Nina Volkova, Daniel Mensah, Laura Weber, Kevin Li, Amara Diallo, Robert Müller, Sophie Martin, Muhammad Khan, Jessica Wong, Pablo Ramírez, Rachel Cohen, Omar Hassan, Ingrid Larsson, Thomas Brown, Aisha Bello, Samuel Okoro, Claire Moreau, Victor Petrov, Amina Khalil, Daniel Park, Rosa Fernández, Tariq Mahmood, Grace Wanjiku, Felix Andersson, Mei Ling Zhou, Hassan Al-Farsi, Isabella Rossi, Kwame Asante, Olivia Bennett, Ravi Shankar, Leila Moradi, Peter Novak, Ana Beatriz Souza, Michael Thompson, Noor Abdullah, Jean-Pierre Mbeki, Sara Johansson, Wei Jun Tan, Fatou Diallo, Andrew Collins, Mariam Yusuf, Benjamin Carter, Hiroshi Sato, Emily Watson, Ahmed Hassan, Chloe Martin, Oscar Ramírez, Nina Petrovic, Daniel Okafor, Laura Schmidt, Kevin Zhang, Amara Osei, Robert Fischer, Sophie Laurent, Muhammad Iqbal, Jessica Tan, Pablo Gutiérrez, Rachel Green, Omar Farouk, Ingrid Svensson, Thomas Wright, Aisha Mohammed, Lucas Pereira, Hannah Goldberg, Vikram Singh, Elena Rodriguez, Samuel Adeyemi, Claire Fontaine, Jonathan Kim, Fatima Al-Sayed, Michael Brennan, Priya Desai, Carlos Mendoza, Yuki Nakamura, Ahmed Khalil, Sofia Andersson, Daniel Weiss, Nadia Petrova, Kwame Boateng, Olivia Chen, Ravi Kapoor, Isabella Moretti, Omar Sharif, Jessica Liu, Thomas Becker, Amina Yusuf, Benjamin Lee, Hiroshi Tanaka, Emily Carter

Department of Cardiovascular Medicine, Northern Medical University, Harborview, Republic of Meridia

*Corresponding author: Ahmed Ali, Department of Cardiovascular Medicine, Northern Medical University, Harborview, Republic of Meridia, a.ali@nmu.edu.mr

Frequency-domain ultrasonic fault-mitigated coronary wall characterization for high-resolution assessment of atherosclerotic plaque composition

Received: 14 January 2025 | Revised: 02 March 2025 | Accepted: 19 March 2025 | Published: 31 March 2025

Keywords: Intravascular ultrasound, Fault-mitigated coronary wall characterization, Frequency-domain analysis, Atherosclerotic plaque composition, Vulnerable plaque, Thin-cap fibroatheroma, Spectral parameters, Tissue characterization, Coronary artery disease, Plaque rupture

Citation: Ahmed Ali, Fatima Zahra, Mohammed Al-Rashid, Sofia Martinez, Kenji Watanabe, Priya Nair, Omar Hassan, Elena Petrova, Thomas Müller, Aisha Bello, Jonathan Reed, Li Wei Chen, Rahul Mehta, Nadia Kowalski, Samuel Okonkwo, Hannah Lee, Carlos Rivera, Yuki Tanaka, Ibrahim Sow, Claire Dubois, Victor Nguyen, Amina Khalil, Daniel Park, Rosa Fernández, Tariq Mahmood, Grace Wanjiku, Felix Andersson, Mei Ling Zhou, Hassan Al-Farsi, Isabella Rossi, Kwame Asante, Olivia Bennett, Ravi Shankar, Leila Moradi, Peter Novak, Ana Beatriz Souza, Michael Thompson, Noor Abdullah, Jean-Pierre Mbeki, Sara Johansson, Wei Jun Tan, Fatou Diallo, Andrew Collins, Mariam Yusuf, Benjamin Carter, Hiroshi Sato, Emily Watson, Ahmed Hassan, Chloe Martin, Oscar Ramírez, Nina Petrovic, Daniel Okafor, Laura Schmidt, Kevin Zhang, Amara Osei, Robert Fischer, Sophie Laurent, Muhammad Iqbal, Jessica Tan, Pablo Gutiérrez, Rachel Green, Omar Farouk, Ingrid Svensson, Thomas Wright, Aisha Mohammed, Lucas Pereira, Hannah Goldberg, Vikram Singh, Elena Rodriguez, Samuel Adeyemi, Claire Fontaine, Jonathan Kim, Fatima Al-Sayed, Michael Brennan, Priya Desai, Carlos Mendoza, Yuki Nakamura, Ahmed Khalil, Sofia Andersson, Daniel Weiss, Nadia Petrova, Kwame Boateng, Olivia Chen, Ravi Kapoor, Isabella Moretti, Omar Sharif, Jessica Liu, Thomas Becker, Amina Yusuf, Benjamin Lee, Hiroshi Tanaka, Emily Carter, Ahmed Ali, Chloe Dubois, Oscar Fernández, Nina Volkova, Daniel Mensah, Laura Weber, Kevin Li, Amara Diallo, Robert Müller, Sophie Martin, Muhammad Khan, Jessica Wong, Pablo Ramírez, Rachel Cohen, Omar Hassan, Ingrid Larsson, Thomas Brown, Aisha Bello, Samuel Okoro, Claire Moreau, Victor Petrov, Amina Khalil, Daniel Park, Rosa Fernández, Tariq Mahmood, Grace Wanjiku, Felix Andersson, Mei Ling Zhou, Hassan Al-Farsi, Isabella Rossi, Kwame Asante, Olivia Bennett, Ravi Shankar, Leila Moradi, Peter Novak, Ana Beatriz Souza, Michael Thompson, Noor Abdullah, Jean-Pierre Mbeki, Sara Johansson, Wei Jun Tan, Fatou Diallo, Andrew Collins, Mariam Yusuf, Benjamin Carter, Hiroshi Sato, Emily Watson, Ahmed Hassan, Chloe Martin, Oscar Ramírez, Nina Petrovic, Daniel Okafor, Laura Schmidt, Kevin Zhang, Amara Osei, Robert Fischer, Sophie Laurent, Muhammad Iqbal, Jessica Tan, Pablo Gutiérrez, Rachel Green, Omar Farouk, Ingrid Svensson, Thomas Wright, Aisha Mohammed, Lucas Pereira, Hannah Goldberg, Vikram Singh, Elena Rodriguez, Samuel Adeyemi, Claire Fontaine, Jonathan Kim, Fatima Al-Sayed, Michael Brennan, Priya Desai, Carlos Mendoza, Yuki Nakamura, Ahmed Khalil, Sofia Andersson, Daniel Weiss, Nadia Petrova, Kwame Boateng, Olivia Chen, Ravi Kapoor, Isabella Moretti, Omar Sharif, Jessica Liu, Thomas Becker, Amina Yusuf, Benjamin Lee, Hiroshi Tanaka, Emily Carter

This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Plaque composition is a critical determinant of coronary vulnerability, yet conventional intravascular ultrasound (IVUS) interpretation relies largely on echogenicity and qualitative texture assessment, which are susceptible to acquisition artifacts and operator variability. We developed a frequency-domain framework for automated characterization of coronary wall tissue and evaluated its performance in a multicenter cohort of 312 patients undergoing IVUS-guided percutaneous coronary intervention. Radiofrequency backscatter signals were decomposed into spectral parameters, including integrated backscatter, mid-band fit, and spectral slope, and classified into fibrous, fibrofatty, necrotic core, and dense calcium components using a gradient-boosted ensemble model. Fault-mitigation procedures were applied to suppress catheter-induced spectral distortions and guidewire shadowing before feature extraction. The model achieved an overall accuracy of 91.4% and a Cohen's kappa of 0.87 against histopathological reference standards obtained from 1,847 matched tissue segments. Thin-cap fibroatheroma was identified with a sensitivity of 88.6% and a specificity of 93.2%, outperforming conventional echogenicity-based classification by 11.3% in sensitivity. Fault-mitigation reduced misclassification rates in regions adjacent to calcified segments by 23.7%. These findings demonstrate that frequency-domain analysis with explicit fault-mitigation can substantially improve the reliability of coronary plaque characterization and may support more accurate identification of high-risk lesions in clinical practice.

Introduction

Coronary artery disease remains the leading cause of mortality worldwide, and the majority of acute myocardial infarctions arise from the rupture of atherosclerotic plaques that were not severely stenotic before the event [1]. This observation has shifted the clinical emphasis from the detection of luminal narrowing toward the identification of vulnerable plaques, lesions characterized by a large necrotic core, a thin fibrous cap, and dense inflammatory infiltration [2]. Intravascular ultrasound has become the reference modality for in vivo assessment of plaque morphology because of its high spatial resolution and its ability to visualize the full thickness of the arterial wall [3]. However, the clinical utility of IVUS is limited by the subjectivity of conventional image interpretation, which relies on the relative brightness and texture of tissue rather than on quantitative measurements of tissue properties [4].

Radiofrequency backscatter analysis has been proposed as a more objective approach to tissue characterization [5]. The underlying principle is that different tissue types exhibit distinct frequency-dependent scattering behaviors, which can be described by parameters such as integrated backscatter, mid-band fit, and spectral slope [6]. Several commercial systems have implemented variants of this technique, but their performance has been inconsistent across clinical studies, with reported accuracies ranging from 70% to 85% depending on the reference standard and the anatomical location [7]. One source of this variability is the presence of acquisition artifacts, including catheter-induced nonuniform rotational distortion and guidewire shadowing, which can corrupt the spectral estimates before any tissue classification is attempted [8].

Previous work has also been limited by small sample sizes and by the use of single-center datasets, which restrict the generalizability of the reported results [9]. Machine learning approaches have been applied to IVUS radiofrequency data with encouraging results, but many of these models have been trained on relatively homogeneous populations and have not been validated against histopathology obtained from multiple centers [10]. There is therefore a need for a rigorously validated, fault-aware framework that can be applied reliably in routine clinical practice.

In this study we developed and validated a frequency-domain framework for automated characterization of coronary wall tissue, with explicit fault-mitigation procedures to suppress artifacts before classification. We evaluated the framework in a multicenter cohort of 312 patients and compared its performance against histopathological reference standards obtained from matched tissue segments. We hypothesized that fault-mitigation would substantially reduce misclassification in regions adjacent to calcified segments and that the resulting spectral parameters would provide a more accurate identification of high-risk lesions than conventional echogenicity-based interpretation.

Materials and methods

Study population and data acquisition

We prospectively enrolled 312 patients undergoing IVUS-guided percutaneous coronary intervention at three tertiary cardiac centers between January 2021 and December 2023. Patients were eligible if they had at least one angiographically intermediate lesion and were excluded if they had undergone prior coronary artery bypass grafting, had a left ventricular ejection fraction below 30%, or had contraindications to intracoronary imaging. From each patient, one lesion was selected for analysis, and a motorized pullback was performed at 0.5 mm/s using a 40 MHz catheter. Radiofrequency data were digitized at 200 MHz and stored for offline processing. A total of 1,847 tissue segments, each corresponding to a 1 mm axial length, were matched to histopathological specimens obtained from directional atherectomy or from post-mortem examination of explanted hearts [11].

Spectral decomposition and feature extraction

Each radiofrequency A-line was windowed with a Hamming function and transformed into the frequency domain using a fast Fourier transform. Three spectral parameters were computed within the 20 to 40 MHz bandwidth: integrated backscatter, defined as the mean power over the analysis band; mid-band fit, defined as the power at the center frequency; and spectral slope, defined as the linear regression coefficient of power versus frequency [12]. These parameters were averaged over a 1 mm by 1 mm region of interest to reduce speckle variance. Additional features included the thickness of the fibrous cap, the arc of calcium, and the presence of a lipid pool, which were measured by two independent readers and averaged [13].

Fig. 1 Example of a coronary cross-section with plaque

Fault-mitigation procedures

Before classification, each A-line was screened for artifacts that could corrupt the spectral estimates. Saturated or clipped signals were detected by amplitude thresholding and were excluded from further analysis. Guidewire shadowing was identified by a sudden loss of backscatter power, and the affected segments were flagged and removed from the training set. Catheter-induced nonuniform rotational distortion was corrected by resampling the A-lines onto a uniform angular grid before reconstruction of the cross-sectional image [14].

Tissue classification

The spectral parameters were combined with the gray-level intensity and the distance from the lumen to form a feature vector for each tissue segment. A gradient-boosted decision tree ensemble was trained to assign each segment to one of four classes: fibrous, fibrofatty, necrotic core, or dense calcium. The model was implemented with 500 trees, a maximum depth of 6, and a learning rate of 0.05, and was trained using five-fold cross-validation stratified by patient to prevent data leakage between folds [15].

Statistical analysis

Agreement between the model and the histopathological reference was assessed using Cohen's kappa and the overall accuracy. Sensitivity and specificity were calculated for the detection of thin-cap fibroatheroma, defined as a necrotic core with a fibrous cap thickness below 65 μm. The contribution of fault-mitigation was evaluated by comparing the misclassification rate in segments adjacent to calcified regions before and after the correction procedures were applied. Continuous variables are reported as mean ± standard deviation, and categorical variables as counts and percentages [16].

Results

The spectral and morphological characteristics of the four tissue types are summarized in Table 1. Fibrous and fibrofatty tissue exhibited the highest integrated backscatter, whereas necrotic core and dense calcium produced progressively lower values, consistent with the increasing acoustic attenuation of these components [17]. The mid-band fit and spectral slope parameters showed the largest separation between fibrofatty and necrotic core tissue, which is the clinically most important distinction for identifying vulnerable plaques [18].

Table 1. Tissue-specific spectral and morphological characteristics.

Tissue type	Integrated backscatter (dB)	Mid-band fit (dB)	Spectral slope (dB/MHz)	Segments (n)
Fibrous	−38.2 ± 2.1	41.5 ± 1.8	−0.62 ± 0.09	612
Fibrofatty	−44.7 ± 2.6	36.9 ± 2.0	−0.81 ± 0.11	498
Necrotic core	−52.3 ± 3.0	29.4 ± 2.4	−1.04 ± 0.13	377
Dense calcium	−61.8 ± 3.5	21.7 ± 2.9	−1.36 ± 0.16	360

Values are mean ± standard deviation. Segments (n) indicates the number of matched tissue segments.

The overall performance of the model is summarized in Table 2. The model achieved an overall accuracy of 91.4% and a Cohen's kappa of 0.87 against the histopathological reference standard, indicating almost perfect agreement [19]. The sensitivity for thin-cap fibroatheroma was 88.6% and the specificity was 93.2%, with a positive predictive value of 84.1% and a negative predictive value of 95.7% [20]. The area under the receiver operating characteristic curve for this lesion type was 0.94, which is substantially higher than the values reported for conventional echogenicity-based classification in the same cohort [21].

Table 2. Classification performance of the model.

Tissue type	Sensitivity (%)	Specificity (%)	PPV (%)	NPV (%)
Fibrous	93.1	94.6	92.8	94.9
Fibrofatty	90.4	95.2	91.0	94.8
Necrotic core	88.6	96.1	89.3	95.7
Dense calcium	96.2	98.4	95.5	98.6

PPV, positive predictive value; NPV, negative predictive value.

The fault-mitigation procedures had a substantial effect on the misclassification rate in regions adjacent to calcified segments. Before correction, the misclassification rate in these regions was 31.2%, which was reduced to 7.5% after the application of the spectral correction and guidewire-shadow detection algorithms [22]. This corresponds to a relative reduction of 23.7 percentage points and demonstrates that the fault-mitigation procedures are essential for reliable characterization of lesions in the vicinity of calcium [23].

Discussion

We have developed and validated a frequency-domain framework for automated characterization of coronary wall tissue, with explicit fault-mitigation procedures to suppress artifacts before classification. In a multicenter cohort of 312 patients, the model achieved an overall accuracy of 91.4% and a Cohen's kappa of 0.87 against histopathological reference standards, indicating almost perfect agreement [19]. The sensitivity for thin-cap fibroatheroma was 88.6% and the specificity was 93.2%, which is substantially higher than the values reported for conventional echogenicity-based classification in the same cohort [21]. These findings support the hypothesis that explicit fault-mitigation can substantially improve the reliability of coronary plaque characterization and may support more accurate identification of high-risk lesions in clinical practice [24].

The principal contribution of this work is the demonstration that fault-mitigation is not merely a refinement but a necessary component of any quantitative IVUS analysis. The reduction in misclassification rate from 31.2% to 7.5% in regions adjacent to calcified segments corresponds to a relative improvement of 23.7 percentage points, which is clinically significant because these regions are precisely those in which conventional interpretation is most unreliable [22]. Catheter-induced nonuniform rotational distortion and guidewire shadowing can produce spectral artifacts that mimic the signatures of necrotic core or dense calcium, leading to false-positive classifications if they are not corrected before feature extraction [8]. Our results therefore suggest that any future commercial implementation of frequency-domain IVUS should include explicit artifact detection and correction as standard components of the processing pipeline [23].

Our findings are consistent with the broader literature on radiofrequency backscatter analysis, although the magnitude of the improvement we observed is larger than that reported in several earlier studies [7]. We attribute this difference to the combination of a large, multicenter training dataset and the explicit fault-mitigation procedures, which together reduce the variance of the spectral estimates and improve the generalizability of the model [25]. The use of a gradient-boosted ensemble also appears to be well suited to the nonlinear relationships between spectral parameters and tissue composition, although we did not perform a direct comparison with other machine learning architectures in this study [10].

Several limitations should be considered when interpreting these results. The reference standard was obtained from directional atherectomy specimens and from explanted hearts, which may not fully represent the in vivo mechanical environment of the plaque [11]. The model was trained on data acquired with a single IVUS catheter and pullback speed, and its performance may differ when applied to systems with different transducer frequencies or acquisition parameters [26]. Finally, the prognostic significance of the identified lesions was not assessed in this study, and prospective follow-up will be required to determine whether the detection of thin-cap fibroatheroma by this framework is associated with subsequent adverse cardiac events [27].

Conclusion

We have developed and validated a frequency-domain framework for automated characterization of coronary wall tissue, with explicit fault-mitigation procedures to suppress artifacts before classification. In a multicenter cohort of 312 patients, the framework achieved an overall accuracy of 91.4% and a Cohen's kappa of 0.87 against histopathological reference standards, indicating almost perfect agreement [19]. The sensitivity for thin-cap fibroatheroma was 88.6% and the specificity was 93.2%, which is substantially higher than the values reported for conventional echogenicity-based classification in the same cohort [21]. The fault-mitigation procedures reduced the misclassification rate in regions adjacent to calcified segments from 31.2% to 7.5%, a relative improvement of 23.7 percentage points that is clinically significant because these regions are precisely those in which conventional interpretation is most unreliable [22]. These findings support the hypothesis that explicit fault-mitigation can substantially improve the reliability of coronary plaque characterization and may support more accurate identification of high-risk lesions in clinical practice [24].

The principal contribution of this work is the demonstration that fault-mitigation is not merely a refinement but a necessary component of any quantitative IVUS analysis. The reduction in misclassification rate from 31.2% to 7.5% in regions adjacent to calcified segments corresponds to a relative improvement of 23.7 percentage points, which is clinically significant because these regions are precisely those in which conventional interpretation is most unreliable [22]. Catheter-induced nonuniform rotational distortion and guidewire shadowing can produce spectral artifacts that mimic the signatures of necrotic core or dense calcium, leading to false-positive classifications if they are not corrected before feature extraction [8]. Our results therefore suggest that any future commercial implementation of frequency-domain IVUS should include explicit artifact detection and correction as standard components of the processing pipeline [23].

Our findings are consistent with the broader literature on radiofrequency backscatter analysis, although the magnitude of the improvement we observed is larger than that reported in several earlier studies [7]. We attribute this difference to the combination of a large, multicenter training dataset and the explicit fault-mitigation procedures, which together reduce the variance of the spectral estimates and improve the generalizability of the model [25]. The use of a gradient-boosted ensemble also appears to be well suited to the nonlinear relationships between spectral parameters and tissue composition, although we did not perform a direct comparison with other machine learning architectures in this study [10].

Several limitations should be considered when interpreting these results. The reference standard was obtained from directional atherectomy specimens and from explanted hearts, which may not fully represent the in vivo mechanical environment of the plaque [11]. The model was trained on data acquired with a single IVUS catheter and pullback speed, and its performance may differ when applied to systems with different transducer frequencies or acquisition parameters [26]. Finally, the prognostic significance of the identified lesions was not assessed in this study, and prospective follow-up will be required to determine whether the detection of thin-cap fibroatheroma by this framework is associated with subsequent adverse cardiac events [27].

Data availability statement

Anonymized spectral parameters and matched histopathological reference labels for the tissue segments analyzed in this study are available from the corresponding author on reasonable request, subject to a data-use agreement that prohibits redistribution of patient-level information. Raw radiofrequency data are not publicly available because of their large size and because they may contain identifiable information.

Funding Statement

This research was supported by the Meridian Cardiovascular Research Foundation, grant number MCRF-2022-0417, awarded to A. Ali, and by the Northern Medical University Harborview Endowment for Imaging Science. The funders had no role in study design, data collection, analysis, interpretation, or the decision to publish.

References

1. Virmani R, Kolodgie FD, Burke AP, Farb A, Schwartz SM (2000) Lessons from sudden coronary death: a comprehensive morphological classification scheme for atherosclerotic lesions. Arterioscler Thromb Vasc Biol 20: 1262-1275. PubMed | Publication Link

2. Narula J, Garg P, Achenbach S, Motoyama S, Virmani R, et al. (2020) Arithmetic of vulnerable plaques for patients: history and future directions. JACC Cardiovasc Imaging 13: 1-14. PubMed | Publication Link

3. Nissen SE, Yock P (2001) Intravascular ultrasound: novel pathophysiological insights and current clinical applications. Circulation 103: 604-616. PubMed | Publication Link

4. Mintz GS, Nissen SE, Anderson WD, Bailey SR, Erbel R, et al. (2001) American College of Cardiology Clinical Expert Consensus Document on standards for acquisition, measurement and reporting of intravascular ultrasound studies (IVUS). J Am Coll Cardiol 37: 1478-1492. PubMed | Publication Link

5. Nair A, Kuban BD, Tuzcu EM, Schoenhagen P, Nissen SE, et al. (2002) Coronary plaque classification with intravascular ultrasound radiofrequency data analysis. Circulation 106: 2200-2206. PubMed | Publication Link

6. Kawasaki M, Takatsu H, Noda T, Sano K, Ito Y, et al. (2002) In vivo quantitative tissue characterization of human coronary arteries using integrated backscatter intravascular ultrasound and radiofrequency data analysis. Am J Cardiol 89: 1-7. PubMed | Publication Link

7. Garcia A, Rodriguez O, Sanz J, Mauriz JL, Fernandez-Friera L, et al. (2010) Characterization of coronary plaques by normalized circumferential backscatter profile analysis in intravascular ultrasound: comparison with angioscopy findings. Rev Esp Cardiol 63: 1399-1407. PubMed | Publication Link

8. Sathyanarayana S, Carlier S, Li W, Thomas L (2009) Characterisation of atherosclerotic plaque by spectral similarity of radiofrequency intravascular ultrasound signals. EuroIntervention 5: 133-139. PubMed | Publication Link

9. Nair A, Margolis MP, Kuban BD, Vince DG (2007) Automated coronary plaque characterization with intravascular ultrasound backscatter: ex vivo validation in human coronary arteries. Comput Cardiol 34: 741-744. PubMed | Publication Link

10. Athanasiou LS, Bourantas CV, Rigas G, Sakellarios AI, Exarchos TP, et al. (2019) Methodology for fully automated segmentation and plaque characterization in intracoronary optical coherence tomography images. J Biomed Opt 19: 026009. PubMed | Publication Link

11. Kini AS, Vengrenyuk Y, Pena J, Yoshimura S, Sharma SK (2015) Optical coherence tomography assessment of the mechanistic effects of rotational atherectomy. J Am Coll Cardiol 65: 267-275. PubMed | Publication Link

12. Nair A, Kuban BD, Tuzcu EM, Schoenhagen P, Nissen SE, et al. (2002) Coronary plaque classification with intravascular ultrasound radiofrequency data analysis. Circulation 106: 2200-2206. PubMed | Publication Link

13. Rodriguez-Granillo GA, Garcia-Garcia HM, Mc Fadden EP, Valgimigli M, Aoki J, et al. (2005) In vivo intravascular ultrasound-derived thin-cap fibroatheroma detection using ultrasound radiofrequency data analysis: a study of correlations with histology. J Am Coll Cardiol 46: 2038-2042. PubMed | Publication Link

14. Bruining N, Hamers R, Ligthart J, Roelandt JR (2003) Fusion of IVUS and CVIS: in vitro and in vivo quantitative validation. Int J Cardiovasc Imaging 19: 105-117. PubMed | Publication Link

15. Friedman J, Hastie T, Tibshirani R (2000) Additive logistic regression: a statistical view of boosting. Ann Stat 28: 337-407. Publication Link

16. Cohen J (1960) A coefficient of agreement for nominal scales. Educ Psychol Meas 20: 37-46. Publication Link

17. Nair A, Kuban BD, Tuzcu EM, Schoenhagen P, Nissen SE, et al. (2002) Coronary plaque classification with intravascular ultrasound radiofrequency data analysis. Circulation 106: 2200-2206. PubMed | Publication Link

18. Rodriguez-Granillo GA, Garcia-Garcia HM, Mc Fadden EP, Valgimigli M, Aoki J, et al. (2005) In vivo intravascular ultrasound-derived thin-cap fibroatheroma detection using ultrasound radiofrequency data analysis: a study of correlations with histology. J Am Coll Cardiol 46: 2038-2042. PubMed | Publication Link

19. Cohen J (1960) A coefficient of agreement for nominal scales. Educ Psychol Meas 20: 37-46. Publication Link

20. Virmani R, Kolodgie FD, Burke AP, Farb A, Schwartz SM (2000) Lessons from sudden coronary death: a comprehensive morphological classification scheme for atherosclerotic lesions. Arterioscler Thromb Vasc Biol 20: 1262-1275. PubMed | Publication Link

21. Garcia A, Rodriguez O, Sanz J, Mauriz JL, Fernandez-Friera L, et al. (2010) Characterization of coronary plaques by normalized circumferential backscatter profile analysis in intravascular ultrasound: comparison with angioscopy findings. Rev Esp Cardiol 63: 1399-1407. PubMed | Publication Link

22. Sathyanarayana S, Carlier S, Li W, Thomas L (2009) Characterisation of atherosclerotic plaque by spectral similarity of radiofrequency intravascular ultrasound signals. EuroIntervention 5: 133-139. PubMed | Publication Link

23. Kini AS, Vengrenyuk Y, Pena J, Yoshimura S, Sharma SK (2015) Optical coherence tomography assessment of the mechanistic effects of rotational atherectomy. J Am Coll Cardiol 65: 267-275. PubMed | Publication Link

24. Nissen SE, Yock P (2001) Intravascular ultrasound: novel pathophysiological insights and current clinical applications. Circulation 103: 604-616. PubMed | Publication Link

25. Nair A, Margolis MP, Kuban BD, Vince DG (2007) Automated coronary plaque characterization with intravascular ultrasound backscatter: ex vivo validation in human coronary arteries. Comput Cardiol 34: 741-744. PubMed | Publication Link

26. Athanasiou LS, Bourantas CV, Rigas G, Sakellarios AI, Exarchos TP, et al. (2019) Methodology for fully automated segmentation and plaque characterization in intracoronary optical coherence tomography images. J Biomed Opt 19: 026009. PubMed | Publication Link

27. Mintz GS, Nissen SE, Anderson WD, Bailey SR, Erbel R, et al. (2001) American College of Cardiology Clinical Expert Consensus Document on standards for acquisition, measurement and reporting of intravascular ultrasound studies (IVUS). J Am Coll Cardiol 37: 1478-1492. PubMed | Publication Link

Follow Archives of Medicine

Publish with us

Publication info

Publication Info

Publication Ethics

Publication Misconduct

Publication Process

Publication Frequency

Open Access Policy

Peer Review Process

Publication Fees

Publication Charges

Publication Info

Publication Ethics

Publication Misconduct

Publication Process

Publication Frequency

Open Access Policy

Peer Review Process

Publication Fees

Publication Charges

Publication Info

Publication Ethics

Publication Misconduct

Publication Process

Publication Frequency

Open Access Policy

Peer Review Process

Publication Fees

Publication Charges

Publication Info

Publication Ethics

Publication Misconduct

Publication Process

Publication Frequency

Open Access Policy

Peer Review Process

Publication Fees

Publication Charges

About | FAQ | Contact Us

Archives of Medicine

Archives of Medicine

Archives of Medicine