Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ▾] ☐ css

```
                              Add to Favorites
                              <i class="icon-heart"></i>
</a>
                    </div>
                    <div class="text-center">
                        <h3>
                            <i class="icon-heart" style="color: red"></i>
1
                        </h3>
                    </div>
                </div>
            </div>
        </div>
            </div>
</div>
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 25, column 5; to line 25, column 87](#)

   `ript>↵         <script type="text/javascript" src="https://js.pusher.com/7.0/pusher.min.js" defer></scri`

2. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 27, column 5; to line 27, column 87](#)

   `ript>↵         <script type="text/javascript" src="http://lbaw2181.lbaw.fe.up.pt/js/app.js" defer></scri`

Document checking completed.

Source

1. ↵

```
2.  <!DOCTYPE html>↵
3.  <html lang="en" class="p-0">↵
4.  <head>↵
5.      <meta charset="utf-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-
    scale=1">↵
8.  ↵
9.      <!-- CSRF Token -->↵
10.     <meta name="csrf-token"
    content="Yk5oBKrdX96Yg8BLJCRf6RkPS663KtEQ8LVkNSrP">↵
11. ↵
12.     <title>Project - PlanWiser</title>↵
13. ↵
14.     <!-- Styles -->↵
15.     <link rel="icon"
    href="http://lbaw2181.lbaw.fe.up.pt/images/logo.png" style="border-
    radius: 50%">↵
16.     <link href="http://lbaw2181.lbaw.fe.up.pt/css/app.css"
    rel="stylesheet">↵
17.     <link href="http://lbaw2181.lbaw.fe.up.pt/css/mystyle.css"
    rel="stylesheet">↵
18.     <link href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-
    datepicker/1.5.0/css/bootstrap-datepicker.css" rel="stylesheet">↵
19.     <link rel="stylesheet"
    href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/4.7.0/css/font-awesome.min.css">↵
20.     <link href="https://fonts.googleapis.com/css?family=Varela+Round"
    rel="stylesheet">↵
21.     <link href="https://fonts.googleapis.com/css?family=Poppins"
    rel="stylesheet">↵
22. ↵
23.     <script
    src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.js">
    </script>↵
24.     <script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-
    datepicker/1.5.0/js/bootstrap-datepicker.js"></script>↵
25.     <script type="text/javascript"
    src="https://js.pusher.com/7.0/pusher.min.js" defer></script>↵
26.     <script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-
    bootstrap/3.0.3/js/bootstrap.min.js"></script>↵
27.     <script type="text/javascript"
    src="http://lbaw2181.lbaw.fe.up.pt/js/app.js" defer></script>↵
28. ↵
29. </head>↵
30. ↵
31. <body>↵
32.     <main>↵
33.         <header>↵
34.             <div class="navbar navbar-expand-lg navbar-container"
    style="background-color: #2f4f4f">↵
35.     <div class="navbar-align w-100">↵
36.         <div style="display: flex; align-items: center; margin-right:
    2vw">↵
37.             <a href="http://lbaw2181.lbaw.fe.up.pt" style="background-
    color: #ffffff; padding: 0.7em; border-radius: 50%; align-self:center">↵
38.             <img alt="logo"
    src="http://lbaw2181.lbaw.fe.up.pt/images/logo.png" height="40">↵
39.             </a>↵
40.             <a href="http://lbaw2181.lbaw.fe.up.pt" style="color: white;
    font-size: 200%; font-weight: bold; margin-left: 0.4em">↵
41.             PlanWiser↵
42.             </a>↵
43.         </div>↵
44.         <div id="full-nav" class="w-100" style="display: flex; gap: 1em;
    align-items: center;">↵
45.             <ul class="navbar-nav mr-auto">↵
46.             <li class="navbar-nav mr-auto"><a class="nav-item"
    href="/admin"> Dashboard </a></li>↵
47.             <li class="navbar-nav mr-auto"><a class="nav-item"
    href="http://lbaw2181.lbaw.fe.up.pt/admin/manageUsers">Users</a></li>↵
48.             <li class="navbar-nav mr-auto"><a class="nav-item"
    href="http://lbaw2181.lbaw.fe.up.pt/admin/reports">Reports</a></li>↵
49.             <li class="navbar-nav mr-auto"><a class="nav-item"
    href="http://lbaw2181.lbaw.fe.up.pt/admin/projects"> Projects </a></li>↵
50.             </ul>↵
```

```
51.                  <div class="w-100">↵
52.                                  <ul class="navbar-nav" style="float:
     right">↵
53.                          <li class="navbar-nav"><a class="nav-item"
     href="http://lbaw2181.lbaw.fe.up.pt/profile/52 " style="width: max-
     content"> admin </a></li>↵
54.                          <li class="navbar-nav"><a class="nav-item"
     href="http://lbaw2181.lbaw.fe.up.pt/logout" style="width: max-content">
     Log Out </a></li>↵
55.                          </ul>↵
56.                                  </div>↵
57.              </div>↵
58.          <div id="compact-nav" class="w-100" style="display: flex; align-
     items: center;">↵
59.                  <div class="w-100">↵
60.                  <div class="navbar-dropdown" style="float: right;">↵
61.                      <span class="btn btn-secondary"><i class="icon-
     menu"></i></span>↵
62.                      <div class="navbar-dropdown-content">↵
63.                          <ul class="navbar-nav mr-auto fs-5">↵
64.                              <li><a class="dropdown-item" href="/admin">
     Dashboard </a></li>↵
65.                              <li><a class="dropdown-item"
     href="http://lbaw2181.lbaw.fe.up.pt/admin/manageUsers">Users</a></li>↵
66.                              <li><a class="dropdown-item"
     href="http://lbaw2181.lbaw.fe.up.pt/admin/reports">Reports</a></li>↵
67.                              <li><a class="dropdown-item"
     href="http://lbaw2181.lbaw.fe.up.pt/admin/projects"> Projects </a></li>↵
68.                                          <li><a
     class="dropdown-item" href="http://lbaw2181.lbaw.fe.up.pt/profile/52 ">
     admin </a></li>↵
69.                                  <li><a class="dropdown-item"
     href="http://lbaw2181.lbaw.fe.up.pt/logout"> Log Out </a></li>↵
70.                                          </ul>↵
71.                          </div>↵
72.                      </div>↵
73.                  </div>↵
74.              </div>↵
75.          </div>↵
76. </div>↵
77.          </header>↵
78.          <div style="margin-top: 90px">↵
79.                          ↵
80. ↵
81. <div class="row">↵
82.      <div class="col-sm-2">↵
83.          <div class="sidenavbar" id="nav-bar">↵
84.      <nav class="nav">↵
85.      <div class="nav_list mt-5 pt-5">↵
86.          <a  href="/project/37" class="sidenav_link sidebar-btn">↵
87.              <i class='fa fa-home' style="font-size:28px"></i>↵
88.              <span class="nav_name">About</span>↵
89.          </a>↵
90.          <a href="/project/37/files" class="sidenav_link sidebar-
     btn">↵
91.              <i class='fa fa-file' style="font-size:28px"></i>↵
92.              <span class="nav_name">Files</span>↵
93.          </a>↵
94.                  <a href="/project/37/tasks"  class="sidenav_link
     sidebar-btn">↵
95.              <i class='fa fa-tasks' style="font-size:28px"></i>↵
96.              <span class="nav_name">Tasks</span>↵
97.          </a>↵
98.                                  <a href="/project/37/forum"
     class="sidenav_link sidebar-btn">↵
99.              <i class='fa fa-comment' style="font-size:28px"></i>↵
100.              <span class="nav_name">Forum</span>↵
101.          </a>↵
102.                                  <a href="/project/37/members"
     class="sidenav_link sidebar-btn">↵
103.              <i class='fa fa-users' style="font-size:28px"></i>↵
104.              <span class="nav_name">Members</span>↵
105.          </a>↵
106.              </div>↵
107.          <a href="javascript:void(0)" class="sidenav_link mb-5"><i
     class='icon-arrow-left' id="header-toggle"></i></a>↵
```

```
108.        </nav>↵
109.  </div>↵
110.  ↵
111.  ↵
112.  ↵
113.      </div>↵
114.    <div class="col-sm-8">↵
115.        <div class="d-flex gap-4 mt-5 container align-items-center text-
      uppercase">↵
116.            <h3><a class="text-decoration-none text-success"
      href="/project/37">PauloProject</a> / About</h3>↵
117.        </div>↵
118.        <div class="col-md-12 px-4 my-4">↵
119.            <div class="card my-3">↵
120.                <div class="card-body d-flex flex-column">↵
121.                    <div style="border-radius: 5px; align-self: center;
      background-color: hsla(180, 25%, 33%, 0.801); color: white; width: 100%;
      text-align: center; padding: 1em">↵
122.                        <h3>PauloProject</h3>↵
123.                    </div>↵
124.                    <div class="mt-5 mb-5">↵
125.                        <h4 style="color: hsla(180, 25%, 33%, 0.801);"
      class="text-center col-md-12 mb-4">Description</h4>↵
126.                        <div style="border-style:solid ;border-color:
      hsla(180, 25%, 33%, 0.801); padding: 1em;  border-radius:
      5px;">Description of PauloProject</div>↵
127.                    </div>↵
128.                    <div class="d-flex align-items-center justify-
      content-center" style="gap: 10vw">↵
129.                        <div class="mb-3 text-align-center text-
      center">↵
130.                            <h5 style="color: #2f4f4f; font-weight:
      bold">Visibility: </h5>↵
131.                            <h6>Public</h6>↵
132.                        </div>↵
133.                        <div class="mb-3 text-center">↵
134.                            <h5 style="color: #2f4f4f; font-weight:
      bold">State: </h5>↵
135.                            <h6>Active</h6>↵
136.                        </div>↵
137.                    </div>↵
138.                        </div>↵
139.                <div class="bg-light pt-3 pb-3 d-flex justify-content-
      around">↵
140.                    <div class="justify-flex-start">↵
141.                        <a class="btn btn-danger mb-2"
      href="/project/37/add-fav">↵
142.                            Add to Favorites ↵
143.                            <i class="icon-heart"></i>
      </a>↵
144.                    </div>↵
145.                    <div class="text-center">↵
146.                        <h3>↵
147.                            <i class="icon-heart" style="color: red">
      </i>                        1↵
148.                        </h3>↵
149.                    </div>↵
150.                </div>↵
151.            </div>↵
152.        </div>↵
153.            </div>↵
154.  </div>↵
155.  ↵
156.        </div>↵
157.    </main>↵
158.        <script>↵
159.    var open = true;↵
160.  ↵
161.    function changeNav() {↵
162.        if (open === true) {↵
163.            document.getElementById("mySidebar").style.width = "150px";↵
164.            document.getElementById("arrow").classList.remove("icon-
      arrow-left");↵
165.            document.getElementById("arrow").classList.add("icon-arrow-
      right");↵
166.            open = false;↵
```

```
167.            } else {↵
168.                document.getElementById("mySidebar").style.width = "400px";↵
169.                document.getElementById("arrow").classList.remove("icon-
     arrow-right");↵
170.                document.getElementById("arrow").classList.add("icon-arrow-
     left");↵
171.                document.getElementById("side-project-title").style.color =
     "#2f4f4f";↵
172.                open = true;↵
173.            }↵
174.        }↵
175.    ↵
176.        document.addEventListener("DOMContentLoaded", function(event) {↵
177.    ↵
178.            const showNavbar = (toggleId, navId) => {↵
179.                const toggle = document.getElementById(toggleId),↵
180.                    nav = document.getElementById(navId);↵
181.                // Validate that all variables exist↵
182.                if (toggle && nav) {↵
183.                    toggle.addEventListener('click', () => {↵
184.                        // show navbar↵
185.                        nav.classList.toggle('show');↵
186.                        // change icon↵
187.                        toggle.classList.toggle('icon-arrow-right');↵
188.                    })↵
189.                }↵
190.            }↵
191.    ↵
192.            showNavbar('header-toggle', 'nav-bar')↵
193.    ↵
194.    ↵
195.            if (window.screen.width < 576) {↵
196.                const title = document.getElementById("side-collapse-
     menu");↵
197.                title.classList.add('fa-bars');↵
198.                let nav = document.getElementById('nav-bar');↵
199.                title.addEventListener('click', () => {↵
200.                    nav.classList.toggle('show')↵
201.                })↵
202.            }↵
203.    ↵
204.        });↵
205. </script>↵
206.    ↵
207.    </body>↵
208. </html>
```

Used the HTML parser.

Total execution time 23 milliseconds.

About this checker • Report an issue • Version: 22.1.26

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

<div>

┌─ Checker Input ──┐

Show ☑ source ☐ outline ☐ image report

[Options…]

Check by [text input ▾] ☐ css

```
<!DOCTYPE html>
<html lang="en" class="p-0">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="Z5uDdWO12tJqS0rw4YI7Hf8v4C0JK9Id9bkVIVnY">

    <title>Homepage - PlanWiser</title>

    <!-- Styles -->
    <link rel="icon" href="http://lbaw2181.lbaw.fe.up.pt/images/logo.png"
```

[Check]

└──┘

</div>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 24, column 5; to line 24, column 87

   `ript>⏎      <script type="text/javascript" src="https://js.pusher.com/7.0/pusher.min.js" defer></scri`

2. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 26, column 5; to line 26, column 87

   `ript>⏎      <script type="text/javascript" src="http://lbaw2181.lbaw.fe.up.pt/js/app.js" defer></scri`

3. **Warning**   Possible misuse of `aria-label`. (If you disagree with this warning, **file an issue report** or send e-mail to www-validator@w3.org.)

   From line 273, column 29; to line 273, column 110

   `<li class="page-item disabled" aria-disabled="true" aria-label="« Previous">⏎`

Document checking completed.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="en" class="p-0">↵`
3. `<head>↵`
4. `    <meta charset="utf-8">↵`
5. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">↵`
6. `    <meta name="viewport" content="width=device-width, initial-scale=1">↵`
7. `↵`
8. `    <!-- CSRF Token -->↵`
9. `    <meta name="csrf-token" content="Z5uDdWO12tJqS0rw4YI7Hf8v4C0JK9Id9bkVIVnY">↵`
10. `↵`
11. `    <title>Homepage - PlanWiser</title>↵`
12. `↵`
13. `    <!-- Styles -->↵`
14. `    <link rel="icon" href="http://lbaw2181.lbaw.fe.up.pt/images/logo.png" style="border-radius: 50%">↵`
15. `    <link href="http://lbaw2181.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵`
16. `    <link href="http://lbaw2181.lbaw.fe.up.pt/css/mystyle.css" rel="stylesheet">↵`
17. `    <link href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-datepicker/1.5.0/css/bootstrap-datepicker.css" rel="stylesheet">↵`
18. `    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">↵`
19. `    <link href="https://fonts.googleapis.com/css?family=Varela+Round" rel="stylesheet">↵`
20. `    <link href="https://fonts.googleapis.com/css?family=Poppins" rel="stylesheet">↵`
21. `↵`
22. `    <script src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.js"></script>↵`
23. `    <script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-datepicker/1.5.0/js/bootstrap-datepicker.js"></script>↵`
24. `    `**`<script type="text/javascript" src="https://js.pusher.com/7.0/pusher.min.js" defer>`**`</script>↵`
25. `    <script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-bootstrap/3.0.3/js/bootstrap.min.js"></script>↵`
26. `    `**`<script type="text/javascript" src="http://lbaw2181.lbaw.fe.up.pt/js/app.js" defer>`**`</script>↵`
27. `↵`
28. `</head>↵`
29. `↵`
30. `<body>↵`
31. `    <main>↵`
32. `        <header>↵`
33. `                <div class="navbar navbar-expand-lg navbar-container" style="background-color: #2f4f4f">↵`
34. `    <div class="navbar-align w-100">↵`
35. `        <div style="display: flex; align-items: center; margin-right: 2vw">↵`
36. `            <a href="http://lbaw2181.lbaw.fe.up.pt" style="background-color: #ffffff; padding: 0.7em; border-radius: 50%; align-self:center">↵`
37. `                <img src="http://lbaw2181.lbaw.fe.up.pt/images/logo.png" alt="logo" height="40">↵`
38. `            </a>↵`
39. `            <a href="http://lbaw2181.lbaw.fe.up.pt" style="color: white; font-size: 200%; font-weight: bold; margin-left: 0.4em">↵`
40. `                PlanWiser↵`
41. `            </a>↵`
42. `        </div>↵`
43. `        <div id="full-nav" class="w-100" style="display: flex; gap: 1em; align-items: center;">↵`

```
44.                     <ul class="navbar-nav mr-auto">↵
45.                         <li class="navbar-nav mr-auto"><a class="nav-item"
    href="/home#aboutUs" style="width: max-content"> About Us </a></li>↵
46.                         <li class="navbar-nav mr-auto"><a class="nav-item"
    href="/home#support"> Support </a></li>↵
47.                     </ul>↵
48.                 <div class="w-100">↵
49.                             <ul class="navbar-nav" style="float:
    right">↵
50.                         <li class="navbar-nav mr-auto"><a id="profile-
    btn" class=" nav-item" href="http://lbaw2181.lbaw.fe.up.pt/register"
    style="width: max-content"> Sign Up </a></li>↵
51.                         <li class="navbar-nav mr-auto"><a id="logout-
    btn" class="nav-item" href="http://lbaw2181.lbaw.fe.up.pt/login"
    style="width: max-content"> Log In </a></li>↵
52.                     </ul>↵
53.                 </div>↵
54.         </div>↵
55.         <div id="compact-nav" class="w-100" style="display: flex; align-
    items: center;">↵
56.             <div class="w-100">↵
57.                         <div class="navbar-dropdown"
    style="float: right;">↵
58.                     <span class="btn btn-secondary"><i class="icon-
    menu"></i></span>↵
59.                     <div class="navbar-dropdown-content">↵
60.                         <ul class="navbar-nav mr-auto fs-5">↵
61.                         <li><a class="dropdown-item"
    href="/home#aboutUs"> About Us </a></li>↵
62.                         <li><a class="dropdown-item"
    href="/home#support"> Support </a></li>↵
63.                                         <li><a
    class="dropdown-item" href="http://lbaw2181.lbaw.fe.up.pt/register">
    Sign Up </a></li>↵
64.                         <li><a class="dropdown-item"
    href="http://lbaw2181.lbaw.fe.up.pt/login"> Log In </a></li>↵
65.                                 </ul>↵
66.                 </div>↵
67.             </div>↵
68.         </div>↵
69.         </div>↵
70.     </div>↵
71. </div>↵
72. ↵
73. <script>↵
74.     window.addEventListener('load', () => {↵
75. ↵
76.         // Enable pusher logging - don't include this in production↵
77.         Pusher.logToConsole = false;↵
78. ↵
79.         var pusher = new Pusher('262b1acd7446e5873066', {↵
80.             cluster: 'eu',↵
81.         });↵
82. ↵
83.         var channel1 = pusher.subscribe('notifications-assignTasks');↵
84.         channel1.bind('event-assignTask-', function(data) {↵
85. ↵
86.             red_dot(1);↵
87. ↵
88.             let body = document.getElementById("dropdown-full");↵
89.             let body2 = document.getElementById("dropdown-compact");↵
90. ↵
91.             let div_pop = document.createElement("form");↵
92.             div_pop.class = "notification-pop";↵
93.             div_pop.setAttribute('method','POST');↵
94.             div_pop.setAttribute('action',"/notification/" +
    data.notification_id + "/assign");↵
95. ↵
96.             let button = document.createElement('button');↵
97.             button.type = 'submit';↵
98.             button.classList.add("btn");↵
99.             button.classList.add("btn-outline-secondary");↵
100.            button.classList.add("my-1");↵
101.            button.classList.add("w-100");↵
102.            button.innerText = data.message;↵
103.            button.style.color = "#198754";↵
```

```
104.    ↵
105.              div_pop.insertAdjacentHTML( 'beforeend', '<input
        type="hidden" name="_token"
        value="Z5uDdWO12tJqS0rw4YI7Hf8v4C0JK9Id9bkVIVnY">' );↵
106.              div_pop.appendChild(button);↵
107.              body.prepend(div_pop);↵
108.              body2.prepend(div_pop.cloneNode(true));↵
109.          });↵
110.    ↵
111.          var channel2 = pusher.subscribe('notifications-closedTasks');↵
112.    ↵
113.          channel2.bind('event-closedTask-', function(data) {↵
114.    ↵
115.              red_dot(1);↵
116.    ↵
117.              let body = document.getElementById("dropdown-full");↵
118.              let body2 = document.getElementById("dropdown-compact");↵
119.    ↵
120.              let div_pop = document.createElement("form");↵
121.              div_pop.class = "notification-pop";↵
122.              div_pop.setAttribute('method','POST');↵
123.              div_pop.setAttribute('action',"/notification/" +
        data.notification_id + "/taskClosed");↵
124.    ↵
125.              let button = document.createElement('button');↵
126.              button.type = 'submit';↵
127.              button.classList.add("btn");↵
128.              button.classList.add("btn-outline-secondary");↵
129.              button.classList.add("my-1");↵
130.              button.classList.add("w-100");↵
131.              button.innerText = data.message;↵
132.              button.style.color = "#198754";↵
133.    ↵
134.              div_pop.insertAdjacentHTML( 'beforeend', '<input
        type="hidden" name="_token"
        value="Z5uDdWO12tJqS0rw4YI7Hf8v4C0JK9Id9bkVIVnY">' );↵
135.              div_pop.appendChild(button);↵
136.              body.prepend(div_pop);↵
137.              body2.prepend(div_pop.cloneNode(true));↵
138.          });↵
139.    ↵
140.    ↵
141.          var channel3 = pusher.subscribe('notifications-invites');↵
142.    ↵
143.          channel3.bind('event-invite-', function(data) {↵
144.    ↵
145.              red_dot(1);↵
146.    ↵
147.              let body = document.getElementById("dropdown-full");↵
148.              let body2 = document.getElementById("dropdown-compact");↵
149.    ↵
150.              let div_pop = document.createElement("div");↵
151.              div_pop.class = "notification-pop";↵
152.    ↵
153.              let button = document.createElement("a");↵
154.              button.setAttribute("href", "/invitation/" +
        data.notification_id);↵
155.              button.classList.add("btn");↵
156.              button.classList.add("btn-outline-secondary");↵
157.              button.classList.add("my-1");↵
158.              button.classList.add("w-100");↵
159.              button.innerText = data.message;↵
160.              button.style.color = "#198754";↵
161.    ↵
162.              div_pop.appendChild(button);↵
163.              body.prepend(div_pop);↵
164.              body2.prepend(div_pop.cloneNode(true));↵
165.          });↵
166.    ↵
167.    ↵
168.          var channel4 = pusher.subscribe('notifications-changeManager');↵
169.    ↵
170.          channel4.bind('event-changeManager-', function(data) {↵
171.    ↵
172.              red_dot(1);↵
173.    ↵
```

```
174.              let body = document.getElementById("dropdown-full");↵
175.              let body2 = document.getElementById("dropdown-compact");↵
176.   ↵
177.              let div_pop = document.createElement("form");↵
178.              div_pop.class = "notification-pop";↵
179.              div_pop.setAttribute('method','POST');↵
180.              div_pop.setAttribute('action',"/notification/" +
       data.notification_id + "/manager");↵
181.   ↵
182.              let button = document.createElement('button');↵
183.              button.type = 'submit';↵
184.              button.classList.add("btn");↵
185.              button.classList.add("btn-outline-secondary");↵
186.              button.classList.add("my-1");↵
187.              button.classList.add("w-100");↵
188.              button.innerText = data.message;↵
189.              button.style.color = "#198754";↵
190.   ↵
191.              div_pop.insertAdjacentHTML( 'beforeend', '<input
       type="hidden" name="_token"
       value="Z5uDdW0l2tJqS0rw4YI7Hf8v4C0JK9Id9bkVIVnY">' );↵
192.              div_pop.appendChild(button);↵
193.              body.prepend(div_pop);↵
194.              body2.prepend(div_pop.cloneNode(true));↵
195.          });↵
196.      });↵
197.   ↵
198.      function red_dot(count) {↵
199.          if (count > 0) {↵
200.              let assign1 = document.getElementById('notification-number-
       full');↵
201.              assign1.style.visibility = 'visible';↵
202.              let assign2 = document.getElementById('notification-number-
       compact');↵
203.              assign2.style.visibility = 'visible';↵
204.              let empty_full = document.getElementById("empty-full");↵
205.              empty_full.style.display = 'none';↵
206.              let clear_full = document.getElementById("clear-full");↵
207.              clear_full.style.display = 'block';↵
208.              let empty_compact = document.getElementById("empty-
       compact");↵
209.              empty_compact.style.display = 'none';↵
210.              let clear_compact = document.getElementById("clear-
       compact");↵
211.              clear_compact.style.display = 'block';↵
212.          }↵
213.          else {↵
214.              let assign1 = document.getElementById('notification-number-
       full');↵
215.              assign1.style.visibility = 'hidden';↵
216.              let assign2 = document.getElementById('notification-number-
       compact');↵
217.              assign2.style.visibility = 'hidden';↵
218.              let empty_full = document.getElementById("empty-full");↵
219.              empty_full.style.display = 'block';↵
220.              let clear_full = document.getElementById("clear-full");↵
221.              clear_full.style.display = 'none';↵
222.              let empty_compact = document.getElementById("empty-
       compact");↵
223.              empty_compact.style.display = 'block';↵
224.              let clear_compact = document.getElementById("clear-
       compact");↵
225.              clear_compact.style.display = 'none';↵
226.          }↵
227.      }↵
228. </script>↵
229.   ↵
230.              </header>↵
231.          <div style="margin-top: 90px">↵
232.                      <div class="homepage row justify-content-between
       align-items-center" style="min-height: calc(100vh - 100px);">↵
233.          <div class="col-md-1"></div>↵
234.          <div class="col-md-5 homepage-main-title text-center" >↵
235.              <div class="text-start d-inline-block">↵
236.              Project wiser<br> with<br>↵
237.              <span class="green-planwiser">PlanWiser</span><br>↵
```

238.   `<span class="ready-to-be">Are u ready to be productive?`
`</span><br>`↵
239.   `<a class="get-started-btn"`
`href="http://lbaw2181.lbaw.fe.up.pt/register">Get Started</a>`↵
240.   `</div>`↵
241.   `</div>`↵
242.   `<div class="col-md-5">`↵
243.   `<div class="container text-center my-3">`↵
244.   `<h2>Public Projects</h2>`↵
245.   `</div>`↵
246.   `<div class="container">`↵
247.   `<div class="card" style="min-width: 400px">`↵
248.   `<div class="card-header d-flex justify-content-between`
`align-items-center">`↵
249.   Public Projects↵
250.   `<div class="input-group rounded w-50">`↵
251.   `<input type="search" name="search"`
`id="publicSearch" class="form-control rounded" placeholder="Search"`
`aria-label="Search" aria-describedby="search-addon" />`↵
252.   `<button type="submit" class="input-group-text`
`border-0" id="search-addon" disabled>`↵
253.   `<i class="icon-magnifier"></i>`↵
254.   `</button>`↵
255.   `</div>`↵
256.   `</div>`↵
257.   `<div id="publicCardBody" class="card-body">`↵
258.   `<table class="table table-bordered">`↵
259.   `<thead class="table-success">`↵
260.   `<tr>`↵
261.   `<th scope="col" class="text-center"`
`style="width: 5%"><i class="icon-arrow-right-circle"></i></th>`↵
262.   `<th scope="col">Project</th>`↵
263.   `<th scope="col" style="width:`
`55%">Description</th>`↵
264.   `</tr>`↵
265.   `</thead>`↵
266.   `<tbody id="table-projects-body">`↵
267.   `<tr><th scope="row" class="text-center"><a`
`class="text-info my-rocket" href="/project/40"><i class="icon-rocket">`
`</i></a></th><td>Projeto VIdeo</td><td>Video de LBAW</td></tr><tr><th`
`scope="row" class="text-center"><a class="text-info my-rocket"`
`href="/project/39"><i class="icon-rocket"></i></a></th><td>Projeto</td>`
`<td>Descrição do Novo Projeto</td></tr><tr><th scope="row" class="text-`
`center"><a class="text-info my-rocket" href="/project/38"><i`
`class="icon-rocket"></i></a></th><td>Projeto Novo</td><td>Descrição do`
`Novo Projeto</td></tr><tr><th scope="row" class="text-center"><a`
`class="text-info my-rocket" href="/project/37"><i class="icon-rocket">`
`</i></a></th><td>PauloProject</td><td>Description of PauloProject</td>`
`</tr><tr><th scope="row" class="text-center"><a class="text-info my-`
`rocket" href="/project/36"><i class="icon-rocket"></i></a></th>`
`<td>TestProject1</td><td>Test Project1 Description</td></tr><tr><th`
`scope="row" class="text-center"><a class="text-info my-rocket"`
`href="/project/34"><i class="icon-rocket"></i></a></th><td>Hacker`
`Project</td><td>Em informática, hacker[1] AFI: [ʀakɚɹ][2] é um indivíduo`
`que se dedica, com intensidade incomum, a conhecer e modificar os`
`aspectos mais internos de dispositivos, programas e redes de`
`computadores. Hackers podem ser motivados por uma infinidade de razões,`
`tais como lucro, protesto, coleta de informações,[3] desafio, recreação.`
`[4]</td></tr>                    </tbody>`↵
268.   `</table>`↵
269.   `<div class="d-flex justify-content-center">`↵
270.   `<nav>`↵
271.   `<ul class="pagination">`↵
272.   ↵
273.   **`<li class="page-item disabled" aria-`**
`disabled="true" aria-label="« Previous">`↵
274.   `<span class="page-link" aria-hidden="true">‹`
`</span>`↵
275.   `</li>`↵
276.   ↵
277.   ↵
278.   ↵
279.   ↵
280.   ↵
281.
`<li class="page-item active" aria-current="page"><span class="page-`

```
             link">1</span></li>↵
282.
             <li class="page-item"><a class="page-link"
             href="http://lbaw2181.lbaw.fe.up.pt?page=2">2</a></li>↵
283.
             <li class="page-item"><a class="page-link"
             href="http://lbaw2181.lbaw.fe.up.pt?page=3">3</a></li>↵
284.
             <li class="page-item"><a class="page-link"
             href="http://lbaw2181.lbaw.fe.up.pt?page=4">4</a></li>↵
285.
                ↵
286.                        ↵
287.                                    <li class="page-item">↵
288.                        <a class="page-link"
             href="http://lbaw2181.lbaw.fe.up.pt?page=2" rel="next" aria-label="Next
             &raquo;">&rsaquo;</a>↵
289.                        </li>↵
290.                            </ul>↵
291.        </nav>↵
292. ↵
293.                            </div>↵
294.                        </div>↵
295.                </div>↵
296.            </div>↵
297.        </div>↵
298.        <div class="col-md-1"></div>↵
299. </div>↵
300. ↵
301. <hr/>↵
302. ↵
303. <div id="aboutUs" class='row pt-5'>↵
304.        <div class="col-md-1"></div>↵
305.        <div class='d-flex col-lg-5' style="flex-direction:column; justify-
             content:center;">↵
306.            <div class="homepage-title">↵
307.            ABOUT↵
308.            </div>↵
309.            <div style="margin-left:13%">↵
310.                <h3 class="mt-3" style="color: grey">About PlanWiser</h3>↵
311.                <div style="font-size:large; padding-top: 10px; padding-
             right: 15px">↵
312.                    PlanWiser aims to be a place where users all over the world
             can easily manage and organize their projects, whether they are
             students, amateurs, or professional developers.↵
313. ↵
314.                    This platform allows members to create projects for everyone
             to see and to help each other with their public projects.↵
315. ↵
316.                </div>↵
317.            </div>↵
318.        </div>↵
319.        <div class="col-lg-5 m-0 d-flex flex-column justify-content-center
             align-items-center">↵
320.            <h3 class="mt-3 text-center" style="color: grey">Team</h3>↵
321.            <div class="d-flex gap-5 pb-5">↵
322.                <div>↵
323.                    <img alt="Team member picture"
             src="http://lbaw2181.lbaw.fe.up.pt/images/team/team-1.png"
             class="rounded-circle" style="object-fit: cover; height: 200px; width:
             200px">↵
324.                    <div class='text-center' style='font-size:large'>↵
325.                        Miguel Amorim↵
326.                        <p>up201907756</p>↵
327.                    </div>↵
328.                </div>↵
329.                <div>↵
330.                    <img alt="Team member picture"
             src="http://lbaw2181.lbaw.fe.up.pt/images/team/team-2.png"
             class="rounded-circle" style="object-fit: cover; height: 200px; width:
             200px">↵
331.                    <div class='text-center' style='font-size:large'>↵
332.                        Fernando Rego↵
333.                        <p>up201905951</p>↵
334.                    </div>↵
335.                </div>↵
```

```
336.                    </div>↵
337.                    <div class="d-flex gap-5">↵
338.                        <div>↵
339.                            <img alt="Team member picture"
        src="http://lbaw2181.lbaw.fe.up.pt/images/team/team-3.png"
        class="rounded-circle" style="object-fit: cover; height: 200px; width:
        200px">↵
340.                            <div class='text-center' style='font-size:large'>↵
341.                                Margarida Raposo↵
342.                                <p>up201906784</p>↵
343.                            </div>↵
344.                        </div>↵
345.                        <div>↵
346.                            <img alt="Team member picture"
        src="http://lbaw2181.lbaw.fe.up.pt/images/team/team-4.png"
        class="rounded-circle" style="object-fit: cover; height: 200px; width:
        200px">↵
347.                            <div class='text-center' style='font-size:large'>↵
348.                                Luísa Marques↵
349.                                <p>up201907565</p>↵
350.                            </div>↵
351.                        </div>↵
352.                    </div>↵
353.                </div>↵
354.                <div class="col-md-1"></div>↵
355.            </div>↵
356.            <hr/>↵
357.            <div id="support" class='support-spacing row'>↵
358.                <div class="col-md-1"></div>↵
359.                <div class='col-md-5' style="flex-direction:column; justify-
        content:center;">↵
360.                    <div class="homepage-title">↵
361.                        SUPPORT↵
362.                    </div>↵
363.                    <h3 class="mt-3 text-center" style="color: grey">Get in
        touch</h3>↵
364.                    <div class="formbg">↵
365.                        <div class="formbg-inner" style="padding: 48px">↵
366.                            <form id="stripe-login" method="POST"
        action="api/sendEmail">↵
367.                                <input type="hidden" name="_token"
        value="Z5uDdWO12tJqS0rw4YI7Hf8v4C0JK9Id9bkVIVnY">↵
368.                                <div class="field" style="padding-bottom: 24px">↵
369.                                    <label for="name">Name</label>↵
370.                                    <input type="text" name="name" id="name"
        value="" required>↵
371.                                </div>↵
372.                                            <div class="field"
        style="padding-bottom: 24px">↵
373.                                    <label for="email">Email</label>↵
374.                                    <input type="email" name="email" id="email"
        value="" required>↵
375.                                </div>↵
376.                                            <div class="field"
        style="padding-bottom: 24px">↵
377.                                    <label for="message">Message</label>↵
378.                                    <textarea class="form-control" rows="3"
        name="message" id="message" required></textarea>↵
379.                                </div>↵
380.                                            <div class="field"
        style="padding-bottom: 24px">↵
381.                                    <input type="submit" name="submit"
        value="Send">↵
382.                                </div>↵
383.                            </form>↵
384.                        </div>↵
385.                    </div>↵
386.                </div>↵
387.                <div class="col-md-5 mt-5 d-flex flex-column justify-content-center
        align-items-center" style="">↵
388.                    <h3 class="mt-3 make-a-report" style="color: grey">Contact
        Us</h3>↵
389.                    <div class="make-a-report" style="font-size:large">↵
390.                        <p style="padding-bottom: 24px">Miguel Amorim -
        up201907756@fe.up.pt</p>↵
```

```html
391.             <p style="padding-bottom: 24px">Fernando Rego -
      up201905951@fe.up.pt</p>↵
392.             <p style="padding-bottom: 24px">Margarida Raposo -
      up201906784@fe.up.pt</p>↵
393.             <p style="padding-bottom: 24px">Luísa Marques -
      up201907565@fe.up.pt</p>↵
394.           </div>↵
395.       </div>↵
396.       <div class="col-md-1"></div>↵
397.   </div>↵
398.   ↵
399.           </div>↵
400.       </main>↵
401.         <script>↵
402.         const publicsearch = document.getElementById("publicSearch");↵
403.         publicsearch.addEventListener("keyup", searchPublicProject);↵
404.         function searchPublicProject() {↵
405.             sendAjaxRequest('post', '/api/projectsSearch', {search:
      publicsearch.value}, publicSearchHandler);↵
406.         }↵
407.         function publicSearchHandler() {↵
408.             //if(this.status != 200) window.location = '/';↵
409.             let projects = JSON.parse(this.responseText);↵
410.             console.log(projects);↵
411.             let body = document.getElementById("table-projects-body");↵
412.             let paginations =
      document.getElementsByClassName('pagination');↵
413.   ↵
414.             for (let pag of paginations) {↵
415.               if
      (document.getElementById('publicCardBody').contains(pag)) {↵
416.                 if (publicsearch.value !== "") {↵
417.                   pag.style.display = 'none';↵
418.                 } else {↵
419.                   if (projects.length > 6)↵
420.                     pag.style.display = 'flex';↵
421.                 }↵
422.               }↵
423.             }↵
424.   ↵
425.             body.innerHTML = "";↵
426.             let count = 0;↵
427.             for(let project of projects) {↵
428.               if (count === 6) break;↵
429.               count++;↵
430.               let tr = body.insertRow();↵
431.               let link = tr.insertCell();↵
432.               link.classList.add('text-center');↵
433.               link.innerHTML = '<a class="text-info my-rocket"
      href="/project/' + project['id'] + '"><i class="icon-rocket"><\/i>
      <\/a>';↵
434.               let title = tr.insertCell();↵
435.               title.innerHTML = project['title'];↵
436.               let description = tr.insertCell();↵
437.               description.innerHTML = project['description'];↵
438.             }↵
439.           }↵
440.       </script>↵
441.         </body>↵
442.   </html>
```

Used the HTML parser.

Total execution time 30 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑source　☐outline　☐image report

Options…

Check by [text input ▾]　☐css

```
                              </div>
                              <div class="input-group mb-3">
                                  <div class="input-group-prepend">
                                      <span class="input-group-text"> Email:
</span>
                                  </div>
                                  <input name="email" type="text" class="form-
control" placeholder="Email" value="admin@fe.up.pt">
                              </div>
                              <div class="col-md-12 text-center">
                                  <button type="submit" class="btn btn-
success">Update Profile</button>
                              </div>
                          </div>
                      </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.　**Warning**　The `type` attribute is unnecessary for JavaScript resources.

From line 25, column 5; to line 25, column 87

```
ript>↵        <script type="text/javascript"
src="https://js.pusher.com/7.0/pusher.min.js" defer></scri
```

2.　**Warning**　The `type` attribute is unnecessary for JavaScript resources.

From line 27, column 5; to line 27, column 87

```
ript>↵        <script type="text/javascript"
src="http://lbaw2181.lbaw.fe.up.pt/js/app.js" defer></scri
```

Document checking completed.

Source

1.　↵

```
2.   <!DOCTYPE html>↵
3.   <html lang="en" class="p-0">↵
4.   <head>↵
5.       <meta charset="utf-8">↵
6.       <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.       <meta name="viewport" content="width=device-width, initial-
     scale=1">↵
8.   ↵
9.       <!-- CSRF Token -->↵
10.      <meta name="csrf-token"
     content="Yk5oBKrdX96Yg8BLJCRf6RkPS663KtEQ8LVkNSrP">↵
11.  ↵
12.      <title>Profile - PlanWiser</title>↵
13.  ↵
14.      <!-- Styles -->↵
15.      <link rel="icon"
     href="http://lbaw2181.lbaw.fe.up.pt/images/logo.png" style="border-
     radius: 50%">↵
16.      <link href="http://lbaw2181.lbaw.fe.up.pt/css/app.css"
     rel="stylesheet">↵
17.      <link href="http://lbaw2181.lbaw.fe.up.pt/css/mystyle.css"
     rel="stylesheet">↵
18.      <link href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-
     datepicker/1.5.0/css/bootstrap-datepicker.css" rel="stylesheet">↵
19.      <link rel="stylesheet"
     href="https://cdnjs.cloudflare.com/ajax/libs/font-
     awesome/4.7.0/css/font-awesome.min.css">↵
20.      <link href="https://fonts.googleapis.com/css?family=Varela+Round"
     rel="stylesheet">↵
21.      <link href="https://fonts.googleapis.com/css?family=Poppins"
     rel="stylesheet">↵
22.  ↵
23.      <script
     src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.js">
     </script>↵
24.      <script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-
     datepicker/1.5.0/js/bootstrap-datepicker.js"></script>↵
25.      <script type="text/javascript"
     src="https://js.pusher.com/7.0/pusher.min.js" defer></script>↵
26.      <script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-
     bootstrap/3.0.3/js/bootstrap.min.js"></script>↵
27.      <script type="text/javascript"
     src="http://lbaw2181.lbaw.fe.up.pt/js/app.js" defer></script>↵
28.  ↵
29.  </head>↵
30.  ↵
31.  <body>↵
32.      <main>↵
33.          <header>↵
34.              <div class="navbar navbar-expand-lg navbar-container"
     style="background-color: #2f4f4f">↵
35.      <div class="navbar-align w-100">↵
36.          <div style="display: flex; align-items: center; margin-right:
     2vw">↵
37.              <a href="http://lbaw2181.lbaw.fe.up.pt" style="background-
     color: #ffffff; padding: 0.7em; border-radius: 50%; align-self:center">↵
38.                  <img alt="logo"
     src="http://lbaw2181.lbaw.fe.up.pt/images/logo.png" height="40">↵
39.              </a>↵
40.              <a href="http://lbaw2181.lbaw.fe.up.pt" style="color: white;
     font-size: 200%; font-weight: bold; margin-left: 0.4em">↵
41.                  PlanWiser↵
42.              </a>↵
43.          </div>↵
44.          <div id="full-nav" class="w-100" style="display: flex; gap: 1em;
     align-items: center;">↵
45.              <ul class="navbar-nav mr-auto">↵
46.                  <li class="navbar-nav mr-auto"><a class="nav-item"
     href="/admin"> Dashboard </a></li>↵
47.                  <li class="navbar-nav mr-auto"><a class="nav-item"
     href="http://lbaw2181.lbaw.fe.up.pt/admin/manageUsers">Users</a></li>↵
48.                  <li class="navbar-nav mr-auto"><a class="nav-item"
     href="http://lbaw2181.lbaw.fe.up.pt/admin/reports">Reports</a></li>↵
49.                  <li class="navbar-nav mr-auto"><a class="nav-item"
     href="http://lbaw2181.lbaw.fe.up.pt/admin/projects"> Projects </a></li>↵
50.              </ul>↵
```

```
51.                      <div class="w-100">↵
52.                                  <ul class="navbar-nav" style="float:
    right">↵
53.                              <li class="navbar-nav"><a class="nav-item"
    href="http://lbaw2181.lbaw.fe.up.pt/profile/52 " style="width: max-
    content"> admin </a></li>↵
54.                              <li class="navbar-nav"><a class="nav-item"
    href="http://lbaw2181.lbaw.fe.up.pt/logout" style="width: max-content">
    Log Out </a></li>↵
55.                          </ul>↵
56.                              </div>↵
57.              </div>↵
58.          <div id="compact-nav" class="w-100" style="display: flex; align-
    items: center;">↵
59.              <div class="w-100">↵
60.                 <div class="navbar-dropdown" style="float: right;">↵
61.                      <span class="btn btn-secondary"><i class="icon-
    menu"></i></span>↵
62.                  <div class="navbar-dropdown-content">↵
63.                      <ul class="navbar-nav mr-auto fs-5">↵
64.                          <li><a class="dropdown-item" href="/admin">
    Dashboard </a></li>↵
65.                          <li><a class="dropdown-item"
    href="http://lbaw2181.lbaw.fe.up.pt/admin/manageUsers">Users</a></li>↵
66.                          <li><a class="dropdown-item"
    href="http://lbaw2181.lbaw.fe.up.pt/admin/reports">Reports</a></li>↵
67.                          <li><a class="dropdown-item"
    href="http://lbaw2181.lbaw.fe.up.pt/admin/projects"> Projects </a></li>↵
68.                                      <li><a
    class="dropdown-item" href="http://lbaw2181.lbaw.fe.up.pt/profile/52 ">
    admin </a></li>↵
69.                              <li><a class="dropdown-item"
    href="http://lbaw2181.lbaw.fe.up.pt/logout"> Log Out </a></li>↵
70.                                  </ul>↵
71.                      </div>↵
72.                  </div>↵
73.              </div>↵
74.          </div>↵
75.      </div>↵
76. </div>↵
77.          </header>↵
78.      <div style="margin-top: 90px">↵
79.                          <div class="row m-0 justify-content-
    center">↵
80.              <div class="mt-3 container text-center align-items-
    center">↵
81.              <img alt="User picture"
    src="http://lbaw2181.lbaw.fe.up.pt/images/no_img.png" style="max-width:
    200px">↵
82.              <p>admin</p>↵
83.      </div>↵
84.      <div class="col-md-1"></div>↵
85.      <div class="col-md-10">↵
86.          <div class="container">↵
87.          <form action="/profile/52/update" method="POST"
    enctype="multipart/form-data">↵
88.                  <input type="hidden" name="_token"
    value="Yk5oBKrdX96Yg8BLJCRf6RkPS663KtEQ8LVkNSrP">
    <div class="card my-3">↵
89.                      <div class="card-header">↵
90.                          Edit Profile↵
91.                      </div>↵
92.                      <div class="card-body">↵
93.                          <div class="input-group mb-3">↵
94.                              <input name="img_url" class="form-
    control" type="file" id="formFile" multiple>↵
95.                          </div>↵
96.                          <div class="input-group mb-3">↵
97.                              <div class="input-group-prepend">↵
98.                                  <span class="input-group-text"
    id="basic-addon1">Full Name: </span>↵
99.                              </div>↵
100.                             <input name="fullname" type="text"
    class="form-control" placeholder="Full Name" value="Admin">↵
101.                             </div>↵
102.                             <div class="input-group mb-3">↵
```

```
103.                                          <div class="input-group-prepend">↵
104.                                              <span class="input-group-
      text">Username: </span>↵
105.                                          </div>↵
106.                                          <input name="username" type="text"
      class="form-control" placeholder="Username" value="admin">↵
107.                                      </div>↵
108.                                      <div class="input-group mb-3">↵
109.                                          <div class="input-group-prepend">↵
110.                                              <span class="input-group-text">
      Email: </span>↵
111.                                          </div>↵
112.                                          <input name="email" type="text"
      class="form-control" placeholder="Email" value="admin@fe.up.pt">↵
113.                                      </div>↵
114.                                      <div class="col-md-12 text-center">↵
115.                                          <button type="submit" class="btn btn-
      success">Update Profile</button>↵
116.                                      </div>↵
117.                                  </div>↵
118.                              </div>↵
119.                          </form>↵
120.                          <form action="/profile/52/update-password" method="POST"
      enctype="multipart/form-data">↵
121.                              <input type="hidden" name="_token"
      value="Yk5oBKrdX96Yg8BLJCRf6RkPS663KtEQ8LVkNSrP">
      <div class="card mb-3">↵
122.                                  <div class="card-header">↵
123.                                      Change Password↵
124.                                  </div>↵
125.                                  <div class="card-body">↵
126.                                      <div class="input-group mb-3">↵
127.                                          <div class="input-group-prepend">↵
128.                                              <span class="input-group-
      text">Password: </span>↵
129.                                          </div>↵
130.                                          <input name="password" type="password"
      class="form-control" placeholder="Type a new password">↵
131.                                      </div>↵
132.                                      <div class="input-group mb-3">↵
133.                                          <div class="input-group-prepend">↵
134.                                              <span class="input-group-
      text">Password Confirmation: </span>↵
135.                                          </div>↵
136.                                          <input name="password_confirmation"
      type="password" class="form-control" placeholder="Confirm password">↵
137.                                      </div>↵
138.                                      <div class="col-md-12 text-center">↵
139.                                          <button type="submit" class="btn btn-
      success">Update Password</button>↵
140.                                      </div>↵
141.                                  </div>↵
142.                              </div>↵
143.                          </form>↵
144.                          <div class="card my-3">↵
145.                              <div class="card-header">↵
146.                                  Options↵
147.                              </div>↵
148.                              <div class="card-body">↵
149.                                  <h3 class="text-center">Delete Account</h3>↵
150.                                  <form action="/admin/profile/52/delete"
      method="POST">↵
151.                                      <input type="hidden" name="_token"
      value="Yk5oBKrdX96Yg8BLJCRf6RkPS663KtEQ8LVkNSrP">
      <p><span class="text-danger"><i class="icon-shield"></i> Warning:
      </span>To delete this account click on button below.<br>Be careful
      because there is no way back after delete the account!</p>↵
152.                                      <div class="text-center">↵
153.                                          <button type="submit" class="btn btn-
      danger">Delete Account</button>↵
154.                                      </div>↵
155.                                  </form>↵
156.                                  <br>↵
157.                              </div>↵
158.                          </div>↵
159.                      </div>↵
```

```
160.            </div>↵
161.            <div class="col-md-1"></div>↵
162.        </div>↵
163.            </div>↵
164.        </main>↵
165.                </body>↵
166. </html>
```

Used the HTML parser.

Total execution time 24 milliseconds.