

Closing Thoughts

Change rarely arrives as a thunderclap; it gathers like rain, drop by drop, until the ground is different beneath your feet.

Your journal is how you track that weather. By repeating the “Daily Pages”, using the “Craving Response Plan” when impulses flare, and returning to “Weekly/Monthly Reviews”, you turn experience into data, data into insight, and insight into new behaviour.

Over time, you’ll see what helps (the interrupt that lowers the urge from 8/10 to 4/10, the boundary that protects your evening) and what needs refining next week. This is how mesodosing becomes more than intention, and where it becomes integration.

As you close this round, resist the perfection trap. Measure progress by presence, not performance. Celebrate small wins (one honest conversation, one gentler choice), and meet setbacks with the same compassion you’re learning to offer your nervous system.

If a prompt doesn’t fit, adapt it. If a day gets messy, write the truth and keep moving. Consistency over intensity. Curiosity over judgment. Kindness over perfection.

When you look back on these pages, you’ll notice something subtle yet unmistakable: the person who began is not the person who finishes. Keep the pen moving, keep the breath soft, and let your notes become a map you can trust: evidence that healing is happening in real time, one entry at a time.



MY MESO JOURNAL PROMPTS

ONE WEEK AT A TIME

www.mesodose.com

Introduction

Welcome to the Meso Prompt Book: a compact, printable companion for your mesodosing journey. This is not a fill-in journal. It's a pocket set of cues to carry with you and use alongside your own notebook (or notes app).

These prompts help you set clear intentions, listen to your body, and turn fleeting moments into patterns you can actually see. Used consistently, they become the scaffolding for integration: notice the cue, name the story, and choose a kinder next action.

How to use this booklet

- **Bring your own notebook.** Each day, copy (or paraphrase) the few prompts you'll use and jot brief answers—bullets are enough.
- **Three simple touchpoints:** a Morning Intention, a Midday Check-In, and an Evening Integration.
- **In the moment:** when urges or stress rise, open the Craving Response Plan prompts to interrupt the loop in real time.
- **Map your patterns:** revisit the How I Cope prompts to spot automatic thoughts, feelings, and reactions.
- **Zoom out:** end of week/month, use the Review prompts to keep what works, reduce friction, and adjust boundaries/supports.

There's no "right" order; you can move non-linearly, adapt wording, and honour your pace. Aim for small, honest notes rather than long entries. Over time, your notebook will hold the evidence of presence accumulating, one prompt at a time, while this booklet stays in your pocket to guide the next small step.



- e.g., Long unstructured evenings made snacking more likely; crowded supermarkets increased irritability.

5 Boundaries & supports that helped

- e.g., Stopping work email after 8 p.m., charging my phone in the kitchen, and a Wednesday check-in with Sam helped me keep my evenings calmer.
- e.g., Preparing a protein snack at 4 p.m. and blocking a 10-minute walk on my calendar kept my late-afternoon dip manageable.

6 Values I honoured more often

- e.g., I chose honesty over people-pleasing in two tricky conversations and protected rest instead of pushing through fatigue.
- e.g., I practised responsibility by planning meals, and I practised kindness by speaking to myself more gently after slip-ups.

7 Next-round micro-plan (test one hypothesis)

- Hypothesis: e.g., Preparing water and taking a brief walk before opening the evening inbox will lower urges and help me switch off earlier.
- Implementation intention: e.g., When it is 7:30 p.m. and I am about to open email, I will take three slow breaths and then step outside for ninety seconds.
- Environment tweak: e.g., I will keep the laptop in the living room after dinner, and I will remove the phone from my bedside table.
- Measure: e.g., I will note my urge rating and sleep quality each night using a quick 0–10 scale.

7 One-sentence commitment (implementation & intention)

- When I feel the 10 p.m. urge to scroll, I will plug my phone in the hallway and then make lime water.
- I will place a sticky note on the bedside lamp to remind me.

Monthly Review: 30-Day Reset

Use these examples to model your own notes in your notebook.

1 Shifts in my loops (compulsions/urges)

- e.g., On dose days, the evening snacking urge showed up less often; after 8 p.m., checking work email still pulled me into worry.
- e.g., The afternoon scroll habit eased when I stood up each hour, but I still reached for my phone during awkward social moments.

2 Baselines (sleep • mood • energy • dose timing)

- e.g., Morning dosing and avoiding caffeine after 2 p.m. led to steadier afternoons, and I slept through the night four more times than last month.
- e.g., My mood felt more even on weeks when I walked at lunchtime and dimmed lights after 9 p.m.

3 Most reliable combo (interrupt + replacement)

- e.g., Naming the tightness in my chest, taking three slow breaths, then pouring lime water and stepping onto the balcony reduced my urge to binge-watch within a few minutes.
- e.g., Humming for thirty seconds and stretching my shoulders, followed by a short hallway walk, reliably settled pre-meeting nerves.

4 Triggers & contexts (top patterns)

- e.g., Deadlines with my phone on the desk led to reflexive scrolling; text arguments after dinner led to late-night ruminating.

Printing your Meso Prompt Book

Paper: A4

Orientation: Landscape

Final size: Folds down to A5

1 Printer settings

- Turn on Double-sided (duplex).
- Set on short edge bind; top/left

2 Print

Print all pages using the settings above.

3 Fold & staple

- Stack the sheets.
- Fold once across the middle to make an A5 booklet.
- Put two staples through the fold (one near the top, one near the bottom).

Navigating the Sections

This workbook is modular, so that you may dip in where it helps most and return as needed. The core “Daily Pages” guide your day with “Morning Intention (Pre-Dose)”, a short “Body-Awareness & Conscious Movement” scan, an optional “Midday Check-In”, and “Evening Integration” before sleep. Use these as your steady rhythm.

To zoom out, complete a **Weekly (7-Day) Review** and a **Monthly Review** to spot patterns, refine supports, and choose one small adjustment for the next round.

Whenever impulsive or addictive urges arise, reach for the **Craving Response Plan**—a 2–3 minute template that walks you through trigger → body cue → story → interrupt → replacement → debrief, with ready-made interrupt and replacement menus plus simple movement/breath/connection rituals.

For deeper self-study, the **How I Cope Journal** helps you map experiences, thoughts, feelings, and reactions, and notice common coping styles without judgment. Revisit it over weeks to see your growth.

Move non-linearly, adapt prompts to your context, and honour your pace. Above all, meet each exercise with kindness and curiosity, so that your progress here is tracked over time, not measured in perfection.

Daily Pages

Use these every day to orient yourself. Begin with the “**Morning Intention (Pre-Dose)**” prompts to notice your emotional weather and set a deeper intention. You’ll also find a **Body-Awareness & Conscious Movement** exercise to help you tune into your body before you start the day.

Morning Setup

- Don’t immediately reach for your phone.
- Take three slow breaths and think about what you want to work on for the day.
- Dose after breakfast (with food)
- Spend five minutes noticing what is present
- Get morning sunlight (outside or by a window)

Morning Intention (Pre-Dose)

- 1 **What is the emotional weather I’m waking up with today? (e.g., *tension, grief, clarity, numbness*).**
- 2 **What deeper pattern, emotion, or wound am I willing to sit with today? (e.g., *people-pleasing, shame, fear of rejection*).**
- 3 **What would full presence look like in my body, mind or actions as I navigate this day? (e.g., *steady breathing, focused attention, speaking honestly*).**
- 4 **What support or boundaries might I need to hold space for this deeper work? (e.g., *turning off my phone, saying no to extra tasks, asking a friend to check in*).**

Weekly Review — Quick Synthesis (7 Days)

Use these examples to model your own notes in your notebook.

1 Keep (wins) – one or two things that worked and felt true.

- Morning dosing before 9 a.m. gave me a calm, focused morning up to lunch.
- 5 minutes of slow breathing before opening work email prevented a worry spiral.

2 Reduce (friction) – one repeating problem you’ll make 10% easier.

- Late-night scrolling after 10 p.m. eased when I set an app timer and left my phone in the hallway.
- The anxiety caused by skipping lunch improved when I packed yoghurt and nuts in my bag.

3 Snapshot (body • mood • dose days) – what changed energy/sleep/mood? Compare your on days with your off-days.

- On dose days my energy stayed around seven out of ten; on off-days I dipped at 4 p.m., and a short walk helped.
- My sleep improved when I dosed in the morning and avoided caffeine after 2 p.m.

4 Trigger map (one loop)

- When my partner runs late, I think “I’m not a priority,” feel angry and alone, and usually withdraw into silence.
- The new response I will test is to take three slow breaths and send a simple text: “Let’s talk when you’re home.”

5 What worked (brief)

- Naming the body cue “chest tight” and stepping outside for two minutes reduced my urge from seven to three.

6 Boundary & support (one each)

- I will strengthen the boundary of no work emails after 8 p.m.
- I will add the support of charging my phone in the kitchen and asking Sam to check in on Wednesday.

Coping Mechanisms to Look Out For

Many of us learned to navigate emotions through survival strategies. As you review your entries for this section, pay attention to the reactions you had for each experience.

Notice if any of these tendencies arise:

- **Avoidance, repression or denial:** burying painful thoughts or feelings (“If I don’t talk about it, it doesn’t exist”).
- **Idealisation or fantasy:** exaggerating positive traits or experiences rather than acknowledging reality (e.g., “After a warm first date I picture a future together and ignore their repeated lateness”).
- **Intellectualisation or rationalisation:** avoiding feelings by thinking or analysing your experiences (“I can think my way out of any challenge”).
- **Projection or externalisation:** assuming what everyone else is thinking or feeling, while denying your own similar thoughts or feelings (“You made me feel that way”).
- **Dissociation or shutdown:** separating from painful thoughts, feelings or experiences (e.g., “During an argument my mind goes blank, I feel numb, and I stare at my phone until it passes”).
- **Substance use or other addictive behaviours:** relying on external means such as food or substances to self-regulate. (e.g., “I can’t cope with this, I need some cake/ alcohol/drugs”).
- **Fawning or people-pleasing:** paying attention solely to the needs of others (e.g., “I instantly say yes to extra work to avoid disappointing anyone, even though I’m exhausted and behind on my own tasks”).

As you move through your mesodosing journey, return to these exercises whenever needed. Your willingness to meet yourself will strengthen your integration, help you build a life aligned with your authentic values, and will help you deepen the work, insights and emotional “downloads” afforded by the ibogaine tinctures.

Body-Awareness & Conscious Movement

After you have set your morning intention, take a few minutes to attune to your body. Close your eyes, breathe slowly and gently scan from head to toe, noticing sensations such as warmth, tingling or tension. Stand and move softly: stretch, walk or sway, and notice how your body responds. Record any sensations or emotions that arise.

Midday Check-In (After Morning Dose)

An optional but encouraged pause to notice what has shifted since dosing. The questions invite you to observe somatic waves, control patterns, emerging memories and what needs acknowledgement.

- 1 **What somatic or emotional waves have moved through since dosing? (e.g. shivers, tears, resistance, openness)**
- 2 **Am I trying to control, suppress, or bypass anything? (e.g., distracting myself with work, numbing with food or scrolling, denying my feelings)**
- 3 **What memory, metaphor, or message is surfacing from my subconscious? (e.g., a childhood scene, an image of a locked door, a phrase like “you’re safe now”)**
- 4 **What do I need to pause and acknowledge right now? (e.g., my tiredness, a feeling of gratitude, the tension in my chest)**

Evening Integration (Before Sleep)

Reflect on how ibogaine showed up during your day, what beliefs resurfaced and where you felt most aligned with your deeper self. This is also a space to record pride for how you navigated your day, lessons and images you wish to carry into your dreams.

Evening Wind Down

- Fill out evening reflection
- Dim lights and screens at least one hour before bed
- Gentle stretch or warm/cold shower, then sleep in a cool room

- 1 How did ibogaine show up today? (e.g. gentle, confronting, grounding, agent for change)
- 2 What old belief, story, or habit tried to reassert itself today, and how did I meet it? (e.g., “I’m not good enough,” the urge to people-please, procrastinating on important tasks)
- 3 What did I allow today that I usually resist? (e.g., resting without guilt, asking for help, feeling sadness fully)
- 4 Where did I feel most honest, raw, or aligned with my deeper self? (e.g., sharing my true feelings, setting a boundary, expressing creativity)
- 5 What is one thing I am proud of, even if it felt messy? (e.g., having a difficult conversation, finishing a task I avoided, letting myself cry)
- 6 What insight, or lesson do I wish to carry into my dreams tonight? (e.g. “I can move slower,” “saying no can be an act of self-love.”)

Conscious Listening

Here’s an extra prompt: explore how you listened to yourself and to others. This supports deeper integration and self-expression.

Take a moment to reflect on how you listened to yourself and to others today. Did you allow silence, wait before responding and truly hear what was shared? If your mind wandered or you felt defensive, gently note what happened. If you felt heard by someone else, record how that felt.

Write your own answers to the prompts below.

Experience

What happened?

Feelings

What do you automatically feel?

Thoughts

What do you automatically think?

Reactions

How do you automatically react?

This section helps you map your real-time coping patterns so you can replace reflex with choice. When a stressor hits, capture the trigger, your automatic thought, the body cues you notice, what you did next, and the short-term relief vs. longer-term cost. Over days and weeks, these entries reveal repeat loops and clear leverage points for healthier responses (especially useful while mesodosing) when small adjustments compound.

Read the examples in the table, and then copy the prompts given below that into your own journal to get started, filling in your own recent situations, thoughts, feelings, and actions. Revisit this journal weekly or monthly to spot patterns and select one small change to test next. Keep the tone kind and curious. This is data for growth, not a scorecard.

Experience	Thoughts	Feelings	Reactions
What happened?	What do you automatically think?	What do you automatically feel?	How do you automatically react?
The position I wanted wasn't offered to me	This wasn't fair!	I feel wronged.	I blame others.
The house chores were not completed	My partner is inconsiderate.	I feel angry.	I scream and yell.
A promised phone call from my friend didn't come	I don't matter to them.	I feel sad.	I withdraw and sulk.
There is a serious disagreement between my partner and I	I'm thinking about the possibility of this relationship ending.	I feel scared.	I get defensive.

In this section, we give you a few ideas to help you select habitual pattern interrupts to use (e.g. naming sensations, taking slow breaths) and replacements for them (e.g. soothing or energising actions) that support you when addictive habits or impulsive behaviours get triggered.

Interrupt Menu (Pick Any Two)

- Name the sensation out loud (“throat tight,” “shoulders up”)
- Take 3 slow breaths (in 4, out 6): notice if your breath becomes shallow or if certain memories trigger breath holding; use breath to return to presence.
- Step outside or walk for 90 seconds
- Pause and do a brief meso-body scan, noticing where tension or openness is located

Replacement Ideas (Choose One)

- Soothe: shower, brief body scan, calm music
- Energy: protein snack, 10 slow squats
- Connection: call or voice note to a friend

Do this for the same habit once a day for five days. On day 5, read your debriefs, keep what worked and change one thing for next week.

To reinforce your interrupts and replacements, add a simple ritual from the menus below whenever you need steadiness or a reset. Pick one, keep it short, and notice any shift.

Movement Micro Routines (Choose One)

- Ten-minute stroll around the neighbourhood.
- 3 rounds: 10 slow squats + 5 wall presses.
- A few minutes of simple stretches.
- Meso-body scan & gentle movement – practise the Body-Awareness & Conscious Movement exercise described above.

Breath Options (Choose One)

- Slow breathing: inhale 4, hold 7, exhale 8.
- Box breathing: inhale 4, hold 4, exhale 4, hold 4.
- Gentle sighing: inhale normally, exhale with a soft sigh.
- Breath awareness: take three slow breaths, noticing where your breath becomes shallow or held; use breath to come back to presence.

Connection Cue (Choose One)

- Reach out to one person (brief check-in).
- Post a small win or challenge in your community group.

Off-Day Restoration (Choose One)

- Light walk, then hydrate.
- Eat protein at each meal.
- Go to bed a bit earlier.

Sensory Rituals (Choose One)

- Light a candle and observe the flame
- Sip herbal tea or water slowly
- Feel the texture of a soft blanket or stone
- Listen to the sound of the wind, rain or birds
- Run warm or cool water over your hands and notice sensations

Above you have seen the options from which you can choose. Below is a tool to help you respond differently when an urge to engage with an addictive impulse or behaviour arises. The template guides you through identifying triggers, body cues, stories, interrupts and replacements.

The idea is that, once you identify the event, feeling, or interaction that unsettles you, you'll be better equipped not only to know what sets you off but also, over time, to develop the agency to interrupt the pattern and choose an option that serves you better.

What it's for: Use this when an urge shows up. It takes 2–3 minutes and helps you choose a better next action.

Before You Start

- Pick one habit to work on this week.
- Choose two interrupts and one replacement you'll use every time (see list above).

Example Template

- **Trigger:** 7:15 p.m., kitchen, stressed after a tense work email.
- **Body cue:** Jaw tight, chest buzzing, shallow breath.
- **Story:** "I deserve a drink; it will calm me down."
- **Interrupt (did this):** Named the cue out loud ("jaw tight"), took 3 slow breaths, stepped outside for 90 seconds.
- **Replacement (did this):** Sparkling water with lime, texted a friend.
- **Debrief:** Urge dropped from 8/10 to 4/10. Next time I'll prep lime water before emails and leave my phone off the counter at 7–8 p.m.

When the Urge Appears (Write/Do this in Order)

- 1 **Trigger** – who/when/where/feeling that set it off:
- 2 **Body cue** – first sensation you notice:
- 3 **Story** – the sentence your mind says to justify the habit:
- 4 **Interrupt** – do one of your pre-chosen interrupts now:
- 5 **Replacement** – do your pre-chosen healthy alternative right after:
- 6 **Debrief** – what helped? what will you change next time?