LEISTUNGSERKLÄRUNG NR. **DOPMK7101.**x-**CPR**

Eindeutiger Kenncode des

Produkttyps

MK7101.x-CPR

Produktidentifikation LAN Cat.7 1000 AWG 23 S/FTP 4P FRNC-B, CPR Dca, orange

Verweise MK7101.1-CPR

MK7101.500-CPR MK7101.100-CPR MK7101.50-CPR MK7101.25-CPR

Verwendungszweck(e)Kabel/Leitung für allgemeine Anwendungen in Bauwerken in Bezug

auf die Anforderungen an das Brandverhalten

Wesentlichen Merkmale	System(e) zur Bewertung und Überprüfung der Leistungsbeständigkeit
Brandverhalten	3
Gefährliche Stoffe	NPD
Harmonisierte Norm	EN 50575: 2014 + A1 : 2016
Notifizierte Stelle(n)	2661

ERKLÄRTE LEISTUNG(EN)

Wesentlichen Merkmale Leistung

Brandverhalten Dca-s2, d2, a1

Gefährliche Stoffe NPD

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.

Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Bielefeld, den 16/07/2018 Mr. Robin Ohle, CEO



DECLARATION OF PERFORMANCE N° **DOPMK7101.**x-**CPR**

Unique identification code of

the product-type

MK7101.x-CPR

Product identification

LAN Cat.7 1000 AWG 23 S/FTP 4P FRNC-B, CPR Dca, orange

References

MK7101.1-CPR MK7101.500-CPR MK7101.100-CPR MK7101.50-CPR MK7101.25-CPR

Intended use/es

Cable for general applications in construction works subject to reaction

to fire requirements

Essential characteristics	System/s of AVCP
Reaction to fire	3
Dangerous substances	NPD
Harmonised standard	EN 50575: 2014 + A1 : 2016
Notified body/ies	2661

DECLARED PERFORMANCES

Essential characteristics Performance

Reaction to fire Dca-s2, d2, a1

Dangerous substances NPD

The performance of the product identified above is in conformity witl1 the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) N° 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Bielefeld, on 16/07/2018 Mr. Robin Ohle,

