# Python For Data Science Cheat Sheet

#### NumPy Basics

Learn Python for Data Science ctively at www.DataCamp.com



#### NumPy

The NumPy library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.

Use the following import convention:







#### Creating Arrays

```
>>> a = np.array([1,2,3])
>>> b = np.array([(1.5,2,3), (4,5,6)], dtype = float)
>>> c = np.array([(1.5,2,3], (4,5,6)], [(3,2,1), (4,5,6)]],
dtype = float)
```

#### Initial Placeholders >>> np.zeros((3,4))

>>>	np.ones((2,3,4),dtype=np. d = np.arange(10,25,5)
>>>	np.linspace(0,2,9)
>>>	<pre>e = np.full((2,2),7) f = np.eye(2) np.random.random((2,2)) np.empty((3,2))</pre>

Create an array of zeros
Create an array of ones
Create an array of evenly
spaced values (step value)
Create an array of evenly
spaced values (sumber of samples) Create a constant array
Create a 2X2 identity matrix
Create an array with random values
Create an empty array

### 1/0

#### Saving & Loading On Disk

>>> np.save('my\_array', a)
>>> np.savez('mrray.npz', a, b)
>>> np.load('my\_array.npy')

# Saving & Loading Text Files

>>> np.loadtxt("myfile.txt")
>>> np.genfromtxt("my file.csv", delimiter=",')
>>> np.savetxt("myarray.txt", a, delimiter=" ")

#### **Data Types**

100	3000 x 200 x 200 x 200 x
>>>	np.float32
>>>	np.complex
>>>	np.bool
>>>	np.object
>>>	np.string_
>>>	np.unicode_

Signed 64-bit integer types Standard double-precision floating point Complex numbers represented by 128 floats Boolean type storing TRUE and FALSE values Python object type Fixed-length string type Fixed-length unicode type

#### **Inspecting Your Array**

>>>	a.shape
>>>	len(a)
>>>	b.ndim
>>>	0.8120
222	b.dtype
555	b.dtype.name
>>>	b.astype(int)

Array dimensions Length of array Number of array dimensions Number of array elements Data type of array elements Name of data type Convert an array to a different type

#### **Asking For Help**

>>> np.info(np.ndarray.dtype)

#### **Array Mathematics**

#### Arithmetic Operations

```
>>> g = a - b

**rey([[-0.5, 0., 0.],

[-3., -3., -3.]])

>>> np.subtract(a,b)
                                                                             Subtraction
                                                                             Subtraction
>>> b + a

array([[ 2.5, 4., 6.],

[ 5., 7., 9.]])

>>> np.add(b,a)
                                                                             Addition
 Division
                                                 0.5
Division
Multiplication
                                                                             Multiplication
                                                                            Multiplication
Exponentiation
Square root
Print sines of an array
Element-wise cosine
Element-wise natural logarithm
                                                                             Dot product
```

#### Comparison

Element-wise comparison
Element-wise comparison
CONTRACTOR CONTRACTOR OF CONTRACTOR
Array-wise comparison

>>> a.sum()	Array-wise sum
>>> a.min()	Array-wise minimum value
>>> b.max(axis=0)	Maximum value of an array row
>>> b.cumsum(axis=1)	Cumulative sum of the elements
>>> a.mean()	Mean
>>> b.median()	Median
>>> a.corrcoef()	Correlation coefficient
>>> np.std(b)	Standard deviation

#### Copying Arrays

>>> h = a.view()	Create a view of the array with the same data
>>> np.copy(a)	Create a copy of the array
>>> h = a.copy()	Create a deep copy of the array

## Sorting Arrays

>>> a.sort()	Sort an array
>>> c.sort(axis=0)	Sort the elements of an array's axis


### Subsetting, Slicing, Indexing

5.0)

Subsetting

>>> b[1,2]

>> b[0:2,1]



Slicing >>> a[0:2] array([], 1 2 3 Select items at index o and 1

1.5 2 3 Select items at rows o and 1 in column 1

Select all items at row o (equivalent to b(0:1, :|)Same as [1, 1, 1]

>>> c[1,...] array([[[ 3., 2., 3.], [ 4., 5., 6.]]]) Reversed array a

>>> a[::-1] errey([3, 2, 1]) Boolean Indexing Select elements from a less than 2 >>> a[a<2] array([1]) 1 2 3

Fancy (161)

Fancy (ndexing)

>>> b[(1, 0, 1, 0), [0, 1, 2, 0)]

array[(4, 2, 6, 1, 1)]

array[(4, 2, 6, 1, 1)]

array[(4, 2, 6, 1, 1)]

array[(4, 2, 6, 6, 1, 1)]

[1, 5, 2, 6, 1, 1, 1] Select elements (1,0), (0,1), (1,2) and (0,0)

Select a subset of the matrix's rows and columns

# **Array Manipulation**

# Transposing Array >>> 1 - np.transpose(b) >>> i.T

**Changing Array Shape** >> b.ravel()

# >> g.reshape(3,-2)

Adding/Removing Elements
>>> h.resize((2,6))
>>> np.append(h,g)
>>> np.insert(a, 1, 5)
>>> np.delete(a,[1])

# **Combining Arrays**

> np.concatenate((a,d),axisarray([ 1, 2, 3, 10, 15, 20])
>> np.vstack((a,b))
srray([ 1-, 2-, 3-]) 

Splitting Arrays

Splitting Arrays
>> np.hsplit(a,3)
[array([1]),array([2]),array([2]))
>> np.vsplit(c,2)
array([1] 1.5,2 1. | . | . |
[4.5 5.6 6.11]),
array([[4.5 5.7 6.11])]

Permute array dimensions Permute array dimensions

Reshape, but don't change data

Return a new array with shape (2,6) Append items to an array Insert items in an array Delete items from an array

Stack arrays vertically (row-wise)

Stack arrays vertically (row-wise) Stack arrays horizontally (column-wise)

Create stacked column-wise arrays

Create stacked column-wise arrays

Split the array horizontally at the 3rd index Split the array vertically at the 2nd index

DataCamp

