```
USE [master]
/***** Object: Database [FlorentViagens]
                                              Script Date: 06/02/2022 22:30:58
 *****/
CREATE DATABASE [FlorentViagens]
 CONTAINMENT = NONE
 ON PRIMARY
( NAME = N'FlorentViagens', FILENAME = N'C:\Program Files\Microsoft SQL Server
  \MSSQL15.MSSQLSERVERDEV2021\MSSQL\DATA\FlorentViagens.mdf', SIZE = 8192KB,
  MAXSIZE = UNLIMITED, FILEGROWTH = 65536KB )
 LOG ON
( NAME = N'FlorentViagens log', FILENAME = N'C:\Program Files\Microsoft SQL Server ➤
  \MSSQL15.MSSQLSERVERDEV2021\MSSQL\DATA\FlorentViagens log.ldf', SIZE = 8192KB, >
  MAXSIZE = 2048GB , FILEGROWTH = 65536KB )
 WITH CATALOG COLLATION = DATABASE DEFAULT
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
EXEC [FlorentViagens].[dbo].[sp fulltext database] @action = 'enable'
GO
ALTER DATABASE [FlorentViagens] SET ANSI NULL DEFAULT OFF
ALTER DATABASE [FlorentViagens] SET ANSI NULLS OFF
GO
ALTER DATABASE [FlorentViagens] SET ANSI PADDING OFF
ALTER DATABASE [FlorentViagens] SET ANSI WARNINGS OFF
ALTER DATABASE [FlorentViagens] SET ARITHABORT OFF
ALTER DATABASE [FlorentViagens] SET AUTO_CLOSE OFF
ALTER DATABASE [FlorentViagens] SET AUTO SHRINK OFF
GO
ALTER DATABASE [FlorentViagens] SET AUTO UPDATE STATISTICS ON
GO
ALTER DATABASE [FlorentViagens] SET CURSOR CLOSE ON COMMIT OFF
ALTER DATABASE [FlorentViagens] SET CURSOR DEFAULT GLOBAL
ALTER DATABASE [FlorentViagens] SET CONCAT NULL YIELDS NULL OFF
GO
```

```
ALTER DATABASE [FlorentViagens] SET NUMERIC ROUNDABORT OFF
GO.
ALTER DATABASE [FlorentViagens] SET QUOTED IDENTIFIER OFF
ALTER DATABASE [FlorentViagens] SET RECURSIVE_TRIGGERS OFF
ALTER DATABASE [FlorentViagens] SET ENABLE_BROKER
ALTER DATABASE [FlorentViagens] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
ALTER DATABASE [FlorentViagens] SET DATE_CORRELATION_OPTIMIZATION OFF
GO
ALTER DATABASE [FlorentViagens] SET TRUSTWORTHY OFF
ALTER DATABASE [FlorentViagens] SET ALLOW SNAPSHOT ISOLATION OFF
ALTER DATABASE [FlorentViagens] SET PARAMETERIZATION SIMPLE
GO
ALTER DATABASE [FlorentViagens] SET READ_COMMITTED_SNAPSHOT OFF
ALTER DATABASE [FlorentViagens] SET HONOR_BROKER_PRIORITY OFF
GO
ALTER DATABASE [FlorentViagens] SET RECOVERY FULL
ALTER DATABASE [FlorentViagens] SET MULTI_USER
ALTER DATABASE [FlorentViagens] SET PAGE_VERIFY CHECKSUM
GO
ALTER DATABASE [FlorentViagens] SET DB_CHAINING OFF
ALTER DATABASE [FlorentViagens] SET FILESTREAM( NON_TRANSACTED_ACCESS = OFF )
ALTER DATABASE [FlorentViagens] SET TARGET_RECOVERY_TIME = 60 SECONDS
GO
ALTER DATABASE [FlorentViagens] SET DELAYED DURABILITY = DISABLED
ALTER DATABASE [FlorentViagens] SET ACCELERATED DATABASE RECOVERY = OFF
```

```
ALTER DATABASE [FlorentViagens] SET QUERY_STORE = OFF
ALTER DATABASE [FlorentViagens] SET READ_WRITE
```