

Capital.com Public API - Working Orders / Trigger Orders

Part 4 for CapitalDemoBroker / Codex

Developer reference based on the official Capital.com Public API 1.0.0. It covers creation, listing, modification, cancellation, confirmation and recovery implications for trigger/re-entry orders.

1. Working-order endpoints

Operation	Method / endpoint
List active orders	GET /api/v1/workingorders
Create LIMIT or STOP	POST /api/v1/workingorders
Update order	PUT /api/v1/workingorders/{dealId}
Cancel order	DELETE /api/v1/workingorders/{dealId}
Confirm operation	GET /api/v1/confirm/{dealReference}

2. Create working order

POST /api/v1/workingorders

Headers:

CST: REDACTED_CST

X-SECURITY-TOKEN: REDACTED_SECURITY_TOKEN

Content-Type: application/json

Required:

direction : BUY | SELL

epic : broker epic

size : number

level : trigger/order price

type : LIMIT | STOP

Optional:

goodTillDate

guaranteedStop

trailingStop

stopLevel / stopDistance / stopAmount

profitLevel / profitDistance / profitAmount

Example:

```
{
  "epic": "SILVER",
  "direction": "BUY",
  "size": 1,
  "level": 20,
  "type": "LIMIT"
}
```

Success:

```
{
  "dealReference": "o_..."
}
```

3. LIMIT vs STOP must be selected explicitly

Capital.com requires the request field **type** to be exactly LIMIT or STOP and **direction** to be BUY or SELL. The API contract does not expose separate BUY_LIMIT, BUY_STOP, SELL_LIMIT and SELL_STOP enum strings. Those four semantic cases are produced by combining direction with type and the intended level relative to market price.

Therefore the strategy may preserve its planned trigger level, but CapitalDemoBroker must choose a broker-valid LIMIT/STOP combination after checking the current quote and direction. It must not silently move the planned trigger price merely to make an invalid order acceptable.

4. Time in force

Creation exposes optional **goodTillDate** in UTC. In returned working-order data, Capital.com exposes **timeInForce** and **goodTillDate/goodTillDateUTC**. A documented response example uses **GOOD_TILL_DATE**.

5. List all active working orders

GET /api/v1/workingorders

Response shape:

```
{
  "workingOrders": [
    {
      "workingOrderData": {
        "dealId": "...",
        "direction": "BUY",
        "epic": "SILVER",
        "orderSize": 1,
        "leverage": 10,
        "orderLevel": 20,
        "timeInForce": "GOOD_TILL_DATE",
        "goodTillDate": "...",
        "goodTillDateUTC": "...",
        "createdDate": "...",
        "createdDateUTC": "...",
        "guaranteedStop": true,
        "orderType": "LIMIT",
        "stopDistance": -3,
        "profitDistance": 3,
        "trailingStop": false,
        "currencyCode": "USD"
      },
      "marketData": {
        "instrumentName": "Silver",
        "marketStatus": "TRADEABLE",
        "epic": "SILVER"
      }
    }
  ]
}
```

The permanent **dealId** in **workingOrderData** is the stable broker identifier used by PUT and DELETE. This is the ID Recovery Manager should reconcile against locally persisted active trigger orders.

6. Update working order

PUT /api/v1/workingorders/{dealId}

Optional body fields:

level
goodTillDate
guaranteedStop
trailingStop
stopLevel / stopDistance / stopAmount
profitLevel / profitDistance / profitAmount

Success:

```
{
  "dealReference": "o_..."
}
```

Documented responses:

200 OK

404 Not Found

The update operation returns a new **dealReference**. The adapter should therefore treat modification as an operation requiring subsequent confirmation/reconciliation rather than assuming the local order changed solely because PUT returned HTTP 200.

7. Cancel working order

```
DELETE /api/v1/workingorders/{dealId}

Headers:
CST: REDACTED_CST
X-SECURITY-TOKEN: REDACTED_SECURITY_TOKEN

Success:
{
  "dealReference": "o_..."
}

Documented responses:
200 OK
404 Not Found
```

Cancellation also returns a dealReference. For the strategy rule 'cancel trigger after TP', do not mark the local trigger CANCELLED until Capital.com confirmation and/or a fresh GET /workingorders reconciliation establishes the broker-side outcome.

8. Confirmation and execution linkage

Capital.com's generic confirmation endpoint GET /confirms/{dealReference} returns the operation status and affectedDeals. Account activity history also identifies WORKING_ORDER operations and exposes statuses such as ACCEPTED, CREATED, EXECUTED, EXPIRED, REJECTED, MODIFIED, MODIFY_REJECT, CANCELLED, CANCEL_REJECT and UNKNOWN.

When a working order executes, Recovery should use confirmation/activity plus a fresh positions snapshot to establish the resulting position ID. Do not assume that the original working-order dealId is automatically the permanent position dealId.

9. Protection fields on trigger orders

- guaranteedStop defaults false.
- If guaranteedStop=true, a stopLevel, stopDistance or stopAmount must be supplied.
- guaranteedStop and trailingStop cannot both be enabled.
- guaranteedStop cannot be used when hedgingMode=true.
- If trailingStop=true, stopDistance is required.
- SL and TP may be expressed with level, distance or amount fields exposed by the contract.

10. Rate-limit safeguards

Capital.com documents a maximum request rate of 10 requests/second/user and no faster than one request per 0.1 seconds/user when opening positions or creating orders. On DEMO, POST /workingorders is additionally limited to 1000 requests/hour.

This matters for the SL -> Trigger -> Re-entry chain: retries must be serialized and rate-limited. A rejected/unknown create operation must not be blindly replayed merely because a local timeout occurred.

11. CapitalDemoBroker trigger mapping

Gateway concept	Capital.com mapping
trigger direction LONG	direction=BUY
trigger direction SHORT	direction=SELL
planned trigger price	level
broker trigger kind	type=LIMIT or STOP
create trigger	POST /workingorders -> dealReference -> confirmation

Gateway concept	Capital.com mapping
active trigger ID	workingOrderData.dealId
list/reconcile	GET /workingorders
modify	PUT /workingorders/{dealId} -> dealReference
cancel	DELETE /workingorders/{dealId} -> dealReference
execution recovery	confirmation/activity + fresh GET /positions

12. Confirmed vs unresolved

Confirmed by official contract	Do not guess
Create supports LIMIT and STOP	Exact project decision rule for choosing LIMIT vs STOP
direction is BUY/SELL	That planned trigger level may be adjusted automatically
GET /workingorders returns active broker orders	That local order state is authoritative after reconnect
dealId identifies permanent working order	That order dealId equals resulting position dealId
create/update/delete return dealReference	That HTTP 200 alone proves final execution/cancellation
activity has WORKING_ORDER statuses	That an UNKNOWN result is safe to retry
multiple working orders are returned as a list	Partial-fill behavior unless separately documented/observed

13. Source

Official source: Capital.com Public API 1.0.0, Trading > Orders, Position/Order confirmation, Account activity history and API limitations; accessed 10 Aug 2026: <https://open-api.capital.com/>