

Лабораторная работа 8

Выполнил Мизинов Михаил НКАбд-04-25

Цель работы

Настройка рабочей среды.

Задание

Настроить рабочую среду.

Выполнение работы

Менеджер паролей pass

Установка

```

mgmizinov@localhost-live:~$ sudo dnf install pass pass-otp
Updating and loading repositories:
Fedora 43 openh264 (From Cisco) - x86_100% | 1.8 KiB/s | 5.8 KiB | 00m03s
Fedora 43 - x86_64100% | 3.1 MiB/s | 35.4 MiB | 00m12s
Fedora 43 - x86_64 - Updates100% | 828.5 KiB/s | 9.8 MiB | 00m12s
Repositories loaded.
Package Arch Version Repository Size
Installing:
pass noarch 1.7.4-17.fc43 fedora 129.0 KiB
pass-otp noarch 1.2.0-18.fc43 fedora 59.1 KiB
Installing dependencies:
liboath x86_64 2.6.12-3.fc43 fedora 89.7 KiB
oathtool x86_64 2.6.12-3.fc43 fedora 85.9 KiB
qrencode x86_64 4.1.1-11.fc43 fedora 37.6 KiB

Transaction Summary:
Installing: 5 packages

Total size of inbound packages is 285 KiB. Need to download 285 KiB.
After this operation, 401 KiB extra will be used (install 401 KiB, remove 0 B).
Is this ok [y/N]: y
[1/5] pass-otp-0:1.2.0-18.fc43.noarch 100% | 387.7 KiB/s | 28.3 KiB | 00m00s
[2/5] qrencode-0:4.1.1-11.fc43.x86_64 100% | 214.8 KiB/s | 24.9 KiB | 00m00s
[3/5] oathtool-0:2.6.12-3.fc43.x86_64 100% | 579.5 KiB/s | 45.2 KiB | 00m00s
[4/5] liboath-0:2.6.12-3.fc43.x86_64 100% | 647.7 KiB/s | 47.9 KiB | 00m00s
[5/5] pass-0:1.7.4-17.fc43.noarch 100% | 384.3 KiB/s | 58.7 KiB | 00m00s
[5/5] Total 100% | 1.0 MiB/s | 285.1 KiB | 00m00s
Running transaction
Importing OpenPGP key 0x31645531:
UserID : "Fedora (43) <fedora-43-primary@fedoraproject.org>"
Fingerprint: C6E7F081CF80E1314B676E88828B606631645531
From : file:///etc/pki/rpm-gpg/RPM-GPG-KEY-fedora-43-x86_64
Is this ok [y/N]: y
The key was successfully imported.
[1/7] Verify package files 100% | 714.0 B/s | 5.0 B | 00m00s
[2/7] Prepare transaction 100% | 16.0 B/s | 5.0 B | 00m00s
[3/7] Installing qrencode-0:4.1.1-11.fc 100% | 872.7 KiB/s | 38.4 KiB | 00m00s
[4/7] Installing pass-0:1.7.4-17.fc43.n 100% | 3.7 MiB/s | 134.1 KiB | 00m00s
[5/7] Installing liboath-0:2.6.12-3.fc4 100% | 22.2 MiB/s | 90.9 KiB | 00m00s
[6/7] Installing oathtool-0:2.6.12-3.fc 100% | 4.2 MiB/s | 87.0 KiB | 00m00s
[7/7] Installing pass-otp-0:1.2.0-18.fc 100% | 6.6 KiB/s | 60.3 KiB | 00m00s
Complete!
mgmizinov@localhost-live:~$ sudo dnf install gopass
Updating and loading repositories:
Repositories loaded.
Package Arch Version Repository Size

```

Настройка

```

mgmizinov@localhost-live:~$ pass git remote add origin git@github.com:MihailMizinov/Lab5.git
error: remote origin already exists.
mgmizinov@localhost-live:~$ pass git pull
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

git branch --set-upstream-to=origin/<branch> master

mgmizinov@localhost-live:~$ pass git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

git push --set-upstream origin master

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

mgmizinov@localhost-live:~$ cd ~/.password-store/
git add .
git commit -am 'edit manually'
git push
On branch master
nothing to commit, working tree clean
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

git push --set-upstream origin master

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

mgmizinov@localhost-live:~/.password-store$ pass git status
On branch master
nothing to commit, working tree clean

```

Настройка интерфейса с браузером

```

mgmizinov@localhost-live:~/.password-store$ sudo dnf copr enable maximbaz/browserpass
https://copr.fedorainfracloud.org/ap1_3/rpmrepo/maximbaz/browserpass/fedora-43/ 100% | 555.0 B/s | 564.0 B | 00m01s
Enabling a Copr repository. Please note that this repository is not part
of the main distribution, and quality may vary.

The Fedora Project does not exercise any power over the contents of
this repository beyond the rules outlined in the Copr FAQ at
<https://docs.pagure.org/copr.copr/user_documentation.html#what-i-can-build-in-copr>,
and packages are not held to any quality or security level.

Please do not file bug reports about these packages in Fedora
Bugzilla. In case of problems, contact the owner of this repository.
Is this ok [y/N]: y
mgmizinov@localhost-live:~/.password-store$ sudo dnf install browserpass
Updating and loading repositories:
Copr repo for browserpass owned by maximbaz 100% | 2.9 KiB/s | 3.0 KiB | 00m01s
Repositories loaded.
Package Arch Version Repository Size
Installing: browserpass x86_64 3.1.2-1.fc43 fedora 3.2 MiB
Transaction Summary:
Installing: 1 package
Total size of inbound packages is 1 MiB. Need to download 1 MiB.
After this operation, 3 MiB extra will be used (install 3 MiB, remove 0 B).
Is this ok [y/N]: y
[1/1] browserpass-0:3.1.2-1.fc43.x86_64
-----
[1/1] Total
Running transaction
[1/3] Verify package files
[2/3] Prepare transaction
[3/3] Installing browserpass-0:3.1.2-1.fc43.x86_64
Complete!
mgmizinov@localhost-live:~/.password-store$

```

Сохранение пароля

```

mgmizinov@localhost-live:~/.password-store$ gpg --list-secret-keys mgmizinov@gmail.com
gpg: checking the trustdb
gpg: marginals needed: 3 completes needed: 1 trust model: pgp
gpg: depth: 0 valid: 1 signed: 0 trust: 0-, 0q, 0n, 0m, 0f, 1u
sec rsa3072 2026-03-14 [SC]
    008803C95C6A80390AF00AFCFBC57109AA8C2750
uid [ultimate] Mihail <mgmizinov@gmail.com>
ssb rsa3072 2026-03-14 [E]

mgmizinov@localhost-live:~/.password-store$ pass insert dire/1.txt
Enter password for dire/1.txt:
Retype password for dire/1.txt:
[master fa4ca59] Add given password for dire/1.txt to store.
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 dire/1.txt.gpg
mgmizinov@localhost-live:~/.password-store$ pass dire/1.txt
12
mgmizinov@localhost-live:~/.password-store$ pass generate --in-place 1.txt
gpg: can't open '/home/mgmizinov/.password-store/1.txt.gpg': No such file or directory
gpg: decrypt_message failed: No such file or directory
Could not reencrypt new password.
mgmizinov@localhost-live:~/.password-store$ pass generate --in-place dire/1.txt
[master 1ec8ca0] Replace generated password for dire/1.txt.
1 file changed, 0 insertions(+), 0 deletions(-)
The generated password for dire/1.txt is:
vt7-V*&?"0Av%bnb$4Dy,M`m2
mgmizinov@localhost-live:~/.password-store$

```

Управление файлами конфигурации Дополнительное программное обеспечение

```
[48/52] Installing grim-0:1.5.0-2.fc43.x86_64 100%
[49/52] Installing swaybg-0:1.2.1-4.fc43.x86_64 100%
[50/52] Installing light-0:1.2.2-16.fc43.x86_64 100%
[51/52] Installing powerline-fonts-0:2.8.4-17.fc43.noarch 100%
[52/52] Installing fontawesome4-fonts-1:4.7.0-25.fc43.noarch 100%
>>> Running %triggerin scriptlet: systemd-0:258-1.fc43.x86_64
>>> Finished %triggerin scriptlet: systemd-0:258-1.fc43.x86_64
>>> Scriptlet output:
>>> Warning: The unit file, source configuration file or drop-ins of user@1001.service changed on disk. Run 'systemctl daemon-reload' to
>>> Warning: The unit file, source configuration file or drop-ins of user@1000.service changed on disk. Run 'systemctl daemon-reload' to
>>> Warning: The unit file, source configuration file or drop-ins of user@0.service changed on disk. Run 'systemctl daemon-reload' to rel
>>> user@1000.service is not active, cannot reload.
>>>
Complete!
mgmizinov@localhost-live:~/.password-store$ sudo dnf copr enable peterwu/iosevka
sudo dnf search iosevka
sudo dnf install iosevka-fonts iosevka-aile-fonts iosevka-curly-fonts iosevka-slab-fonts iosevka-etoile-fonts iosevka-term-fonts
https://copr.fedorainfracloud.org/api/3/rpmrepo/peterwu/iosevka/fedora-43/ 100%
Enabling a Copr repository. Please note that this repository is not part
of the main distribution, and quality may vary.

The Fedora Project does not exercise any power over the contents of
this repository beyond the rules outlined in the Copr FAQ at
https://docs.pagure.org/copr-copr/user_documentation.html#what-is-a-build-in-copr
```

Установка бинарного файла и создание собственного репозитория с помощью утилит

```
mgmizinov@localhost-live:~/.password-store$ sh -c "$(wget -qO- chezmoi.io/get)"

info found chezmoi version 2.70.0 for latest/linux/amd64
info found glibc version 2.42
info installed bin/chezmoi
mgmizinov@localhost-live:~/.password-store$ gh repo create dotfiles --template="yamadharma/dotfiles-template" --private
bash: gh: command not found...
mgmizinov@localhost-live:~/.password-store$ sudo gh repo create dotfiles --template="yamadharma/dotfiles-template" --private
```


Подключение репозитория к своей системе

```
+ deemed unenforceable, it shall be automatically reformed to the
+ minimum extent necessary to make it enforceable. If the provision
+ cannot be reformed, it shall be severed from this Public License
+ without affecting the enforceability of the remaining terms and
+ conditions.
+
+ c. No term or condition of this Public License will be waived and no
+ failure to comply consented to unless expressly agreed to by the
+ Licensor.
+
+ d. Nothing in this Public License constitutes or may be interpreted
+ as a limitation upon, or waiver of, any privileges and immunities
+ that apply to the Licensor or You, including from the legal
+ processes of any jurisdiction or authority.
+
+=====
+
+ -Creative Commons is not a party to its public
+ -licenses. Notwithstanding, Creative Commons may elect to apply one of
+ -its public licenses to material it publishes and in those instances
+ -will be considered the "Licensor." The text of the Creative Commons
+ -public licenses is dedicated to the public domain under the CC0 Public
+ -Domain Dedication. Except for the limited purpose of indicating that
+ -material is shared under a Creative Commons public license or as
+ -otherwise permitted by the Creative Commons policies published at
+ -creativecommons.org/policies, Creative Commons does not authorize the
+ -use of the trademark "Creative Commons" or any other trademark or logo
+ -of Creative Commons without its prior written consent including,
+ -without limitation, in connection with any unauthorized modifications
+ -to any of its public licenses or any other arrangements,
+ -understandings, or agreements concerning use of licensed material. For
+ -the avoidance of doubt, this paragraph does not form part of the
+ -public licenses.
+
+ -Creative Commons may be contacted at creativecommons.org.
mgmizinov@localhost-live:~/.password-store$
```

Использование chezmoi на нескольких машинах

```
mgmizinov@localhost-live:~/.password-store$ chezmoi init https://github.com/MihailMizinov/dotfiles.git
mgmizinov@localhost-live:~/.password-store$ chezmoi diff
mgmizinov@localhost-live:~/.password-store$ chezmoi apply -v
mgmizinov@localhost-live:~/.password-store$ chezmoi update -v
Already up to date.
mgmizinov@localhost-live:~/.password-store$
```

Ежедневные операции с chezmoi



```
GNU nano 8.5
[data]
  email = "mgmizinov@gmail.com"

[git]
  autoCommit = true
  autoPush = true
```

Вывод

Успешно настроил рабочую среду.