

Name :- Mihir Mungara

Snowflake Assignment-3 (Performed Scaling in Warehouse)

Step 1: Created a Small Warehouse

Edit Warehouse

TEST_WAREHOUSE as ACCOUNTADMIN

TEST_WAREHOUSE

+ Add Comment

Type: Standard (Gen2) Recommended Size: Small

Advanced Options

☒ Auto-resume

Automatically resumes the warehouse when any statement that requires a warehouse is submitted.

☒ Auto-suspend

Automatically suspends the warehouse if it is inactive for the specified period of time. [Learn more](#)

Suspend After

5 min(s) of inactivity

☐ Multi-cluster Warehouse

Scale compute resources as query concurrency needs change. [Learn more](#)

☒ Query Acceleration

Accelerate outlier queries with additional flexible compute resources. [Learn more](#)

Scale Factor

x2

[Learn more about pricing](#)

Cancel

Save Warehouse

Time_Taken :- 289ms

LMS_Assignment.sql

My Workspace > LMS_Assignment.sql

ACCOUNTADMIN • TEST_WAREHOUSE (Small) Choose database Share

1 ALTER SESSION SET USE_CACHED_RESULT = FALSE;

2

3 SELECT COUNT(*) FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.LINEITEM;

Results (1 minute ago)

Table Chart Pivot

1 row 289ms

#	COUNT(*)
1	6001215

Step 2: Warehouse Size is Set to Medium

Edit Warehouse

TEST_WAREHOUSE as ACCOUNTADMIN

TEST_WAREHOUSE

+ Add Comment

Type: Standard (Gen2) Recommended Size: Medium

Advanced Options

☒ Auto-resume

Automatically resumes the warehouse when any statement that requires a warehouse is submitted.

☒ Auto-suspend

Automatically suspends the warehouse if it is inactive for the specified period of time. [Learn more](#)

Suspend After

5 min(s) of inactivity

☐ Multi-cluster Warehouse

Scale compute resources as query concurrency needs change. [Learn more](#)

☒ Query Acceleration

Accelerate outlier queries with additional flexible compute resources. [Learn more](#)

Scale Factor

x2

Learn more about pricing

Cancel

Save Warehouse

Time_Taken :- 76ms

LMS_Assignment.sql

My Workspace > LMS_Assignment.sql

ACCOUNTADMIN TEST_WAREHOUSE (Small) Choose database Share

```
1 ALTER SESSION SET USE_CACHED_RESULT = FALSE;
2
3 SELECT COUNT(*) FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.LINEITEM;
```

Results (just now)

Table	Chart	Pivot	1 row	76ms	Download	Refresh
1	2	3	4	5	6	7
1	2	3	4	5	6	7

6001215

Step 3: Warehouse Size is Set to Large

Edit Warehouse

TEST_WAREHOUSE as ACCOUNTADMIN

TEST_WAREHOUSE

+ Add Comment

Type: **Standard (Gen2)** **Recommended** Size: **Large**

Advanced Options

☒ **Auto-resume**
Automatically resumes the warehouse when any statement that requires a warehouse is submitted.

☒ **Auto-suspend**
Automatically suspends the warehouse if it is inactive for the specified period of time. [Learn more](#)

Suspend After
5 min(s) of inactivity

☐ **Multi-cluster Warehouse**
Scale compute resources as query concurrency needs change. [Learn more](#)

☒ **Query Acceleration**
Accelerate outlier queries with additional flexible compute resources. [Learn more](#)

Scale Factor x2

[Learn more about pricing](#) Cancel Save Warehouse

Time_Taken :- 62ms

LMS_Assignment.sql

My Workspace > LMS_Assignment.sql

ACCOUNTADMIN • TEST_WAREHOUSE (Small) Choose database Share

```
1 ALTER SESSION SET USE_CACHED_RESULT = FALSE;
2
3 SELECT COUNT(*) FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.LINEITEM;
```

(just now) x

Table Chart Pivot

1 row 62ms

#	COUNT(*)
1	8001215

In Conclusion, Larger the Size of Warehouse , Less the Time Taken to Execute the Query.