Practical-1

Aim- Build web pages for your college with course details, departments, faculties, and the library. UseHTML href and list tags.

Code:

1.html file

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <title>Pandit Deendayal Energy University</title>
  <link rel="stylesheet" href="1.css" />
  <link href="https://fonts.googleapis.com/css2?family=Lato&display=swap"</pre>
rel="stylesheet" />
 ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.cs
s" rel="stylesheet"
    integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous" />
</head>
<body style="padding-top: 54px;">
  <nav class="navbar navbar-expand-lg bg-body-tertiary fixed-top">
    <div class="container-fluid">
      <a class="navbar-brand" href="#" style="</pre>
            color: #05386b;
            font-weight: 600;
            font-family: Garamond, Helvetica, sans-serif;
            padding-right: 950px;
          ">PDEU</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent"
        aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarSupportedContent">
       <a class="nav-link active" aria-current="page"</pre>
href="1.html">Home</a>
         <a class="nav-link" aria-current="page"</pre>
href="Library.html">Library</a>
         </div>
   </div>
  </nav>
  <div class="container">
   <div class="mt-2">
     <h1 class="bckph text-center" style="font-size: 60px; font-weight:</pre>
900; height: 80px">
       Pandit Deendayal Energy University
     </h1>
    <div class="d-flex justify-content-center quote" style="border-radius:</pre>
25px">
     <h2 class="text-center fontstyle d-flex justify-content-center align-</pre>
items-center">
     </h2>
   </div>
    <div class="d-flex justify-content-center">
     <img
src="https://upload.wikimedia.org/wikipedia/en/thumb/f/f1/Pandit Deendayal E
nergy University logo.png/220px-Pandit Deendayal Energy University logo.png"
       class="d-block w-60" alt="..." height="300px" />
   </div>
   <div class="d-flex justify-content-center my-3">
     <h2 class="fontstyle">
```

```
</h2>
    </div>
    <div class="d-flex justify-content-center mt-4 mb-3">
      <button type="button" class="custom-btn btn-16">Select Your
Option</Option>
      </button>
    </div>
    <div class="w-50 p-3" style="
        border-top: 2px solid black;
        border-left: 2px solid black;
        border-right: 2px solid black;
        margin-left: 25%;
      "></div>
    <div class="d-flex justify-content-center mt-3 mb-3">
      <button type="button" id="btn1" class="custom-btn btn-16"</pre>
style="margin-right: 25%" onclick="tree1()">
        Courses
      </button>
      <button type="button" id="btn2" class="custom-btn btn-16"</pre>
onclick="tree2()">
        Faculty
      </button>
    </div>
    <div class="w-25 p-3" id="branch1"></div>
    <div class="w-25 p-3" id="branch2"></div>
    <div class="d-flex justify-content-between mt-3 mb-3" id="Courses"</pre>
style="height: 80px"></div>
    <script>
      function tree1() {
        let element1 = document.getElementById("branch1");
        let element2 = document.getElementById("branch2");
        str1 = `border-left: 2px solid black;
          margin-left: 25%; `;
        element1.style = str1;
        str2 = `border-top: 2px solid black;
```

```
border-left: 2px solid black;
   border-right: 2px solid black;
   margin-left: 12.5%; `;
  element2.style = str2;
  str3 = `
  <button
   type="button"
   id="btn4"
   class="custom-btn btn-16">
   B.Tech
  </button>
  <button
   type="button"
   id="btn5"
   class="custom-btn btn-16"
   style="margin-right: 50%"
 M.tech
  </button>`;
  element3 = document.getElementById("Courses");
  element3.innerHTML = str3;
function tree2() {
  let element1 = document.getElementById("branch1");
  let element2 = document.getElementById("branch2");
  str1 = `border-right: 2px solid black;
   margin-left: 50%; ;
  element1.style = str1;
  str2 = `border-top: 2px solid black;
 border-left: 2px solid black;
   border-right: 2px solid black;
   margin-left: 62.5%; `;
  element2.style = str2;
```

```
str3 = `
        <button
          type="button"
          id="btn4"
          class="custom-btn btn-16"
          style="margin-left: 50%">
          Paawan Sharma
        </button>
        <button
          type="button"
          id="btn5"
          class="custom-btn btn-16
          style="margin-right: 50%">
          Shivangi Mehta
        </button>`;
        element3 = document.getElementById("Courses");
        element3.innerHTML = str3;
    </script>
    <div class="d-flex justify-content-center align-items-start" style="</pre>
     background-color: #05386b;
     height: 50px;
      color: #5cdb95;
      /* border-radius: 70px 70px 0px 0px; */
    " class="my-3 style=" height: 15px;>
      <h6>@Team PDEU</h6>
    </div>
  </div>
</body>
</html>
```

Library.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1" />
   <title>Pandit Deendayal Energy University</title>
    <link href="https://fonts.googleapis.com/css2?family=Lato&display=swap"</pre>
rel="stylesheet" />
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.cs
s" rel="stylesheet"
    integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous" />
</head>
<body style="padding-top: 54px;">
    <nav class="navbar navbar-expand-lq bq-body-tertiary fixed-top">
       <div class="container-fluid">
            <a class="navbar-brand" href="#" style="</pre>
           color: #05386b;
           font-weight: 600;
           font-family: Garamond, Helvetica, sans-serif;
           padding-right: 950px;
          ">PDEU</a>
            <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse"
               data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
               aria-label="Toggle navigation">
               <span class="navbar-toggler-icon"></span>
            <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
               <a class="nav-link active" aria-current="page"</pre>
href="1.html">Home</a>
                   </div>
       </div>
   </nav>
   <div class="container">
       <div class="mt-2">
            <h1 class="bckph text-center" style="font-size: 60px; font-</pre>
```

```
weight: 900; height: 80px">
                 Library is Empty...sorry for inconvenience
             </h1>
         </div>
         <div class="d-flex justify-content-center">
 </body>
 </html>
1.css
/* Button on the first page*/
.frame {
    width: 90%;
    margin: 40px auto;
   text-align: center;
}
button {
    margin: 20px;
}
.custom-btn {
    width: 300px;
    height: 70px;
    color: #fff;
    border-radius: 5px;
    padding: 10px 25px;
    font-family: 'Lato', sans-serif;
    font-weight: 650;
    background: transparent;
    cursor: pointer;
    transition: all 0.3s ease;
    position: relative;
    display: inline-block;
    box-shadow: inset 3px 3px 3px 0px rgba(255, 255, 255, .5),
        7px 7px 20px 0px rgba(0, 0, 0, .1),
        4px 4px 5px 0px rgba(0, 0, 0, .1);
    outline: none;
}
.btn-16 {
   border: none;
    color: #000;
}
.btn-16:after {
```

```
position: absolute;
   content: "";
   width: 0;
   height: 100%;
   top: 0;
   left: 0;
   direction: rtl;
   z-index: -1;
   box-shadow:
      -7px -7px 20px 0px #fff9,
      -4px -4px 5px 0px #fff9,
      7px 7px 20px 0px #0002,
      4px 4px 5px 0px #0001;
   transition: all 0.3s ease;
}
.btn-16:hover {
   color: #000;
.btn-16:hover:after {
   left: auto;
   right: 0;
   width: 100%;
}
.btn-16:active {
   top: 2px;
}
.bckph {
   font-size: 50px;
   font-weight: 900;
   background-image: url("https://images.unsplash.com/photo-1543857778-
c4a1a3e0b2eb?ixlib=rb-
4.0.3&ixid=M3wxMjA3fDB8MHxzZWFyY2h8MzR8fGFic3RyYWN0JTIwcGFpbnRpbmd8ZW58MHx8M
Hx8fDA%3D&auto=format&fit=crop&w=400&q=60");
   color: #05386b;
   background-size: cover;
   background-clip: text;
   -webkit-background-clip: text;
}
```

```
:root {
   font-size: 14px;
.tree-view {
   position: relative;
   display: flex;
   flex-direction: column;
   width: max-content;
   font-size: 1.25rem;
   padding-left: 1rem;
   user-select: none;
}
.branch-node {
   position: relative;
   padding-left: 2rem;
   cursor: pointer;
}
.branch-node::before,
.branches> ::before {
   content: "";
   position: absolute;
   left: -0.5rem;
   top: 1.5rem;
   width: 3rem;
   border-left: 2px solid black;
   border-top: 2px solid black;
}
.branch-node:not(:last-child)::before,
.branches> :not(:last-child)::before {
   height: 100%;
}
```

```
.branch-node:last-child::before,
.branches> :last-child::before {
   border-top: 0;
   border-bottom: 2px solid black;
}
:not(.tree-view)>.branch-node:first-child::after,
.branches> :first-child::after {
   content: "";
   position: absolute;
   left: -0.5rem;
   top: -1.5rem;
   height: 3rem;
   border-left: 2px solid black;
}
.branch-title {
   position: relative;
   display: list-item;
    list-style: none;
   width: max-content;
   height: 3rem;
   line-height: 3rem;
   padding-left: 3rem;
   padding-right: 1rem;
   padding-bottom: 1.5rem;
}
.branch-title::before {
   content: "▶";
   position: absolute;
   left: 1rem;
   margin-right: 1rem;
}
```

```
.branch-node.open>.branch-title::before {
    transform: rotate(90deg);
}
.branch-node.open>.branches {
    display: initial;
}
.branches {
    display: none;
   padding: 0;
   margin: 0;
}
.branches>.branch-node {
   margin-left: 2rem;
}
.branches>li {
   position: relative;
    list-style: none;
   width: fit-content;
   min-height: 4rem;
    line-height: 3rem;
   margin-left: 2rem;
   padding-left: 3rem;
}
```


Output:

Home Page:






Click on Course:



Click on Faculty:



Click on Library:



Library is Empty...sorry for inconvenience



Practical-2

Aim- Build web pages for your college time table using 'href' and 'list' tags.

Code:

```
.html file
```

```
<!DOCTYPE html>
<html>
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <link rel="stylesheet" href="1.css">
 <title>Time Table</title>
</head>
<div class="topnav">
 <al class="active"><b>Time Table</b></al>
 <a class="active" href="1.html"><b>Home</b></a>
</div>
<body>
 <div>
   <h1>ICT Division 4(6)</h1>
   <b>Day/Time</b>
       <b>09:00-09:55</b>
       <b>10:00-10:55</b>
```

```
<b>10:55-11:10</b>
    <b>12:10-13:05</b>
    <b>16:05-16:15</b>
    <b>Monday</b>
    H7(23IC301P)E112-113,SHIP-P<br>H8(23IC301P)E112-
113, PWS-P
    <b>S<br>H<br>O<br>R<br>T<br>
<br>B<br>R<br>E<br>A<br>K</b>
    H7H8 (20HS301P) C007, RAVA-P
    <b>L<br>U<br>N<br>C<br>H<br>
<br>B<br>R<br>E<br>A<br>K</b>
    H7 (20IC316P) F-503, MSK-P<br/>br>H8 (20IC316P) F-
503, MORO-P
    <b>S<br>H<br>O<br>R<br>T<br>
<br>B<br>R<br>E<br>A<br>K</b>
    Slots For Open Electives
   H8 (20IC304P) F-204, MAMA-P<br>h7 (20IC305P) E212-
1,SOPA-P
```

```
H7H8 (20IC313P) E212-1, JRS-P
      H7H8 (20IC304T) <br>F-504, GUTH-L
      H7H8 (20IC305T) <br>F-504, SOPA-L
    <b>Wednesday</b>
      H7H8 (23IC301T) <br>E-203, SHIV-L
      H7H8 (20IC304T) <br>F-504, GUTH-L
      H7H8 (20IC313T) <br>E-201, JRS-L
      H7H8 (20IC306T) <br>E-105, PRAB-L
      H7(20IC306P)E112-113,NSR-P<br>H8(20IC306P)E112-
113, PRAB-P
      H7H8 (22CDC006) <br>E-201, CDCT-L
      H7H8 (20IC316T) <br>F-503, MSK-L
    H7H8 (20IC304T) <br>E-203, GUTH-L
      LIBRARY
      H7H8 (20IC313T) <br>E-201, JRS-L
      H7H8 (20IC306T) <br>E-104, PRAB-L
      H7H8 (20IC316T) <br>F-504, MSK-L
      H7H8 (20IC305T) <br>F-504, SOPA-L
      H8 (20IC305P) E212-1, SOPA-P<br/>br>H7 (20IC304P) F-
204, MAMA-P
```

```
<b>Friday</b>
       H7H8 (23IC301T) <br>E-203, SHIV-L
       H7H8 (20IC305T) <br>F-503, SOPA-L
       H7H8 (22CDC006) <br>E-202, CDCT-L
       CLUB ACTIVITY
       H7H8 (20IC306T) <br>F-504, PRAB-L
     </div>
</body>
</html>
.css file
body {
 background: #FDEBD0;
}
div {
 position: relative;
 animation: mymove 3s;
 animation-fill-mode: forwards;
}
@keyframes mymove {
 from {
   bottom: -600px;
```

```
Mihir Makwana
Roll No:21BIT247
  }
 to {
  bottom: 0px;
 }
}
h1 {
 text-align: center;
 color: crimson;
}
table,
th,
td {
  border: 1px solid rgb(41, 28, 225);
 color: #000000;
 text-align: center;
}
/* Add a black background color to the top navigation */
.topnav {
 background-color: #FDEBD0;
 overflow: hidden;
}
/* Style the links inside the navigation bar */
```

```
.topnav a1 {
 float: left;
 color: #000000;
 text-align: center;
 padding: 14px 16px;
 text-decoration: none;
 font-size: 25px;
}
.topnav a {
  float: right;
 color: #000000;
 text-align: center;
 padding: 14px 16px;
 text-decoration: none;
  font-size: 25px;
}
/\star Change the color of links on hover \star/
.topnav a:hover {
 background-color: #FDEBD0;
 color: black;
}
/* Add a color to the active/current link */
.topnav a.active {
 background-color: #FDEBD0;
```

```
color: black;
```

}

Output:



Practical-3

Aim- Build web Page,

- Create one Faculty Feedback form with Student Name, Roll Number, Faculty Name, Subject Name, Questions, Suggestion and Submit Button.
- **2.** Create page with 20% and 80% ratio of screen where 20% is vertical navigation bar and 80% click where you see your resume.

Code:

1. Create Feedback Form

Form.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-</pre>
scale=1.0">
    <title>Faculty Feedback Form</title>
    <link rel="stylesheet" href="Form.css">
</head>
<body>
    <h2>Faculty Feedback Form</h2>
    <div class="form-box">
        <div class="textup">
            <i class="fa fa-solid fa-clock"></i>
            It only takes two minutes!!
```

```
</div>
<form>
    <label for="uname">
        <i class="fa fa-solid fa-user"></i>
        Student Name:
    </label>
    <input type="text" id="uname" name="uname" required>
    <label for="RollNO">
        <i class="fa fa-solid fa-envelope"></i>
        Roll Number:
    </label>
    <input type="text" id="RollNO" name="RollNO" required>
    <label>
        Select Faculty Name:
        <br />
        <select name="FacultyName">
            <option>--None--</option>
            <option>Dr. ABC</option>
            <option>Dr. DEF</option>
            <option>Dr. GHI</option>
            <option>Dr. JKL</option>
            <option>Dr. MNO</option>
        </select>
    </label>
    <label>
        Select Subject Name:
```

```
<br />
   <select name="FacultyName">
       <option>--None--</option>
       <option>Web Technology</option>
       <option>Data Structure
       <option>Alogrithm Analysis
       <option>Compiler Design</option>
       <option>Artificial Intelligence</option>
   </select>
</label>
<label>
   <i class="fa-solid fa-face-smile"></i>
   Rate the faculty teaching Sceme.
</label>
<div class="radio-group">
    <input type="radio" id="1" name="1" value="5">
   <label for="yes">5</label>
   <input type="radio" id="1" name="1" value="4">
   <label for="no">4</label>
   <input type="radio" id="1" name="1" value="3">
   <label for="no">3</label>
   <input type="radio" id="1" name="1" value="3">
   <label for="no">2</label>
   <input type="radio" id="1" name="1" value="1">
   <label for="no">1</label>
</div>
<label>
```

```
<i class="fa-solid fa-face-smile"></i>
                Rate the faculty provides the material.
            </label>
            <div class="radio-group">
                <input type="radio" id="2" name="2" value="5">
                <label for="yes">5</label>
                <input type="radio" id="2" name="2" value="4">
                <label for="no">4</label>
                <input type="radio" id="2" name="2" value="3">
                <label for="no">3</label>
                <input type="radio" id="2" name="2" value="2">
                <label for="no">2</label>
                <input type="radio" id="2" name="2" value="1">
                <label for="no">1</label>
            </div>
            <label for="msg">
                <i class="fa-solid fa-comments" style="margin-right:</pre>
3px;"></i>
                Your Suggestions for faculty need to improve:
            </label>
            <textarea id="msg" name="msg" rows="4" cols="10" required>
               </textarea>
            <button type="submit"</pre>
formaction="Submit.html">Submit</button>
            <button type="Form" formaction="Form.html">Clear
Form</button>
        </form>
    </div>
```

```
</body>
```

</html>

Form.css

```
body {
  margin:100px;
  display: flex;
  align-items: center;
  justify-content: space-around;
  flex-direction: column;
  height: 100vh;
  background-color: #bde5d2;
   font-family: 'Poppins', sans-serif;
}
.textup {
  text-align: center;
  color: rgb(11, 118, 11);
  font-weight: 700;
}
i {
  margin-right: 3px;
}
.form-box {
```

```
background-color: #fff;
  box-shadow: 0 0 10px rgba(36, 67, 40, 0.8);
  padding: 15px;
  border-radius: 8px;
  width: 500px;
}
form {
  max-width: 400px;
  margin: 0 auto;
}
.radio-group {
  display: flex;
  margin-bottom: 16px;
}
input[type="radio"] {
  margin-right: 8px;
}
label {
  display: block;
  margin-bottom: 8px;
  font-size: 17px;
  color: green;
   font-weight: 600;
```

```
Mihir Makwana
Roll No:21BIT247
  }
  input,
  textarea {
     width: 100%;
     padding: 8px;
      font-family: 'Times New Roman', Times, serif;
     margin-bottom: 12px;
     box-sizing: border-box;
     border-radius: 10px;
  }
  button {
     background-color: #368b44;
     color: #fff;
     margin: 10px;
     padding: 10px;
     border: none;
     border-radius: 25px;
     cursor: pointer;
     width: 100%;
     font-size: 15px;
     transition: .2s linear;
  }
```

button:hover {

```
background-color: #000000;
  border: none;
  transform: translateY(-10px);
}
Submit.html
<!DOCTYPE html>
<html>
<head>
   <link rel="stylesheet" href="Submit.css">
   <l
       <a class="active" href="Form.html"><b>Home</b></a>
   <h1>Your Response is succeefully submitted.</h1>
</head>
<body>
   <div class="container">
       <div class="emoji">
           <div class="face">
               <div class="eyebrow">
                   <span></span>
                   <span></span>
               </div>
               <div class="eye">
                   <span></span>
                   <span></span>
```

```
</div>
               <div class="mouth"></div>
            </div>
        </div>
    </div>
</body>
</html>
Submit.css
body{
   background-color: #bde5d2;
}
h1{
   margin-top: 30px;
  text-align: center;
}
ul {
   list-style-type: none;
   margin: 0;
   padding: 0;
   overflow: hidden;
   background-color: #bde5d2;
}
li a {
   display: block;
   color: rgb(0, 0, 0);
    text-align: right;
```

```
font-size: 25px;
   padding: 14px 16px;
   text-decoration: none;
}
.container{
   width: 100%;
   height: 100%;
   display: flex;
   align-items: center;
   justify-content: center;
}
.emoji{
   position: relative;
   height: 200px;
   width: 200px;
   border-radius: 50%;
   background: linear-gradient(#ffda6b, #ff935c);
}
.face{
   height: 100%;
   width: 100%;
   animation: face 5s linear infinite;
}
.eyebrow{
   width: 100%;
   text-align: center;
   position: absolute;
```

```
top: 20px;
    animation: eyebrow 5s linear infinite;
}
.eyebrow span{
    display: inline-block;
    margin: 0px 12px;
    width: 50px;
   height: 50px;
    border-radius: 50%;
   border: 8px solid #b96a46;
    border-bottom-color: transparent;
   border-left-color: transparent;
   border-right-color: transparent;
    position: relative;
}
.eyebrow span::before, .eyebrow span::after{
    content: '';
   background: #b96a46;
    width: 12px;
   height: 12px;
   border-radius: 50%;
   position: absolute;
}
.eyebrow span::before{
    left: -2px;
   top: -2px;
}
```

```
.eyebrow span::after{
   right: -2px;
   top: -2px;
}
.eye{
    width: 100%;
   text-align: center;
   position:absolute;
   top: 50px;
}
.eye span{
    display: inline-block;
   height: 40px;
   width: 30px;
   margin: 0px 22px;
   border-radius: 50%;
   background: #262c38;
}
.mouth{
    width: 60px;
    height: 80px;
    border-radius: 50%;
   position: absolute;
    top: 50%;
    left: 67px;
    background: linear-gradient(#481f00, #b96a46);
    animation: mouth 5s linear infinite;
```



10%, 30% {width: 34px; height: 34px; left: calc(50%-17px);}

50%, 70% {width: 60px; height: 70px; left: calc(50%-30px);}


75%, 100% {height: 80px;}

Output:

}



After Click on submit button:



2. Create Resume page

Home.html

li a {

Navigation.html

```
<!DOCTYPE html>
<html>
   <head>
       <title>Resume</title>
       <link rel="stylesheet" href="Navigation.css">
   </head>
   <body>
       <l
           <a href="Resume.html" target="main">About Me</a>
         </body>
</html>
Navigation.css
body{
   background-color: #FDEBD0;;
 }
ul {
   list-style-type:circle;
   margin: 15;
   padding: 15;
   width: 200px;
   background-color: #FDEBD0;
 }
```

```
Mihir Makwana
Roll No:21BIT247
```

```
display:grid;
   color: #000;
   padding: 8px 16px;
   text-decoration: none;
}
Main.html
<!DOCTYPE html>
<html>
   <head>
    <link rel="stylesheet" href="Main.css">
</head>
</html>
<body>
    <div>
        <h1>Click on 'About Me' to see my Resume.</h1>
   </div>
</body>
Main.css
body{
   background-color:#CAF0F8;
}
Resume.html
<!DOCTYPE html>
<html>
```

```
<head>
   <link rel="stylesheet" href="Resume.css">
</head>
</html>
<body>
   <h1>Mihir Makwana</h1>
   <div class="header">
       <a><b>LinkedIn: </b></a><a
href="https://www.linkedin.com/in/mihir-makwana-4193b9266/">Mihir
Makwana </a>
        |<a><b>Contact No.: </b></a><a href="tel://+91 91067-</pre>
82347">+91 91067-82347 </a>
        |<a><b>Email: </b></a><a</pre>
href="mailto:mihirmakwana1119@gmail.com">mihirmakwana1119@gmail.com</a
>
   </div>
   <hr class="NEW">
   <div>
       <h2>Education</h2>
       <a href="https://www.pdpu.ac.in/">Pandit Deendayal Energy
University</a>
       B.Tech in Information and Communication Technology
       CGPA: 9.03
       <a href="https://www.gyanjyot.co.in/">Gyanjyot Public
School</a>
        Higher Secondary Education(12th Standard)
       Percentage: 90.5
```

```
<a href="https://www.shivashish.com/">Shiv Ashish School</a>
   Secondary Education(10th Standard)
   Parcentagr: 80.33
</div>
<hr class="NEW">
<div>
   <h2>Extracurricular Activities</h2>
   <a href="">TCSion Online courses</a>
   Communication Skills
   Soft Skills
   Elements of AI
</div>
<hr class="NEW">
<div>
   <h2>Internship</h2>
   <a href="https://www.verzeo.com/">Verzeo</a>
   Course Completed
   Minor Project
   Major Project
   <a href="https://visamokids.org/">Visamo Kids</a>
   CSSI Internship
   Help student to solve them doubts
   Associate to some student for teaching
</div>
<hr class="NEW">
<div>
   <h2>Skills & Interest</h2>
```


```
<b>Languages: </b>C, C++, Python, Java, Html, SQL
       <b>Developer Tools: </b>Visual Studio Code, Spyder, Google
Collab, MATLAB
       <b>Area of Interest: </b>Full stack Devloper, Web
Development (Front-end),
           Cyber Security, Python With turtle Animation
           <b>Soft Skills: </b>Public Speaking, Critical
Thinking, Event Management, Social Media Management
           <b>Course Work: </b>C, C++, Python, Object Oriented
Programming, Data Structures,
               DBMS, OperatingSystems, Information Security,
Probability and statics for data science
   </div>
   <hr class="NEW">
   <div>
       <h2>Experience</h2>
       Leetcode Everyday Problem Solve
       <b>Leetcode Profile: </b><a</pre>
href="https://leetcode.com/Mihir Makwana/">Mihir Makwana</a>
       <b>Mostly Work: </b>C,C++, JAVA, PYTHON, HTML
   </div>
</body>
Resume.css
body{
 background-color: #FDEBD0;;
}
.header{
 text-align: center;
}
```


```
hr.NEW{
  width: 75%;
  border: 2px solid black;
}
h1{
  text-align: center;
  color:black;
}
a{
  text-decoration: none;
}
```

Output:




After Click on About me:





Resume Click in any link:



Practical-4

Aim- Build web Page,

- 1. To use inline CSS to format your Resume.
- **2.** To use External CSS to format your class time table as you created.

Code:

1. Resume:

Resume.html

```
height: 100%;
width: 50%;
```

Nav.html

<head>

```
<!DOCTYPE html>
<html>
```

```
<link rel="stylesheet" href="Nav.css">
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.1/css/all.min.css"
        integrity="sha512-
DTOQO9RWCH3ppGqcWaEA1BIZOC6xxalwEsw9c2QQeAIftl+Vegovlnee1c9QX4TctnWMn1
3TZye+qiMm8e2LwA=="
        crossorigin="anonymous" referrerpolicy="no-referrer" />
</head>
<body>
    <img src="1.jpg">
    <div class="Contact">
        <h3><b>Contact</b></h3>
        <i class="fa-solid fa-map-pin"></i><a</pre>
href="https://maps.app.goo.gl/PWAbgoypnE13Urzg6" style="margin:
20px;">
            Garden Paradise, Bopal-380058</a><br>
        <i class="fa-solid fa-phone"></i><a href="tel://+91 91067-</pre>
82347" style="margin: 15px;"> +91 91067-82347</a><br>
        <i class="fa-regular fa-envelope"></i><a</pre>
href="mailto:mihirmakwana1119@gmail.com" style="margin: 15px;">
            mihirmakwana1119@gmail.com</a>
    </div>
    <div class="Social">
        <h3>Social</h3>
        <i class="fa-brands fa-linkedin"></i><a</pre>
href="https://www.linkedin.com/in/mihir-makwana-4193b9266/"
            style="margin: 21px;">Mihir
            Makwana</a><br>
```

```
<i class="fa-brands fa-facebook"></i><a</pre>
href="https://www.instagram.com/mihir_1911/" style="margin:
20px;">Mihir
            Makwana</a><br>
        <i class="fa-brands fa-instagram"></i><a</pre>
href="https://www.instagram.com/mihir_1911/"
            style="margin: 22px;">mihir 1911</a>
    </div>
</body>
</html>
Nav.css
body{
    background-color: #359ebf;
}
img{
    width: 150px;
    height: 150px;
    margin: 40px;
    margin-left:65px;
   border-radius: 50%;
}
.Contact{
    font-size: 20px;
}
.Social{
    font-size: 20px;
}
```

```
Mihir Makwana
Roll No:21BIT247
   a {
       text-decoration: none;
       font-family: 'Times New Roman', Times, serif;
   }
   Side.html
   <!DOCTYPE html>
   <html>
   <head>
       <link rel="stylesheet" href="Side.css">
       <link rel="stylesheet"</pre>
   href="https://cdnjs.cloudflare.com/ajax/libs/font-
   awesome/6.5.1/css/all.min.css"
           integrity="sha512-
   DTOQO9RWCH3ppGqcWaEA1BIZOC6xxalwEsw9c2QQeAIftl+Vegovlnee1c9QX4TctnWMn1
   3TZye+giMm8e2LwA=="
           crossorigin="anonymous" referrerpolicy="no-referrer" />
   </head>
   <body>
       <div class="name">
           <h3>Resume of</h3>
           <h2>Mihir Makwana</h2>
           <h3>Devloper/Designer</h3>
       </div>
```

I'm Web devloper also expert in solving problem since 2021

<div class="Aboutme">

<h3>About Me</h3>

```
also good programing skill also expert in
          communication skills with instent exaples.
       </div>
   <div class="Education">
       <h3>Education</h3>
       <a href="https://www.pdpu.ac.in/">Pandit Deendayal Energy
University</a>
       S. Tech in Information and Communication Technology
       CGPA: 9.03(After 5 Semester)
       <a href="https://www.gyanjyot.co.in/">Gyanjyot Public
School</a>
       Higher Secondary Education(12th Standard)
       Percentage: 90.5
       <a href="https://www.shivashish.com/">Shiv Ashish School</a>
       Secondary Education(10th Standard)
       Parcentage: 80.33
   </div>
   <div class="Extracurricular">
       <h3>Extracurricular Activities</h3>
       <a href="https://www.tcsion.com/courses/career-edge-young-</pre>
professional/">TCSion Online courses</a>
       Communication Skills
       Soft Skills
       Elements of AI
   </div>
   <div class="Internship">
       <h3>Internship</h3>
```

```
<a href="https://www.verzeo.com/">Verzeo</a>
       Course Completed
       Minor Project
       Major Project
       <a href="https://visamokids.org/">Visamo Kids</a>
       CSSI Internship
       Help student to solve them doubts
       Associate to some student for teaching
   </div>
   <div class="Project">
       <h3>Project</h3>
       Hardware Project in Analog Circuit Design---Light
Depanding Register
       Smart India Hackathone---Creating Website(Ministry of
Education)
       Smart India Hackathone---Website is Apllied for
Pattent
   </div>
   <div class="Skills">
       <h3>Skills & Interest</h3>
       <b>Languages: </b>C, C++, Python, Java, Html, SQL
       <b>Developer Tools: </b>Visual Studio Code, Spyder, Google
Collab, MATLAB
       <b>Area of Interest: </b>Full stack Devloper, Web
Development (Front-end),
          Cyber Security, Python With turtle Animation
       <b>Soft Skills: </b>Public Speaking, Critical Thinking,
Event Management, Social Media Management
       <b>Course Work: </b>C, C++, Python, Object Oriented
```

```
Programming, Data Structures,
           DBMS, OperatingSystems, Information Security, Probability
and statics for data science
   </div>
   <div class="Experience">
       <h3>Experience</h3>
       Leetcode Everyday Problem Solve
       <b>Leetcode Profile: </b><a</pre>
href="https://leetcode.com/Mihir Makwana/">Mihir Makwana</a>
       <b>Mostly Work: </b>C,C++, JAVA, PYTHON, HTML
   </div>
   <div class="Hobbies">
       <h3>Hobbies</h3>
       Cricket
       Chess
       Rubix Cube
   </div>
</body>
</html>
Side.css
body{
   background-color: #9FBF35;
}
.name{
   text-align: center;
   h2 {
```

```
font-size: 25px;


color:red;
}
h3{

margin-top: 0px;

font-size: 15px;
}
```

Output:







2. Time Table

Code:

Timetable.html

```
<body>
 <div>
  <h1>ICT Division 4(6)</h1>
  <b>Day/Time</b>
    <b>09:00-09:55</b>
    <b>10:55-11:10</b>
    <b>12:10-13:05</b>
    <b>15:10-16:05</b>
    <b>16:05-16:15</b>
    <b>16:15-17:10</b>
    <b>Monday</b>
    H7 (23IC301P) E112-113, SHIP-
P<br/>H8 (23IC301P) E112-113, PWS-P
    <b>S<br>H<br>O<br>R<br>T<br>
<br>B<br>R<br>E<br>A<br>K</b>
    H7H8(20HS301P)C007,RAVA-P
    <b>L<br>U<br>N<br>C<br>H<br>
<br>B<br>R<br>E<br>A<br>K</b>
```

```
H7 (20IC316P) F-503, MSK-P<br>H8 (20IC316P) F-
503, MORO-P
     <b>S<br>H<br>O<br>R<br>T<br>
<br/><br>B<br>E<br>A<br>K</b>
     Slots For Open Electives
    H8 (20IC304P) F-204, MAMA-P<br>H7 (20IC305P) E212-
1, SOPA-P
     H7H8 (20IC313P) E212-1, JRS-P
     H7H8 (20IC304T) <br>F-504, GUTH-L
     H7H8 (20IC305T) <br>F-504, SOPA-L
    <b>Wednesday</b>
     H7H8 (23IC301T) <br>E-203, SHIV-L
     H7H8 (20IC304T) <br>F-504, GUTH-L
     H7H8 (20IC313T) <br>E-201, JRS-L
     H7H8 (20IC306T) <br>E-105, PRAB-L
     H7 (20IC306P) E112-113, NSR-
P<br/>P<br/>H8 (20IC306P) E112-113, PRAB-P
     H7H8 (22CDC006) <br>E-201, CDCT-L
     H7H8 (20IC316T) <br>F-503, MSK-L
    H7H8 (20IC304T) <br>E-203, GUTH-L
```

```
LIBRARY
      H7H8 (20IC313T) <br>E-201, JRS-L
      H7H8 (20IC306T) <br>E-104, PRAB-L
      H7H8 (20IC316T) <br>F-504, MSK-L
      H7H8 (20IC305T) <br>F-504, SOPA-L
      H8(20IC305P)E212-1,SOPA-P<br>H7(20IC304P)F-
204, MAMA-P
    <b>Friday</b>
      H7H8 (23IC301T) <br>E-203, SHIV-L
      H7H8 (20IC305T) <br>F-503, SOPA-L
      H7H8 (22CDC006) <br>E-202, CDCT-L
      CLUB ACTIVITY
      H7H8 (20IC306T) <br>F-504, PRAB-L
    </div>
</body>
</html>
Timetable.css
body {
   background: #9FBF35;
 }
```

```
div {
 position: relative;
  animation: mymove 3s;
  animation-fill-mode: forwards;
}
@keyframes mymove {
  from {
   bottom: -600px;
  }
  to {
  bottom: 0px;
 }
}
h1 {
 text-align: center;
 color: crimson;
}
table,
th,
td {
  border: 1px solid rgb(41, 28, 225);
  color: #000000;
  text-align: center;
```

```
Mihir Makwana
Roll No:21BIT247
     }
     /* Add a black background color to the top navigation */
     .topnav {
      background-color: #9FBF35;
      overflow: hidden;
     }
     /* Style the links inside the navigation bar */
     .topnav a1 {
       float: left;
       color: #000000;
       text-align: center;
       padding: 14px 16px;
       text-decoration: none;
       font-size: 25px;
     }
     .topnav a {
       float: right;
       color: #000000;
       text-align: center;
       padding: 14px 16px;
       text-decoration: none;
```

font-size: 25px;

}

С

```
/* Change the color of links on hover */
.topnav a:hover {
  background-color: #FDEBD0;
  color: black;
}

/* Add a color to the active/current link */
.topnav a.active {
  background-color: #9FBF35;
  color: black;
}
```

Output:



Practical-5

Aim- To create user Student feedback form (use textbox, text area, checkbox, radio button, select box etc.)

- 1. To implement Validation in above Feedback Form.
- 2. To use regular expression for validation in Feedback Form.

Code:

1. Form

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Faculty Feedback Form</title>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.
min.css" rel="stylesheet"
        integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous" />
    <style>
        body {
            background-color: #f0f0f0;
            color: white;
        }
        .bold {
```

```
font-weight: 500;
}
form {
    max-width: 600px;
    margin: auto;
    background-color: #528aae;
    padding: 20px;
    border-radius: 15px;
    margin-top: 50px;
}
h2 {
   color: #ffffff;
}
label {
    display: inline -block;
   margin-right: 8px;
   color: #ffffff;
}
input,
textarea {
    width: 100%;
    margin-bottom: 16px;
    box-sizing: border -box;
```

```
border: 1px solid #af9898;
    border-radius: 4px;
}
button {
    background-color: #Bcd2e8;
    color: rgb(107, 88, 88);
    padding: 10px 15px;
   border: none;
   border-radius: 5px;
   cursor: pointer;
}
button:hover {
    background-color: #BC8F8F;
   color: #fff8f8
}
.rating -container {
    display: flex;
   margin-bottom: 16px;
}
.rating -container input {
   margin-right: 8px;
}
```

```
.rating -container label {
            color: #fff8f8;
        }
        #new {
            color: white;
        }
        .form -check -input {
            margin-left: 1.75rem;
        }
    </style>
</head>
<body>
    <div class="container" style="display: flex; justify-content:</pre>
center;">
        <form class="needs-validation">
            <h2>Faculty Feedback Form</h2>
            <div class="mb-3">
                <label for="validationCustom03" class="form-label</pre>
form-validation-state
        bold">Student Name :</label>
                <input type="text" class="form-control"</pre>
id="validationCustom03" placeholder="Enter the student's name"
                     spellcheck="false" autocomplete="off" required>
                <div class="invalid-feedback">Please enter the
student's name.</div>
```

```
</div>
            <div class="mb-3">
                <label for="validationCustom03" class="form-label</pre>
form-validation-state
        bold">Roll no :</label>
                <input type="text" class="form-control"</pre>
id="validationCustom03"
                    placeholder="Enter the student's roll no"
spellcheck="false" autocomplete="off" required>
                <div class="invalid-feedback">Please enter the
student's roll no.</div>
            </div>
            <div class="mb-3">
                <label for="validationCustom03" class="form-label</pre>
form-validation-state
        bold">Faculty Name :</label>
                <input type="text" class="form-control"</pre>
id="validationCustom03" placeholder="Enter the faculty's name"
                     spellcheck="false" autocomplete="off" required>
                <div class="invalid-feedback">Please enter the
faculty's name.</div>
            </div>
            <div class="mb-3">
                <label for="validationCustom03" class="form-label</pre>
form-validation-state
        bold">Subject Name :</label>
                <input type="text" class="form-control"</pre>
id="validationCustom03" placeholder="Enter the subject's name"
                     spellcheck="false" autocomplete="off" required>
                <div class="invalid-feedback">Please enter the
```

```
subject's name.</div>
            </div>
             <label for="subject" class="form-label</pre>
bold">Rating</label>
             <div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio1"
                         value="option1">
                     <label class="form-check-label"</pre>
for="inlineRadio1">1</label>
                 </div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                         value="option2">
                     <label class="form-check-label"</pre>
for="inlineRadio2">2</label>
                 </div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                         value="option2">
                     <label class="form-check-label"</pre>
for="inlineRadio2">3</label>
                 </div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                         value="option2">
```

```
<label class="form-check-label"</pre>
for="inlineRadio2">4</label>
                </div>
                <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                        value="option2">
                    <label class="form-check-label"</pre>
for="inlineRadio2">5</label>
                </div>
            </div>
            <div class="mb-3" style="margin-top: 8px;">
                <label for="exampleFormControlTextarea1" class="form-</pre>
label
            bold">Suggestions</label>
                <textarea class="form-control"</pre>
id="exampleFormControlTextarea1" rows="2" spellcheck="false"
                    required></textarea>
                <div class="invalid-feedback">Please provide your
suggestions.</div>
            </div>
            <div class="mb-3 form-check">
                <input type="checkbox" class="form-check-input"</pre>
id="exampleCheck1">
                <label class="form-check-label"</pre>
for="exampleCheck1">Send responses to
                    email</label>
            </div>
            <button type="submit" class="button">Submit
            <button type="button" class="button">Reset
```

```
Mihir Makwana
Roll No:21BIT247
</form>
</div>
</body>
```

</html>

Output:

Faculty Feedback Form
Student Name :
Mihir
Roll no :
21BIT247
Faculty Name :
Enter the faculty's name
Subject N Please fill out this field.
Enter the subject's name
Rating
● 1 ● 2 ● 3 ● 4 ● 5
Suggestions
Roll no :
21BIT247
Faculty Name :
Enter the faculty's name
Subject N Please fill out this field.
Enter the subject's name
Rating
● 1 ● 2 ● 3 ● 4 ● 5
Suggestions
Send responses to email
Submit Reset

2. To use regular expression for validation in Feedback Form.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Faculty Feedback Form</title>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous" />
    <style>
        body {
            background-color: #f0f0f0;
            color: white;
        }
        .bold {
            font-weight: 500;
        }
        form {
            max-width: 600px;
            margin: auto;
            background-color: #528aae;
```

```
padding: 20px;
    border-radius: 15px;
    margin-top: 50px;
}
h2 {
   color: #ffffff;
}
label {
    display: inline-block;
   margin-right: 8px;
   color: #ffffff;
}
input,
textarea {
   width: 100%;
   margin-bottom: 16px;
   box-sizing: border-box;
    border: 1px solid #af9898;
   border-radius: 4px;
}
button {
    background-color: #Bcd2e8;
    color: rgb(107, 88, 88);
```

```
padding: 10px 15px;
   border: none;
   border-radius: 5px;
    cursor: pointer;
}
button:hover {
    background-color: #BC8F8F;
   color: #fff8f8
}
.rating-container {
    display: flex;
   margin-bottom: 16px;
}
.rating-container input {
   margin-right: 8px;
}
.rating-container label {
   color: #fff8f8;
}
#new {
   color: white;
}
```

```
.form-check-input {
            margin-left: 1.75rem;
        }
    </style>
</head>
<body>
    <div class="container" style="display: flex; justify-content:</pre>
center;">
        <form class="needs-validation">
            <h2>Faculty Feedback Form</h2>
            <div class="mb-3">
                 <label for="validationCustom03" class="form-label</pre>
form-validation-state
bold">Student Name :</label>
                 <input type="text" class="form-control"</pre>
id="validationCustom03" placeholder="Enter the student's name"
                     spellcheck="false" autocomplete="off" required>
                 <div class="invalid-feedback">Please enter the
student's name.</div>
            </div>
            <div class="mb-3">
                 <label for="validationCustom03" class="form-label</pre>
form-validation-state
bold">Roll no :</label>
                 <input type="text" class="form-control"</pre>
id="validationCustom03"
                     placeholder="Enter the student's roll no"
```

```
spellcheck="false" autocomplete="off"
                     pattern="[0-9]{2}[A-Z]{3}[0-9]{3}" required>
                 <div class="invalid-feedback">Please enter the
student's roll no.</div>
            </div>
            <div class="mb-3">
                 <label for="exampleFormControlInput1" class="form-</pre>
label">Email
                     address</label>
                 <input type="email" class="form-control"</pre>
id="exampleFormControlInput1" placeholder="name@sot.pdpu.ac.in"
                     pattern="[a-z] \ . [a-z] \{4\} + [0-
9]{2}+@+(sot|sls|spt|spm).pdpu.ac.in" required>
            </div>
            <div class="mb-3">
                 <label for="validationCustom03" class="form-label</pre>
form-validation-state
bold">Faculty Name :</label>
                 <input type="text" class="form-control"</pre>
id="validationCustom03" placeholder="Enter the faculty's name"
                     spellcheck="false" autocomplete="off" required>
                 <div class="invalid-feedback">Please enter the
faculty's name.</div>
            </div>
            <label for="subject" class="form-label</pre>
bold">Rating</label>
            <div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio1"
```

```
value="option1">
                     <label class="form-check-label"</pre>
for="inlineRadio1">1</label>
                 </div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                         value="option2">
                     <label class="form-check-label"</pre>
for="inlineRadio2">2</label>
                 </div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                         value="option2">
                     <label class="form-check-label"</pre>
for="inlineRadio2">3</label>
                 </div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                         value="option2">
                     <label class="form-check-label"</pre>
for="inlineRadio2">4</label>
                 </div>
                 <div class="form-check form-check-inline">
                     <input class="form-check-input" type="radio"</pre>
name="inlineRadioOptions" id="inlineRadio2"
                         value="option2">
                     <label class="form-check-label"</pre>
```

```
for="inlineRadio2">5</label>
                </div>
            </div>
            <div class="mb-3" style="margin-top: 8px;">
                <label for="exampleFormControlTextarea1" class="form-</pre>
label
bold">Suggestions</label>
                <textarea class="form-control"</pre>
id="exampleFormControlTextarea1" rows="2" spellcheck="false"
                    required></textarea>
                <div class="invalid-feedback">Please provide your
suggestions.</div>
            </div>
            <div class="mb-3 form-check">
                <input type="checkbox" class="form-check-input"</pre>
id="exampleCheck1">
                <label class="form-check-label"</pre>
for="exampleCheck1">Send responses to
                    email</label>
            </div>
            <button type="submit" class="button">Submit
            <button type="button" class="button">Reset
        </form>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.8/dist/umd/poppe
r.min.js"
        integrity="sha384-
I7E8VVD/ismYTF4hNIPjVp/Zjvgyol6VFvRkX/vR+Vc4jQkC+hVqc2pM8ODewa9r"
        crossorigin="anonymous"></script>
```

```
<script
```

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.mi
n.js" integrity="sha384-

BBtl+eGJRgqQAUMxJ7pMwbEyER4l1g+O15P+16Ep7Q9Q+zqX6gSbd85u4mG4QzX+" crossorigin="anonymous"></script>

<script


src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-


C6RzsynM9kWDrMNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL" crossorigin="anonymous"></script>

</body>

</html>

Output:





Practical-6

Aim- Install and configure Visual Studio Code as an IDE, setup an environment for React by downloading Node.js and installing React framework along with its packages.

Understand the folder structure used by React and develop a "Hello World Application".

Download:

```
Microsoft Windows [Version 10.0.22631.3447]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Mihir Makwana>node -v
v20.11.1

C:\Users\Mihir Makwana>
```

Setting node js:

```
C:\Users\Mihir Makwana>npm install react-g

added 7 packages in 4s

1 package is looking for funding
    run 'npm fund' for details

npm notice

npm notice New minor version of npm available! 10.2.4 -> 10.5.2

npm notice Changelog: https://github.com/npm/cli/releases/tag/v10.5.2

npm notice Run npm install -g npm@10.5.2 to update!

npm notice

C:\Users\Mihir Makwana>
```

```
C:\Users\Mihir Makwana>npx create-react-app hello
Creating a new React app in C:\Users\Mihir Makwana\hello.
Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...
added 1494 packages in 2m
258 packages are looking for funding
  run 'npm fund' for details
Installing template dependencies using npm...
added 67 packages, and changed 1 package in 10s
262 packages are looking for funding run 'npm fund' for details
Removing template package using npm...
removed 1 package, and audited 1561 packages in 3s
262 packages are looking for funding
  run 'npm fund' for details
8 vulnerabilities (2 moderate, 6 high)
To address all issues (including breaking changes), run:
  npm audit fix --force
```

```
8 vulnerabilities (2 moderate, 6 high)

To address all issues (including breaking changes), run:
    npm audit fix --force

Run 'npm audit' for details.

Success! Created hello at C:\Users\Mihir Makwana\hello
Inside that directory, you can run several commands:

    npm start
        Starts the development server.

npm run build
        Bundles the app into static files for production.

npm test
        Starts the test runner.


npm run eject
        Removes this tool and copies build dependencies, configuration files and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:
    cd hello
    npm start

Happy hacking!

C:\Users\Mihir Makwana>
```

Code:



Aim- Implement React Routing for navigating 5 different webpages. Design a responsive navbar in ReactJS by using media queries, Material-UI/React-Bootstrap.

Code:

App.js

```
import { Route, Routes } from "react-router-dom";
import "./App.css";
import { About } from "./Components/About/About";
import { Home } from "./Components/Home/Home";
import { Profile } from "./Components/Profile/Profile";
import { Navbar } from "./Components/Navbar/Navbar";
function App() {
 return (
    <div className="App">
      <Navbar />
      <Routes>
        <Route path="/" element={<Home />} />
        <Route path="/About" element={<About />} />
        <Route path="/Profile" element={<Profile />} />
      </Routes>
    </div>
 );
}
export default App;
```

Navbar.js:

```
import React from 'react'
import { Link } from 'react-router-dom'
export const Navbar = () => {
 return (
 <div>
 <nav class="navbar navbar-expand-lg bg-body-tertiary">
 <div class="container-fluid">
 <Link class="navbar-brand" to='/'>Navbar</Link>
 <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bstarget="#navbarSupportedContent" aria-
controls="navbarSupportedContent" ariaexpanded="false" aria-label="Toggle
navigation">
 <span class="navbar-toggler-icon"></span>
 </button>
 <div class="collapse navbar-collapse" id="navbarSupportedContent">
 <Link to="/" class="nav-link active" aria-current="page"</pre>
href="#">Home</Link>
 <Link to='/about'class="nav-link">About</Link>
 class="nav-item">
 <Link to="/profile"class="nav-link" href="#">Profile</Link>
```

```
Mihir Makwana
Roll No:21BIT247
</div>
</div>
```

</div>

)

}

Home.js:

```
import React from "react";
export const Home = () => {
  return <div>Home</div>;
};
```

About.js

```
import React from "react";
export const About = () => {
  return <div>About</div>;
};
```

Profile.js

```
import React from "react";
export const Profile = () => {
  return <div>Profile</div>;
};
```



Aim- Create React Sidebar Navigation Menu for a webpage. Implement the concept of React Hooks for backward compatibility and faster user experience.

App.js

```
import React from "react";
import { BrowserRouter as Router, Route, Switch } from 'react-router-dom';
import Navbar from "./components/Navbar";
import Home from "./pages/home";
import Reports from "./pages/report";
import Products from "./pages/product";
import "./App.css"
function App() {
 return (
  <div>
   <Router>
    <Navbar/>
    <Routes>
     <Route path="/" element={<Home />} />
     <Route path="/reports" element={<Reports />} />
     <Route path="/products" element={<Products />} />
    </Routes>
   </Router>
  </div>
 );
export default App;
```

App.css

```
App {
text-align: center;
}

App-logo {
height: 40vmin;
pointer-events: none;
}

@media (prefers-reduced-motion: no-preference) {
.App-logo {
  animation: App-logo-spin infinite 20s linear;
}
}
```

```
.App-header {
 background-color: #282c34;
 min-height: 100vh;
 display: flex;
 flex-direction: column;
 align-items: center;
 justify-content: center;
 font-size: calc(10px + 2vmin);
 color: white;
.App-link {
 color: #61dafb;
@keyframes App-logo-spin {
 from {
  transform: rotate(0deg);
 to {
  transform: rotate(360deg);
```

Components/sidebar .js

```
import React from "react";
import * as FaIcons from "react-icons/fa";
import * as Ailcons from "react-icons/ai";
import * as IoIcons from "react-icons/io";
export const SidebarData = [
  title: "Home",
  path: "/",
  icon: <AiIcons.AiFillHome />,
  cName: "nav-text",
 },
  title: "Reports",
  path: "/reports",
  icon: <IoIcons.IoIosPaper />,
  cName: "nav-text",
 },
  title: "Products",
  path: "/products",
  icon: <FaIcons.FaCartPlus />,
  cName: "nav-text",
 },
  title: "Team",
path: "/team",
```

```
icon: <IoIcons.IoMdPeople />,
    cName: "nav-text",
},
{
    title: "Messages",
    path: "/messages",
    icon: <FaIcons.FaEnvelopeOpenText />,
    cName: "nav-text",
},
];
```

components/Navbar.js

```
import React, { useState } from "react";
import * as Falcons from "react-icons/fa";
import * as Ailcons from "react-icons/ai";
import { Link } from "react-router-dom";
import { SidebarData } from "./SidebarData.js";
import "./Nav.css";
import { IconContext } from "react-icons";
function Navbar() {
 const [sidebar, setSidebar] = useState(false);
 const showSidebar = () => setSidebar(!sidebar);
 return (
  0
   IconContext.Provider value={{ color: "#fff" }}>
    <div className="navbar">
     <Link to="#" className="menu-bars">
      <Falcons.FaBars onClick={showSidebar} />
      <span class="rollnumber">21BIT005 : React Sidebar</span>
    <nav className={sidebar ? "nav-menu active" : "nav-menu"}>
     className="nav-menu-items" onClick={showSidebar}>
      className="navbar-toggle">
        <Link to="#" className="menu-bars">
         <Ailcons.AiOutlineClose />
       </Link>
       {SidebarData.map((item, index) => {}
       return (
         key={index} className={item.cName}>
          <Link to={item.path}>
           {item.icon}
           <span>{item.title}</span>
          </Link>
```

```
);
})}

</nav>
</IconContext.Provider>
</>>
/>

provider in the second of the sec
```

components/Nav.css

```
.navbar {
 background-color: #060b26;
 height: 80px;
 display: flex;
 justify-content: start;
 align-items: center;
.menu-bars {
 margin-left: 2rem;
 font-size: 2rem;
 background: none;
.nav-menu {
 background-color: #060b26;
 width: 250px;
 height: 100vh;
 display: flex;
 justify-content: center;
 position: fixed;
 top: 0;
 left: -100%;
 transition: 850ms;
.nav-menu.active {
left: 0;
 transition: 350ms;
.nav-text {
 display: flex;
justify-content: start;
 align-items: center;
 padding: 8px 0px 8px 16px;
 list-style: none;
```

```
height: 60px;
nav-text a {
text-decoration: none;
color: #f5f5f5;
font-size: 18px;
width: 95%;
height: 100%;
display: flex;
align-items: center;
padding: 0 16px;
border-radius: 4px;
nav-text a:hover {
background-color: #1a83ff;
.nav-menu-items {
width: 100%;
.navbar-toggle {
background-color: #060b26;
width: 100%;
height: 80px;
display: flex;
justify-content: start;
align-items: center;
span {
margin-left: 16px;
rollnumber {
padding-left: 450px;
color: white;
font-weight: bold;
font-size: x-large;
```

Page/Home .js

```
);
};
export default Home;
```

Pages/product.js

Pages/report.js



Aim- Create simple cards using Material UI and React. Use animations to make it more attractive.

Components/card.js

```
import React, { useState, useRef } from "react";
import "/Card.css";
export default function Card() {
  const [xRotation, setXRotation] = useState(0);
  const [yRotation, setYRotation] = useState(0);
  const cardRef = useRef(null);
  const imgRef = useRef(null);
  const titleRef = useRef(null);
  const descRef = useRef(null);
  const sizesboxRef = useRef(null);
  const purchaseRef = useRef(null);
  function handleMouseMove(event) {
    const card = cardRef.current;
    const { offsetWidth: width, offsetHeight: height } = card;
    const { clientX, clientY } = event;
    const x = clientX - card.offsetLeft - width / 2;
    const y = clientY - card.offsetTop - height / 2;
    var mult = 40;
    setXRotation((y / height) * mult);
    setYRotation((x / width) * mult);
  function handleMouseEnter() {
    const img = imgRef.current;
    const title = titleRef.current;
    const sizesBox = sizesboxRef.current;
    const purchase = purchaseRef.current;
    const desc = descRef.current
    title.style.transform = "translateZ(150px)";
    img.style.transform = "translateZ(100px) rotateZ(-45deg)";
    sizesBox.style.transform = "translateZ(100px)";
    purchase.style.transform = "translateZ(75px)";
    desc.style.transform = "translateZ(75px)";
  function handleMouseLeave() {
    setXRotation(0);
    setYRotation(0);
    const img = imgRef.current;
    const title = titleRef.current;
    const sizesBox = sizesboxRef.current;
    const purchase = purchaseRef.current;
    title.style.transform = "translateZ(0px)";
    img.style.transform = "translateZ(0px) rotateZ(0deg)";
```

```
sizesBox.style.transform = "translateZ(0px)";
  purchase.style.transform = "translateZ(0px)";
return (
  <div
    className="card"
    ref={cardRef}
    style={{
      transform: 'rotateX(${xRotation}deg) rotateY(${yRotation}deg)',
    onMouseMove={handleMouseMove}
    onMouseEnter={handleMouseEnter}
    onMouseLeave={handleMouseLeave}
    <img
      ref={imgRef}
      src={require("..//Shoe-img/Nike-Shoe.png")}
      alt="Nike-Shoe"
      className="sneaaker-img"
    <h1 className="title" ref={titleRef}>
      Nike Dunk High
    </h1>
    Nike Dunk High is a high-top version of the classic Nike Dunk sneaker,
      featuring a padded collar for added support and comfort.
    38
      40
      42
      44
    <div className="button-box" ref={purchaseRef}>
      <buton className="purchase" >
        Purchase
      </button>
    </div>
  </div>
);
```

Components/card.css

```
.container {
  position: relative;
  width: 100%;
  height: 100vh;
  display: flex;
  align-items: center;
  justify-content: center;
  background: rgb(75, 53, 118);
  background: linear-gradient(219deg,
       rgba(75, 53, 118, 1) 33%,
       rgba(248, 177, 60, 1) 100%);
  font-family: "Roboto", sans-serif;
  gap: 50px;
.card {
  transform-style: preserve-3d;
  position: relative;
  padding: 25px;
  width: 350px;
  height: 500px;
  border-radius: 20px;
  box-shadow: rgba(0, 0, 0, 0.35) 0px 5px 15px;
  display: flex;
  align-items: center;
  flex-direction: column;
  justify-content: space-around;
  background: linear-gradient(25deg,
       rgb(169, 53, 130) 0%,
       rgb(138, 227, 236) 86%);
  transition: all 0.1s ease;
.sneaaker-img {
  position: relative;
  width: 90%;
  transition: all 0.5s ease;
.title,
.card p {
  width: 100%;
  color: rgb(220, 220, 220);
.sizes-box {
width: 100%;
```

```
display: flex;
  align-items: center;
  justify-content: space-evenly;
  gap: 10px;
.sizes-box li {
  list-style: none;
  cursor: pointer;
  font-weight: bold;
  border-radius: 30px;
  padding: 0.5rem 1.5rem;
  background-color: rgb(220, 220, 220);
  box-shadow: rgba(0, 0, 0, 0.25) 0px 54px 55px,
    rgba(0, 0, 0, 0.12) 0px -12px 30px, rgba(0, 0, 0, 0.12) 0px 4px 6px,
    rgba(0, 0, 0, 0.17) 0px 12px 13px, rgba(0, 0, 0, 0.09) 0px -3px 5px;
.sizes-box li:hover {
  background-color: rgb(134, 134, 134);
.button-box {
  width: 100%;
.purchase {
  cursor: pointer;
  width: 100%;
  border-radius: 30px;
  padding: 0.8rem 1.5rem;
  font-weight: bold;
  border: none;
  font-size: 1rem;
  letter-spacing: 1px;
  background-color: rgba(248, 177, 60, 1);
  box-shadow: rgba(0, 0, 0, 0.25) 0px 54px 55px,
    rgba(0, 0, 0, 0.12) 0px -12px 30px, rgba(0, 0, 0, 0.12) 0px 4px 6px,
    rgba(0, 0, 0, 0.17) 0px 12px 13px, rgba(0, 0, 0, 0.09) 0px -3px 5px;
.purchase:hover {
  background-color: rgb(222, 157, 54);
```

Src/app.js

```
import Card from "./components/Card";
function App() {
   return (
```

```
<div className="App">
    <div className="container" >
        <Card />
        </div>
        </div>
    );
}
export default App;
```

Index.js:

Index.css:

```
* {
    padding: 0;
    margin: 0;
    box-sizing: border-box;
}
```





Aim- design an attractive Login and Registration form using Material-UI. Use Validations to validation the error and prompt the errors on the webpage.

App.js

```
import { useRef, useState } from "react";
import "./App.css";
import Login from "./components/Login";

function App() {
   return < Login />;
}

export default App;
```

Components/login.js

Components/signup.js

```
import * as React from "react";
import LockOutlinedIcon from "@mui/icons-material/LockOutlined";
import Avatar from "@mui/material/Avatar";
import Button from "@mui/material/Button";
import CssBaseline from "@mui/material/CssBaseline";
import TextField from "@mui/material/TextField";
import FormControlLabel from "@mui/material/FormControlLabel";
import Checkbox from "@mui/material/Checkbox";
import Link from "@mui/material/Link";
import Grid from "@mui/material/Grid";
import Box from "@mui/material/Box";
import Typography from "@mui/material/Typography";
import Container from "@mui/material/Container";
import { createTheme, ThemeProvider } from "@mui/material/styles";
import { checkValidData } from "../utils/validate";
```

```
function Copyright(props) {
 return (
  < Typography
   variant="body2"
   color="text.secondary"
   align="center"
   {...props}
   {"Copyright © "}
   <Link color="inherit" href="https://mui.com/">
    Your Website
   </Link>{" "}
   {new Date().getFullYear()}
   {"."}
  </Typography>
 );
// TODO remove, this demo shouldn't need to reset the theme.
const defaultTheme = createTheme();
export default function SignUp() {
 const [errormsg, setErrormsg] = React.useState(null);
 const firstName = React.useRef(null);
 const lastName = React.useRef(null);
 const email = React.useRef(null);
 const password = React.useRef(null):
 const handleButtonSubmit = () => {
  console.log(password);
  const msg = checkValidData(email.current.value, password.current.value);
  setErrormsg(msg);
  if (msg) return;
 const handleSubmit = (event) => {
  event.preventDefault();
  const data = new FormData(event.currentTarget);
  console.log({
   email: data.get("email"),
   password: data.get("password"),
  });
 1:
 return (
  <ThemeProvider theme={defaultTheme}>
   <Container component="main" maxWidth="xs">
  <CssBaseline />
```

```
<Box
 sx=\{\{
  marginTop: 8,
  display: "flex",
  flexDirection: "column",
  alignItems: "center",
 }}
 <Avatar sx={{ m: 1, bgcolor: "secondary.main" }}>
  <LockOutlinedIcon />
 </Avatar>
 <Typography component="h1" variant="h5">
  Sign up
 </Typography>
 <Box
  component="form"
  noValidate
  onSubmit={handleSubmit}
  sx=\{\{ mt: 3 \} \}
  <Grid container spacing={2}>
   <Grid item xs={12} sm={6}>
    <TextField
     ref={firstName}
     autoComplete="given-name"
     name="firstName"
     required
     fullWidth
     id="firstName"
     label="First Name"
     autoFocus
    1>
   </Grid>
   <Grid item xs={12} sm={6}>
    <TextField
     ref={lastName}
     required
     fullWidth
     id="lastName"
     label="Last Name"
     name="lastName"
     autoComplete="family-name"
    1>
   </Grid>
   <Grid item xs={12}>
    <TextField
     ref={email}
     required
```

```
fullWidth
       id="email"
       label="Email Address"
       name="email"
       autoComplete="email"
     </Grid>
     <Grid item xs={12}>
      <TextField
       ref={password}
       required
       fullWidth
       name="password"
       label="Password"
       type="password"
       id="password"
       autoComplete="new-password"
      1>
     </Grid>
     <Grid item xs={12}>
      <FormControlLabel
       control={
        <Checkbox value="allowExtraEmails" color="primary" />
       label="I want to receive inspiration, marketing promotions and updates via email."
      1>
     </Grid>
    </Grid>
    <Button
     type="submit"
     fullWidth
     variant="contained"
     sx={{ mt: 3, mb: 2 }}
     onClick={handleButtonSubmit}
     Sign Up
    </Button>
    <Grid container justifyContent="flex-end">
     <Grid item>
      <Link href="#" variant="body2">
      Already have an account? Sign in
      </Link>
     </Grid>
    </Grid>
   \leq/Box\geq
  </Box>
 </Container>
</ThemeProvider>
```

```
);
}
```

utils/validate.js

```
export const checkValidData = (email, password) => {
  const isEmailValid = /^([a-zA-Z0-9. %-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,})$/.test(
    email
  );
  const isPasswordValid =
    /^(?=.*\d)(?=.*[a-z])(?=.*[a-zA-Z]).{8,}$/.test(password);
  if (!isPasswordValid) return "Password is not valid";
  if (!isEmailValid) return "Email ID is not valid";
  return null;
};
```

