



In-Semester Examination - II (Autumn '2022)  
IT618 Enterprise Computing

B

Student ID: \_\_\_\_\_

Name: \_\_\_\_\_

**SOLUTION**

Time: 60 minutes

Max Points: 70

**IMPORTANT NOTE:**

1. There are 6 pages in the question paper, make sure that you have received them all!
2. For all multiple choice questions correct option carries 2 marks whereas wrong answer carries -0,5 mark.
3. Write your IDs on every sheet.
4. Answers that are difficult to read shall simply be ignored.

1. Check most correct option in following questions

- i. <sup>1-5</sup> What is correct about "Dependency Inversion Principle"
- A. It lets us reduce the dependencies
  - B. It is implemented through Polymorphism
  - C. It moves dependencies to "parent class"
  - ☒ D. All above are correct statements

- ii. Which of following is NOT correct about JDBC driver-
- A. You require JDBC Driver for running a program that requires communicating to a RDBMS.
  - ☒ B. You need JDBC Driver at Compile Time
  - C. A JDBC driver is specific to a DBMS
  - D. A JDBC program is not specific to a DBMS

- iii. The file "persistence.xml" is used for
- A. Defining JPA dependencies
  - B. Defining JNDI resources
  - ☒ C. Defining persistence unit
  - D. Defining application flow

- iv. Which of following component is NOT part of JDBC API -
- A. "java.sql.DriverManager"
  - B. "java.sql.Driver"
  - ☒ C. "org.postgresql.Driver"
  - D. "javax.sql.DataSource"

- v. Which of following is NOT method of entity manager -
- A. persist
  - B. remove
  - ☒ C. insert
  - D. refresh

- vi. Data Access Object
- ☒ A. is a strategy
  - B. is an interface in Java Persistence API
  - C. is a JPA component
  - D. is a Hibernate component

- vii. Which of following is NOT an advantage of multi-tier application -  
**A-1** ☒ A. Efficiency  
B. Code reusability  
C. Scalability  
D. Availability

- viii. Which tier component Servlet object is?  
☒ B. Presentation Tier component  
A. Client Component  
C. Business layer component  
D. Can be used at any tier

- ix. Assuming that Customer Service is a business tier component.  
What three-layer factoring violation do you see in following service component

```
public class CustomerService {  
    public void saveCustomer(HttpServletRequest request) {  
  
    }  
}
```

- ☒ B. Business component having dependency on Presentation Tier component  
A. We cannot determine unless complete implementation is known  
C. No there is no such violation  
D. Presentation Tier component having dependency on business tier
- x. Which tier component Hashmap is-  
☒ D. Can be used at any tier  
A. Client Component  
B. Presentation Tier component  
C. Business layer component
- xi. "Business Object (BO)" refers to  
**A-20** ☒ B. Objects that represents data model of the application  
A. Any object that works in business tier are business objects  
C. Objects that are in business tier and serve client requests
- xii. URL Mapping in servlet configuration is  
☒ B. Specifying Servlet class name for a URL  
A. Specifying how URL is to be handled  
C. Specifying what URLs are allowed in a Java Web application  
D. All of them



ID

Name

- xiii. What is correct about "getInitParameter" method of Servlet object
- A. It returns parameters that are specified through `init` method of servlet and done at servlet load time
  - ☒ B. It returns servlet parameters that are defined as servlet configuration parameters specified
  - C. Both are correct
- xiv. Which of following is undesirable
- ☒ A. Business Tier Depending on Presentation Tier Components
  - B. Business Tier Depending on Data Access Components
  - C. Presentation Tier depending Business Tier Components
  - D. None of above
- xv. Which of following Annotations is mandatory for a JPA entity -
- A-9**
- A. `@Column`
  - ☒ B. `@Id`
  - C. `@Table`
  - D. `@PrimaryKey`
- xvi. Which of following annotation is NOT related to Relationship Mapping -
- A. `@ManyToOne`
  - ☒ B. `@Column`
  - C. `@JoinColumn`
  - D. `@JoinTable`
- xvii. Use of `@JoinColumn` is to
- ☒ A. Define Foreign Key relationship
  - B. Define Many to One relationship
  - C. Define All relationship
  - D. None of above
- xviii. Recall scenario of one of the Labs, "visitor tracking application for a residential society". Is creating two separate classes "Visitor" and "House" is a correct solution?
- ☒ A. Yes, because these are two different concepts
  - B. No, creating two classes is incorrect, they represent single concept of visitor
  - C. Does not really matter, whether we create two classes, or create a single class combining functionalities of both classes
- xix. Which of following is NOT correct about Dynamic query-
- ☒ A. Faster to execute
  - B. Helps in avoiding SQL injection
  - C. It is a query, where some part of the query becomes known at run-time
  - D. Can be executed through prepared statement
- xx. What is return type of a JPQL query
- A. A List of Rows
  - B. A List of Entity Objects
  - ☒ C. A List of Objects
  - D. All of above are correct



xxi. Which of the servlet object that does not provide `setAttribute`

- A. Request object
- B. HttpSession object
- ☒ C. Servlet Object
- D. None of above

xxii. Which of following is correct about Spring

- A. Supports JPA
- B. Support MVC
- C. Provides DAO
- ☒ D. All above

xxiii. Responsibility of "Business Tier Façade" object is

- ☒ A. Act as business tier gateway for presentation tier
- B. Act as data access layer gateway in business tier
- C. There is no such object

2. Suppose a Java Web container currently has 15 requests from 10 different clients for a ServletA. Assuming that this is only servlet currently loaded

[4]

- i. How many instances of ServletA will be there in web container? 1
- ii. How many instances of request object will be there in web container? 15
- iii. How many request processing threads are running? 15
- iv. How many instances of ServletConfig object? 1