

be.kdg.se3.proxy

Class LocationServiceProxy

java.lang.Object
be.kdg.se3.proxy.LocationServiceProxy

```
public class LocationServiceProxy
extends java.lang.Object
```

Local synchronous proxy for the HTTP based service that returns location info for products stored by WarmRed

A call to `www.services4se3.com/locationservice/productID` will return a JSON with location info regarding the specified `productID`
The normal JSON response has the following structure

```
{
productID: the product for which the location info was requested,
storageRoom: the storage room (A,B,C,...) ,
hallway: the hallway in this storage room (int) ,
rack: the rack number in this hallway (int) ,
}
```

An error JSON response indicates that the call succeeded but no sensible data could be returned. It has the following format

```
{
error: the type of error e.g. "Unknown productID" (string),
description: a description of the error (string)
}
```

This proxy is meant for testing purposes:

- the **URL does not actually exist** and no real HTTP call is made; the proxy just holds the calling thread for 200 ms to simulate network latency
- the service returns data in realistic ranges, but the data is random generated so subsequent calls with the same id will return different data
- productID 1111111 wil generate a JSON error result ('Unknown productID')
- productID 2222222 will force an IOException to simulate a communication error

Constructor Summary

Constructors

Constructor and Description
<code>LocationServiceProxy()</code>

Method Summary

Methods

Modifier and Type	Method and Description
<code>java.lang.String</code>	<code>get(java.lang.String url)</code>

Invokes the remote service through a HTTP GET using the supplied URL.

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Constructor Detail

`LocationServiceProxy`

```
public LocationServiceProxy()
```

Method Detail

`get`

```
public java.lang.String get(java.lang.String url)
                        throws java.io.IOException
```

Invokes the remote service through a HTTP GET using the supplied URL. The HTTP response is unpacked and the body is returned as a JSON string

Parameters:

`url` - the endpoint of the call (see class documentation)

Returns:

the data in the correct JSON format (see class documentation)

Throws:

`java.io.IOException` - if invocation fails (wrong URL or unexpected communication/service failure)

[Package](#) [Class](#) [Tree](#) [Deprecated](#) [Index](#) [Help](#)

[Prev Class](#) [Next Class](#) [Frames](#) [No Frames](#) [All Classes](#)

[Summary](#): [Nested](#) | [Field](#) | [Constr](#) | [Method](#) [Detail](#): [Field](#) | [Constr](#) | [Method](#)