
# Network Infrastructure Overview and Configuration



# Inhoud

Network Overview	3
Networkdiagram - Logical Topology	3
Router (ISR_4331_1)	5
IPv4 DHCP Pools	5
IPv4 DHCP Pool configuration	6
IPv4 DHCP Addressing	7
IPv6 Addressing	8
Router full configuration (ISR_4331_1)	9
Switches Configuration	11
Switch IP Addresses	11
Switch_2960_L_1	12
MAC Address Table	12
Switch_2960_L_1 Full configuration	13
Switch_2960_L_2	15
MAC Address Table	15
Switch_2960_L_2 Full configuration	16
Switch_2960_R_1	18
MAC Address Table	18
Switch_2960_R_1 Full configuration	19
Githuh Renository	21


## **Network Overview**

The configuration involves multiple network devices:

- 1 Router:
  - o Cisco ISR4331/K9 (ISR\_4331\_1)
- 3 Switches:
  - o Cisco WS-C2960-24TT-L (Switch\_2960\_L\_1)
  - Cisco WS-C2960-24TT-L (Switch\_2960\_L\_2)
  - Cisco WS-C2960-24TT-L (Switch\_2960\_R\_1)
- 12 Laptops:
  - o 7 connected with UTP connection
  - o 5 connected with Wi-Fi connection
- 8 PC's connected with UTP-Connection
- 1 PT-REPEATER-NM-1CE

### Networkdiagram - Logical Topology

→ Next page



## Router (ISR\_4331\_1)

Interface	IPv4 Address	IPv6 Address (Link-local)
GigabitEthernet0/0/0	192.168.1.1	FE80::2E0:F9FF:FE71:7B01
GigabitEthernet0/0/1	10.0.0.1	FE80::2E0:F9FF:FE71:7B02

Login password: PXL Privilege password: PXL

**Note**: All devices are managed by Mijs Bjorn (<u>12402765@student.pxl.be</u>) and have a legal notice banner warning against unauthorized access.

### **IPv4 DHCP Pools**

#### LAN\_Left Pool:

Network: 192.168.1.0/24

Default Router: 192.168.1.1

• Total Addresses: 254

• Leased Addresses: 10

• Excluded Addresses: 2

#### **LAN\_Right Pool:**

• Network: 10.0.0.0/24

• Default Router: 10.0.0.1

• Total Addresses: 254

• Leased Addresses: 10

• Excluded Addresses: 2

### IPv4 DHCP Pool configuration

#### Pool LAN\_Right:

Utilization mark (high/low) : 100 / 0

Subnet size (first/next) : 0 / 0

Total addresses : 254

Leased addresses : 10

Excluded addresses : 2

Pending event : none

1 subnet is currently in the pool

Current index IP address range Leased/Excluded /Total

#### Pool LAN\_Left:

Utilization mark (high/low) : 100 / 0

Subnet size (first/next) : 0 / 0

Total addresses : 254

Leased addresses : 10

Excluded addresses : 2

Pending event : none

1 subnet is currently in the pool

Current index IP address range Leased/Excluded /Total

# IPv4 DHCP Addressing

IP address	Hardware address	Lease	Туре
10.0.0.11	00D0.BC7B.5B3D		Automatic
10.0.0.17	00E0.F720.1B44		Automatic
10.0.0.14	000B.BED6.81A6		Automatic
10.0.0.13	0090.2B4E.383D		Automatic
10.0.0.12	0030.A33E.E205		Automatic
10.0.0.18	000D.BDD8.A77		Automatic
10.0.0.20	00E0.A30C.47B8		Automatic
10.0.0.22	0001.4203.37B9		Automatic
10.0.0.23	0001.43CD.23A6		Automatic
10.0.0.21	000C.CF85.4DD		Automatic
192.168.1.13	000A.4140.C836		Automatic
192.168.1.12	00E0.F98C.4AC9		Automatic
192.168.1.15	00E0.F930.B9CA		Automatic
192.168.1.11	000B.BE65.7660		Automatic
192.168.1.14	0030.A321.CE97		Automatic
192.168.1.16	0004.9A6E.492D		Automatic
192.168.1.17	0010.116C.BAC4		Automatic
192.168.1.18	0006.2A84.7488		Automatic
192.168.1.19	00D0.589C.77B0		Automatic
192.168.1.20	0001.42EE.033C		Automatic

# IPv6 Addressing

IPv6 Address	Age	Link-layer Addr	State	Interface
2001:DB8::201:42FF:FE03:37B9	0	0001.4203.37B9	REACH	Gig0/0/1
2001:DB8::201:42FF:FEEE:33C	1	0001.42EE.033C	REACH	Gig0/0/0
2001:DB8::201:43FF:FECD:23A6	0	0001.43CD.23A6	REACH	Gig0/0/1
2001:DB8::204:9AFF:FE6E:492D	1	0004.9A6E.492D	REACH	Gig0/0/0
2001:DB8::206:2AFF:FE84:7488	1	0006.2A84.7488	REACH	Gig0/0/0
2001:DB8::20B:BEFF:FED6:81A6	0	000B.BED6.81A6	REACH	Gig0/0/1
2001:DB8::20C:CFFF:FE85:4DD9	0	000C.CF85.4DD9	REACH	Gig0/0/1
2001:DB8::20D:BDFF:FED8:A77E	0	000D.BDD8.A77E	REACH	Gig0/0/1
2001:DB8::210:11FF:FE6C:BAC4	1	0010.116C.BAC4	REACH	Gig0/0/0
2001:DB8::230:A3FF:FE3E:E205	0	0030.A33E.E205	REACH	Gig0/0/1
2001:DB8::290:2BFF:FE4E:383D	0	0090.2B4E.383D	REACH	Gig0/0/1
2001:DB8::2D0:58FF:FE9C:77B0	1	00D0.589C.77B0	REACH	Gig0/0/0
2001:DB8::2D0:BCFF:FE7B:5B3D	0	00D0.BC7B.5B3D	REACH	Gig0/0/1
2001:DB8::2E0:A3FF:FE0C:47B8	0	00E0.A30C.47B8	REACH	Gig0/0/1
2001:DB8::2E0:F7FF:FE20:1B44	0	00E0.F720.1B44	REACH	Gig0/0/1
2001:DB8:1:0:201:42FF:FE03:37B9	1	0001.4203.37B9	REACH	Gig0/0/1
2001:DB8:1:0:201:43FF:FECD:23A6	1	0001.43CD.23A6	REACH	Gig0/0/1
2001:DB8:1:0:20B:BEFF:FED6:81A6	1	000B.BED6.81A6	REACH	Gig0/0/1
2001:DB8:1:0:20C:CFFF:FE85:4DD9	1	000C.CF85.4DD9	REACH	Gig0/0/1
2001:DB8:1:0:20D:BDFF:FED8:A77E	1	000D.BDD8.A77E	REACH	Gig0/0/1
2001:DB8:1:0:230:A3FF:FE3E:E205	1	0030.A33E.E205	REACH	Gig0/0/1
2001:DB8:1:0:290:2BFF:FE4E:383D	1	0090.2B4E.383D	REACH	Gig0/0/1
2001:DB8:1:0:2D0:BCFF:FE7B:5B3D	1	00D0.BC7B.5B3D	REACH	Gig0/0/1
2001:DB8:1:0:2E0:A3FF:FE0C:47B8	1	00E0.A30C.47B8	REACH	Gig0/0/1
2001:DB8:1:0:2E0:F7FF:FE20:1B44	1	00E0.F720.1B44	REACH	Gig0/0/1

### Router full configuration (ISR\_4331\_1)

```
ISR_4331_1#sh run
Building configuration...
Current configuration: 1860 bytes
version 15.4
no service timestamps log datetime msec
no service timestamps debug datetime msec
service password-encryption
hostname ISR_4331_1
enable secret 5 $1$mERr$vkYaXnKGfLgWNDfn7gSo9/
ip dhcp excluded-address 192.168.1.0 192.168.1.10
ip dhcp excluded-address 10.0.0.0 10.0.0.10
ip dhcp pool LAN_Right
 network 10.0.0.0 255.255.255.0
 default-router 10.0.0.1
 dns-server 10.0.0.1
ip dhcp pool LAN Left
 network 192.168.1.0 255.255.255.0
 default-router 192.168.1.1
dns-server 192.168.1.1
ip cef
no ipv6 cef
username cisco password 7 08117462
ip domain-name PXL
spanning-tree mode pvst
interface GigabitEthernet0/0/0
 ip address 192.168.1.1 255.255.255.0
 duplex auto
 speed auto
interface GigabitEthernet0/0/1
 ip address 10.0.0.1 255.255.255.0
 duplex auto
 speed auto
interface GigabitEthernet0/0/2
 no ip address
 duplex auto
 speed auto
 shutdown
```

```
interface Vlan1
no ip address
shutdown
ip classless
ip flow-export version 9
banner motd ^C
***************
         This Router is managed by
                 Mijs Bjorn
            12402765@student.pxl.be
* Legal Notice: Unauthorized access to this
* device is prohibited. All activities on this *
* system are monitored and recorded for security *
* reasons. Violations of this policy may result *
^{st} in disciplinary action, and may be reported to ^{st}
* law enforcement.
                   "WPL1"
***************
"^C
!
line con 0
password 7 08117462
login
line aux 0
line vty 0 4
login local
transport input ssh
line vty 5 15
login local
transport input ssh
!
end
```

# **Switches Configuration**

## **Switch IP Addresses**

Switch Name	IPv4 Address	IPv6 Address (Link-local)
Switch_2960_L_1	10.0.0.245	FE80::290:CFF:FE05:6260
Switch_2960_L_2	10.0.0.246	FE80::260:70FF:FE45:861B
Switch_2960_R_1	192.168.1.245	FE80::230:A3FF:FE40:1BA

Login password: PXL Privilege password: PXL

**Note**: All devices are managed by Mijs Bjorn (<u>12402765@student.pxl.be</u>) and have a legal notice banner warning against unauthorized access.

## Switch\_2960\_L\_1

## MAC Address Table

Vlan	Mac Address	Туре	Port
1	0001.4203.37b9	DYNAMIC	Gig0/1
1	0001.43cd.23a6	DYNAMIC	Gig0/1
1	000b.bed6.81a6	DYNAMIC	Fa0/2
1	000c.cf85.4dd9	DYNAMIC	Gig0/1
1	000d.bdd8.a77e	DYNAMIC	Fa0/3
1	000d.bde5.141a	DYNAMIC	Gig0/1
1	0030.a33e.e205	DYNAMIC	Fa0/4
1	0060.7045.861b	DYNAMIC	Gig0/1
1	0090.2b4e.383d	DYNAMIC	Fa0/6
1	00d0.bc7b.5b3d	DYNAMIC	Fa0/7
1	00e0.a30c.47b8	DYNAMIC	Fa0/5
1	00e0.f720.1b44	DYNAMIC	Fa0/1
1	00e0.f971.7b02	DYNAMIC	Fa0/24

### Switch\_2960\_L\_1 Full configuration

```
Switch_2960_L_1#sh run
Building configuration...
Current configuration: 2007 bytes
version 15.0
no service timestamps log datetime msec
no service timestamps debug datetime msec
service password-encryption
!
hostname Switch_2960_L_1
enable secret 5 $1$mERr$vkYaXnKGfLgWNDfn7gSo9/
ip domain-name PXL
username cisco privilege 1 password 7 08117462
spanning-tree mode pvst
spanning-tree extend system-id
interface FastEthernet0/1
interface FastEthernet0/2
interface FastEthernet0/3
interface FastEthernet0/4
interface FastEthernet0/5
interface FastEthernet0/6
interface FastEthernet0/7
interface FastEthernet0/8
interface FastEthernet0/9
interface FastEthernet0/10
interface FastEthernet0/11
interface FastEthernet0/12
interface FastEthernet0/13
interface FastEthernet0/14
interface FastEthernet0/15
interface FastEthernet0/16
interface FastEthernet0/17
```

```
interface FastEthernet0/18
interface FastEthernet0/19
interface FastEthernet0/20
interface FastEthernet0/21
interface FastEthernet0/22
interface FastEthernet0/23
interface FastEthernet0/24
interface GigabitEthernet0/1
interface GigabitEthernet0/2
interface Vlan1
ip address 10.0.0.245 255.255.255.0
ip default-gateway 10.0.0.1
banner motd ^C
***************
          This Router is managed by
                 Mijs Bjorn
             12402765@student.pxl.be
* Legal Notice: Unauthorized access to this
* device is prohibited. All activities on this *
* system are monitored and recorded for security *
* reasons. Violations of this policy may result *
st in disciplinary action, and may be reported to st
* law enforcement.
                   "WPL1"
**************
line con 0
 password 7 08117462
login
line vty 0 4
login local
transport input ssh
line vty 5 15
login local
transport input ssh
ļ
end
```

## Switch\_2960\_L\_2

## MAC Address Table

Vlan	Mac Address	Туре	Port
1	0001.4203.37b9	DYNAMIC	Fa0/1
1	0001.43cd.23a6	DYNAMIC	Fa0/2
1	000b.bed6.81a6	DYNAMIC	Gig0/2
1	000c.cf85.4dd9	DYNAMIC	Fa0/3
1	000d.bdd8.a77e	DYNAMIC	Gig0/2
1	0030.a33e.e205	DYNAMIC	Gig0/2
1	0060.47b4.8419	DYNAMIC	Gig0/2
1	0090.0c05.6260	DYNAMIC	Gig0/2
1	0090.2b4e.383d	DYNAMIC	Gig0/2
1	00d0.bc7b.5b3d	DYNAMIC	Gig0/2
1	00e0.a30c.47b8	DYNAMIC	Gig0/2
1	00e0.f720.1b44	DYNAMIC	Gig0/2
1	00e0.f971.7b02	DYNAMIC	Gig0/2

### Switch\_2960\_L\_2 Full configuration

```
Switch_2960_L_2#sh run
Building configuration...
Current configuration : 1977 bytes
version 15.0
no service timestamps log datetime msec
no service timestamps debug datetime msec
service password-encryption
hostname Switch_2960_L_2
enable secret 5 $1$mERr$vkYaXnKGfLgWNDfn7gSo9/
ip domain-name PXL
username cisco privilege 1 password 7 08117462
spanning-tree mode pvst
spanning-tree extend system-id
interface FastEthernet0/1
interface FastEthernet0/2
interface FastEthernet0/3
interface FastEthernet0/4
interface FastEthernet0/5
interface FastEthernet0/6
interface FastEthernet0/7
interface FastEthernet0/8
interface FastEthernet0/9
interface FastEthernet0/10
interface FastEthernet0/11
interface FastEthernet0/12
interface FastEthernet0/13
interface FastEthernet0/14
interface FastEthernet0/15
interface FastEthernet0/16
interface FastEthernet0/17
```

```
interface FastEthernet0/18
interface FastEthernet0/19
interface FastEthernet0/20
interface FastEthernet0/21
interface FastEthernet0/22
interface FastEthernet0/23
interface FastEthernet0/24
interface GigabitEthernet0/1
interface GigabitEthernet0/2
interface Vlan1
ip address 10.0.0.246 255.255.255.0
banner motd ^C
***************
         This Router is managed by
                 Mijs Bjorn
             12402765@student.pxl.be
* Legal Notice: Unauthorized access to this
^{st} device is prohibited. All activities on this ^{st}
* system are monitored and recorded for security *
* reasons. Violations of this policy may result *
* in disciplinary action, and may be reported to *
* law enforcement.
                   "WPL1"
***************
"^C
!
line con 0
password 7 08117462
login
line vty 0 4
login local
transport input ssh
line vty 5 15
login local
transport input ssh
end
```

## Switch\_2960\_R\_1

## MAC Address Table

Vlan	Mac Address	Туре	Port
1	0001.42ee.033c	DYNAMIC	Fa0/23
1	0004.9a6e.492d	DYNAMIC	Fa0/23
1	0006.2a84.7488	DYNAMIC	Fa0/23
1	000a.4140.c836	DYNAMIC	Fa0/1
1	000b.be65.7660	DYNAMIC	Fa0/3
1	0010.116c.bac4	DYNAMIC	Fa0/23
1	0030.a321.ce97	DYNAMIC	Fa0/2
1	00d0.589c.77b0	DYNAMIC	Fa0/23
1	00e0.f930.b9ca	DYNAMIC	Fa0/5
1	00e0.f971.7b01	DYNAMIC	Fa0/24
1	00e0.f98c.4ac9	DYNAMIC	Fa0/4

### Switch\_2960\_R\_1 Full configuration

```
Switch_2960_R_1#sh run
Building configuration...
Current configuration : 2013 bytes
version 15.0
no service timestamps log datetime msec
no service timestamps debug datetime msec
service password-encryption
hostname Switch_2960_R_1
enable secret 5 $1$mERr$vkYaXnKGfLgWNDfn7gSo9/
ip domain-name PXL
username cisco privilege 1 password 7 08117462
spanning-tree mode pvst
spanning-tree extend system-id
interface FastEthernet0/1
interface FastEthernet0/2
interface FastEthernet0/3
interface FastEthernet0/4
interface FastEthernet0/5
interface FastEthernet0/6
interface FastEthernet0/7
interface FastEthernet0/8
interface FastEthernet0/9
interface FastEthernet0/10
interface FastEthernet0/11
interface FastEthernet0/12
interface FastEthernet0/13
interface FastEthernet0/14
interface FastEthernet0/15
interface FastEthernet0/16
interface FastEthernet0/17
```

```
interface FastEthernet0/18
interface FastEthernet0/19
interface FastEthernet0/20
interface FastEthernet0/21
interface FastEthernet0/22
interface FastEthernet0/23
interface FastEthernet0/24
interface GigabitEthernet0/1
interface GigabitEthernet0/2
interface Vlan1
ip address 192.168.1.245 255.255.255.0
ip default-gateway 192.168.1.1
banner motd ^C
***************
          This Router is managed by
                 Mijs Bjorn
             12402765@student.pxl.be
* Legal Notice: Unauthorized access to this
^{st} device is prohibited. All activities on this ^{st}
* system are monitored and recorded for security *
* reasons. Violations of this policy may result *
st in disciplinary action, and may be reported to st
* law enforcement.
                   "WPL1"
**************
line con 0
 password 7 08117462
login
line vty 0 4
login local
transport input ssh
line vty 5 15
login local
transport input ssh
ļ
end
```

# **Github Repository**

All files (configs, pdf, pkt,..) are located at:

https://github.com/MijsBjornPXL/WPL1\_Netwerkdocumentatie