

QuickFlex®


The quick change system for high performance and precision.

REGO-FIX powRgrip® collet chuck adapter.



powRgrip® collet chuck adapter for PGST collets






Size	Item No.	F ₁	d min.	d max.	F ₂	L ₁	L ₂	Collet size
ER-25QF	325225P15	49	3	10	24	35	28	PGST 15
ER-32QF	325232P25	58	3	20	40	47	40	PGST 25
ER-40QF	325240P25	71	3	20	40	48	40	PGST 25

Dimensions in mm

powRgrip® PGST collets





d	e	PGST	WTO Item No.	REGO-FIX Item No.
3	28	PGST 15	244P15003	1715.03006
4	28	PGST 15	244P15004	1715.04006
6	36	PGST 15	244P15006	1715.06006
8	36	PGST 15	244P15008	1715.08006
10	40	PGST 15	244P15010	1715.10006
3	28	PGST 25	244P25003	1725.03006
4	28	PGST 25	244P25004	1725.04006
6	36	PGST 25	244P25006	1725.06006
8	36	PGST 25	244P25008	1725.08006
10	40	PGST 25	244P25010	1725.10006
12	45	PGST 25	244P25012	1725.12006
16	48	PGST 25	244P25016	1725.16006
20	48	PGST 25	244P25020	1725.20006

Dimensions in mm



d	е	PGST	WTO Item No.	REGO-FIX Item No.
1/8"	28	PGST 15	244P150013	1715.03186
3/16"	28	PGST 15	244P150019	1715.04766
1/4"	36	PGST 15	244P150025	1715.06356
5/16"	36	PGST 15	244P150031	1715.07946
3/8"	40	PGST 15	244P150038	1715.09526
1/8"	28	PGST 25	244P250013	1725.03186
3/16"	28	PGST 25	244P250019	1725.04766
1/4"	36	PGST 25	244P250025	1725.06356
5/16"	36	PGST 25	244P250031	1725.07946
3/8"	40	PGST 25	244P250038	1725.09526
1/2"	45	PGST 25	244P250050	1725.12706
5/8"	48	PGST 25	244P250063	1725.15886
3/4"	48	PGST 25	244P250075	1725.19056

Dimensions in inch

REGO-FIX powRgrip®



The powRgrip® system:

- | Highly precise powRgrip® collet
- | QuickFlex® powRgrip® collet chuck adapter
- | powRgrip® clamping unit (PGU/PGC) (automatic or manual)



Tool

SIMPLE

| Tool is clamped in 8 seconds by pushing only one single button.

SAFE

| No heat up - high clamping force.


powRgrip®

The tool clamping system of today and the future.

Quit

REGO-FIX powRgrip® collet

Total system runout TIR \leq 3 µm at 3 x D.



QuickFlex® REGO-FIX powRgrip® collet chuck adapter

Excellent vibration dampening.


Maximum clamping force and low runout, even after 20,000 tool changes.

Tool ready for use in 8 seconds.



WTO worldwide





WTO GmbH Auf der oberen Au 45 77797 Ohlsbach Germany

WTO USA 13900 S Lakes Dr Ste F Charlotte NC 28273-7119 USA

WTO Asia
Room 109-110, Building 2
No. 228 Banting Road
Jiuting Town,
Songjiang District
201615 Shanghai
China

Our distribution partners. Competence right there.

| Australia Dimac Tooling Ltd.

sales@dimac.com.au

| Belarus

LLC "PMI Engineering" tool@pmi.by

| Brazil

TF2

tfdois@tfdois.com.br

| Canada

Mittmann Industrial Inc. info@mittmann.com

| China

Shanghai Gangde wtocando@yahoo.com

| Czech Republic

ALBA precision, spol. s.r.o. info@albaprecision.cz

| **Denmark** Tool-part cj@tool-part.dk | Finland

Suomen Terätuonti Oy myynti@stt.as

| France

Philippe Tagliafero pta@wto.de

| Great Britain

Cutwel Ltd. sales@cutwel.net

| India

Ulhas Patil u.patil@wto-asia.com

| Israel E.Y.A.R. Ltd.

boris@eyar.co.il

| Italy

Prymark srl commerciale@prymark.it

| Japan

NK Works Co. Ltd. k_samba@nk-works.co.jp | Korea

WTO Office Korea is.chon@wto-korea.com

Mexico

Workholding Engineering De México info@wem.com.mx

Netherlands

Toologic BeNeLux B.V. info@toologic-benelux.nl

Norway

Helge Karlsen Verktøy og Maskin AS hkvm@hkvm.no

Poland

ARCO Andrzej Rudenko info@arcotools.pl

| Romania

SC Elif Trading SRL bulent.ozkan@eliftrading.com

Russia

WTO Office Russia office@wto-russia.com

Slowakia

ALBA precision s.r.o. albaprecision@albaprecision.sk

Spain

ITALMATIC, S.A. italmatic@italmatic.es

Sweden

Komet Scandinavia AB scandinavia@kometgroup.com

| Switzerland

Utilis AG info@utilis.com

| Taiwan

Kaiko Co., Ltd. info@kaiko.com.tw

| Turkey

MYK CNC MAKINA SAN. VE huseyin.tatlidil@mykcnc.com.tr

| Ukraine

"LLC" SPA Stankopromimport info@phoenix-ua.com