

NodeJS Libraries you have no idea of

Part 3









Swipe to see some amazing Node.js libraries



Dont' forget to save it



Before we begin, do not forget to check the part 1 & part 2 of this series. You don't want to miss them.

Let's get started...







Fast-Geoip

github.com/onramper/fast-geoip

A Node.js package that maps IP addresses to geographical information. It returns country, region(state), city, timezone, latitude, longitude etc.

207.97.227.239

```
{
    range: [ 3479298048, 3479300095 ],
    country: 'US',
    region: 'TX',
    eu: '0',
    timezone: 'America/Chicago',
    city: 'San Antonio',
    ll: [ 29.4969, -98.4032 ],
    metro: 641,
    area: 1000
}
```






Blurhash


github.com/woltapp/blurhash

Blurhash is a compact representation of a placeholder for an image. Replace your ugly grey placeholder when loading images with blurhash instead. A blurhash is generated when an image is uploaded to the server and this tiny hash can be used anywhere (web, mobile, etc).

Normal



Blurhash








Rate-Limiter-Flexible

github.com/animir/node-rate-limiter-flexible

Rate-Limiter-Flexible counts and limits number of actions by key and protects from DDoS and brute force attacks at any scale. It works with Redis, process Memory, Cluster or PM2, Memcached, MongoDB, MySQL, PostgreSQL and allows to control requests rate in single process or distributed environment.








Pageres

github.com/sindresorhus/pageres

Capture screenshots of websites in various resolutions. A good way to make sure your websites are responsive. It's speedy and generates 100 screenshots from 10 different websites in just over a minute. It can also be used to render SVG images.

```
await new Pageres({delay: 2})
.source('https://instagram.com/codeforreal')
.destination('screenshots')
.run();
```







Localtunnel

github.com/localtunnel/localtunnel

Localtunnel exposes your localhost to the world for easy testing and sharing. Great for working with browser testing tools like browserling or external api callback services like twilio which require a public url for callbacks.

lt --port 3000

Localhost



Public URL

https://puny-peaches-sink.loca.lt



