THE CHINESE WALL SECURITY POLICY

Dr. David F.C. Brewer and Dr. Michael J. Nash, 1989

November 06, 2015

Mikael Elkiær Christensen michrill@student.aau.dk

Department of Computer Science
Alborg University
Denmark





Who is the enemy?

CHINESE WALL

Mikael Elkiær Christensen

Introduction

Background Relevance

Bell-LaPadula

Terminology Access rules

Department of Computer Science Aalborg University Denmark



Who is the enemy?

CHINESE WALL

Mikael Elkiær Christensen

Introduction

Background Relevance

Bell-LaPadula

Terminology Access rules Example





Who is the enemy?

CHINESE WALL

Mikael Elkiær Christensen

Introduction

Backgroun Relevance

Bell-LaPadula

Terminology Access rules Example







Background

CHINESE WALL

Mikael Elkiær Christensen

Introducti

Background

Bell-LaPadul

Terminology Access rules ► Coined in 1929 following the Wall Street crash

- Chinese Wall policies are already in use
 - Not necessarily digital
 - Can have authority of law
- Other terms, as some find the original offensive
 - ► "Screen", "firewall", "cone of silence", and "ethical wall"

Mikael Elkiær Christensen

ntroductio

Backgroun

Relevance

Bell-LaPadula Terminology Access rules

- ► Before 1989, most security policies were military
 - ► E.g. Bell-LaPadula (more about this later)
- Need of something that holds up in court
- ► Relevant anywhere conflicts of interest can exist



Mikael Elkiær Christensen

ntroductio

Backgrour Relevance

Bell-LaPadula

Terminology Access rules Example

- ► Proposed by Bell and LaPadula in 1973
- Security policy model
- Designed for military use



Mikael Elkiær Christensen

ntroductio

Backgroun Relevance

Bell-LaPadu

Terminology

Access rule Example

Security Label

- ► Object Data or program
 - ► Classification Minimum security level
 - Category Security group(s)
- ► Subject Person or program
 - ► Clearance Maximum security level
 - ► Need-to-know Security group(s)

Mikael Elkiær Christensen

Introduction

Backgroun Relevance

Bell-LaPadul

Terminology


Access rules Example Simple security: access is granted only if the subject's clearance is *greater* than the object's classification and the subject's need-to-know *includes* the object's category(ies)

*-property: write access is granted only if the output object's classification is *greater* than the classification of all input objects, and its category *includes* the category(ies) of all input objects.



Mikael Elkiær Christensen

Example





Example (2)

CHINESE WALL

Mikael Elkiær Christensen


.....

Backgrour Relevance

Bell-LaPadu

Terminology

Access rules Example



Department of Computer Science Aalborg University Denmark

Questions?

