

This page shows the frequency of the top 6 "L2" lineages, across recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently LP.8.1.*.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected Lineage of interest, for the 6 countries reporting the most samples over recent months.

The Lineage classifications are provided by Nextclade.


The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=54,322 sequenced genomes, up to 21 January 2025

Global - LP.8.1.* vs XEC.*



This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=54,322 sequenced genomes, up to 21 January 2025

Global - LP.8.1.1 vs LP.8.1

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend



This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage























































The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

Global



Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
<div>+ United States</div>	23,394	21/01/2025		23/01/2025	
<div>+ Canada</div>	10,845	21/01/2025		23/01/2025	
<div>+ Japan</div>	2,535	21/01/2025		23/01/2025	
<div>+ Australia</div>	1,945	19/01/2025		23/01/2025	
<div>+ France</div>	1,543	13/01/2025		23/01/2025	
<div>+ Spain</div>	1,532	21/01/2025		23/01/2025	
<div>+ Brazil</div>	1,508	14/01/2025		23/01/2025	
<div>+ United Kingdom</div>	1,497	19/01/2025		23/01/2025	
<div>+ China</div>	1,418	20/01/2025		23/01/2025	
<div>+ Singapore</div>	1,352	21/01/2025		23/01/2025	
<div>+ Russia</div>	1,288	20/12/2024		20/01/2025	
<div>+ Germany</div>	1,216	15/01/2025		23/01/2025	
<div>+ Sweden</div>	961	06/01/2025		23/01/2025	
<div>+ Slovenia</div>	810	21/01/2025		23/01/2025	
<div>+ Netherlands</div>	807	13/01/2025		23/01/2025	
<div>+ Denmark</div>	758	13/01/2025		23/01/2025	
<div>+ Italy</div>	756	21/01/2025		23/01/2025	
<div>+ New Zealand</div>	734	18/01/2025		23/01/2025	
<div>+ Chile</div>	684	30/12/2024		16/01/2025	
<div>+ Greece</div>	453	17/12/2024		23/01/2025	
<div>+ Finland</div>	394	31/12/2024		17/01/2025	
<div>+ Thailand</div>	376	13/01/2025		23/01/2025	
<div>+ Ireland</div>	269	19/01/2025		23/01/2025	
<div>+ Luxembourg</div>	268	01/01/2025		23/01/2025	
<div>+ Peru</div>	267	10/12/2024		23/01/2025	
<div>+ Israel</div>	259	08/01/2025		19/01/2025	
<div>+ Argentina</div>	252	19/12/2024		21/01/2025	
<div>+ South Korea</div>	235	20/01/2025		23/01/2025	
<div>— Total</div>	61,162	21/01/2025		23/01/2025	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.