n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

United States

● JN.1.* +DeFLuQE　● JN.1.* +FLiRT　● LP.8.1.*　● NB.1.8.1.* N...　● XEC.*　● XFC.*　● XFG.*

This page shows the frequency of the top 7 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

United States

● XFG ● XFG.2 ● XFG.3 ● XFG.3.4 ● XFG.4 ● XFG.4.1 ● XFG.5.1

This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently XFG.*.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

United States

● NB.1.2　● NB.1.8　● XDV.1.5.1

This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently NB.1.8.1.* "Nimbus".

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

United States

● LP.8.1　● LP.8.1.1　● NB.1.8.1　● NY.13　● NY.15　● XFG.2　● XFG.3

This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

XFG.*

● California ● Colorado ● Illinois ● Internatio... ● Maryland ● Minnesota ● New York

This page shows the frequency of a selected "Lineage L2" group of interest, across the leading States, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

NB.1.8.1.* Nimbus

● California ● Colorado ● Hawaii ● Illinois ● International Trave... ● New York ● Texas


This page shows the frequency of a selected "Lineage L2" group of interest, across the leading States, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

XFP

● International Travellers ● Minnesota

This page shows the frequency of a selected Lineage of interest, across the leading States, over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

United States – NB.1.8.1.* Nimbus vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

decline of -1.3% per day

This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

United States – NB.1.8.1 vs LP.8.1.1

● log (1st Lineage / 2nd Lineage) ● trend

growth of 3.8% per day, crossover on 27-Jun-25

This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=5,195 sequenced genomes, from 1 May 2025 up to 13 July 2025

United States

This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
⊟ **United States**	**4,169**	**13/07/2025**		**19/07/2025**	
California	1,129	13/07/2025		19/07/2025	
New York	900	13/07/2025		19/07/2025	
Colorado	528	13/07/2025		19/07/2025	
International Travellers	441	13/07/2025		19/07/2025	
Texas	256	29/05/2025		18/06/2025	
Illinois	109	13/07/2025		19/07/2025	
Connecticut	92	25/06/2025		15/07/2025	
Maryland	92	07/07/2025		18/07/2025	
Minnesota	72	25/06/2025		18/07/2025	
Massachusetts	65	02/06/2025		18/07/2025	
Hawaii	56	24/06/2025		19/07/2025	
Wisconsin	56	28/05/2025		27/06/2025	
New Mexico	54	20/06/2025		19/07/2025	
Oregon	44	04/07/2025		12/07/2025	
Nevada	42	13/07/2025		19/07/2025	
New Jersey	40	10/06/2025		08/07/2025	
Nebraska	28	13/06/2025		25/06/2025	
Arizona	25	25/06/2025		14/07/2025	
District of Columbia	24	04/06/2025		11/07/2025	
Rhode Island	23	23/06/2025		14/07/2025	
Michigan	21	19/06/2025		18/07/2025	
Tennessee	16	18/05/2025		19/07/2025	
Vermont	14	21/06/2025		07/07/2025	
Wyoming	9	23/06/2025		11/07/2025	
Montana	7	16/06/2025		08/07/2025	
Utah	6	05/05/2025		13/06/2025	
	5	02/06/2025		09/06/2025	
Total	**4,169**	**13/07/2025**		**19/07/2025**	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks. A breakdown of the leading states (by volume) is shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.