

This page shows the frequency of the top 6 "L2" lineages, across recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.\*" group includes BA.2.86 and all it's descendants, e.g. the JN.\* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently NB.1.8.1.\* Nimbus.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of the top 7 lineages, across recent months.


The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.





This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.\* +FLiRT" group includes the descendants of JN.1.\* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.\* +FLiRT" group includes the descendants of JN.1.\* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



Date

01/01/202531/12/2025

Host

Human

Continent, Country, Location

All

Lineage L2, Lineage (nextclade)


XFP.\* (Lineage L2) + XFP (Lineage (nextclad...

# Samples Sequenced (gisaid)

71

Country	Location	Addi...	Collection date	Lineage L2	Lineage (nextc
Singapore			26/05/2025	XFP.*	XFP
USA	International Tr...		21/05/2025	XFP.*	XFP
India	Tamil Nadu		21/05/2025	XFP.*	XFP
India	Kerala		20/05/2025	XFP.*	XFP
India	Tamil Nadu		20/05/2025	XFP.*	XFP
USA	International Tr...		19/05/2025	XFP.*	XFP
India	Maharashtra		19/05/2025	XFP.*	XFP
India	Tamil Nadu		19/05/2025	XFP.*	XFP
India	Tamil Nadu		18/05/2025	XFP.*	XFP
India	Tamil Nadu		17/05/2025	XFP.*	XFP
Ireland	Dublin		16/05/2025	XFP.*	XFP
India	Tamil Nadu		16/05/2025	XFP.*	XFP
USA	International Tr...		15/05/2025	XFP.*	XFP
India	Kerala		15/05/2025	XFP.*	XFP
India	Tamil Nadu		15/05/2025	XFP.*	XFP
Singapore			14/05/2025	XFP.*	XFP
USA	International Tr...		14/05/2025	XFP.*	XFP
USA	International Tr...	Trave...	14/05/2025	XFP.*	XFP
India	Tamil Nadu		14/05/2025	XFP.*	XFP
USA	International Tr...		13/05/2025	XFP.*	XFP
India	Tamil Nadu		13/05/2025	XFP.*	XFP
India	Chandigarh		12/05/2025	XFP.*	XFP
Total					





This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=13,878 sequenced genomes, from 1 April 2025 up to 26 May 2025

## Global - XFG.\* vs LP.8.1.\*

●  $\log ( 1\text{st Lineage} / 2\text{nd Lineage} )$  ● trend




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.






This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.





























































This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.



## Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
United States	10,998	26/05/2025		20/05/2025	
Canada	2,009	26/05/2025		20/05/2025	
Australia	1,529	26/05/2025		20/05/2025	
Singapore	1,471	26/05/2025		20/05/2025	
France	1,443	26/05/2025		20/05/2025	
United Kingdom	1,153	26/05/2025		20/05/2025	
Spain	1,075	26/05/2025		20/05/2025	
Brazil	953	19/05/2025		20/05/2025	
Japan	949	26/05/2025		20/05/2025	
South Korea	509	07/05/2025		20/05/2025	
Thailand	357	23/05/2025		20/05/2025	
New Zealand	327	25/05/2025		20/05/2025	
Ireland	313	26/05/2025		20/05/2025	
Chile	246	22/04/2025		05/05/2025	
Peru	196	01/04/2025		17/05/2025	
Germany	192	15/05/2025		20/05/2025	
Netherlands	176	16/05/2025		20/05/2025	
Argentina	171	31/03/2025		20/05/2025	
Italy	167	19/05/2025		20/05/2025	
India	152	26/05/2025		20/05/2025	
Denmark	151	12/05/2025		20/05/2025	
Norway	139	15/05/2025		20/05/2025	
Luxembourg	138	01/04/2025		16/04/2025	
Hong Kong	137	23/05/2025		20/05/2025	
Costa Rica	124	27/04/2025		20/05/2025	
Taiwan	122	26/05/2025		20/05/2025	
Malaysia	116	30/04/2025		20/05/2025	
Mexico	112	19/05/2025		20/05/2025	
Total	26,743	26/05/2025		20/05/2025	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.