COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github.

Last Update: 2026-08-15 00:40 (UTC)

n=10,228 sequenced genomes, from 1 April 2026 up to 26 July 2026



This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=10,228 sequenced genomes, from 1 April 2026 up to 26 July 2026

Global - JN.1.* +DeFLuQE vs NB.1.8.1.* Nimbus



This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=2,694 sequenced genomes, from 1 April 2026 up to 26 July 2026

Asia



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)



COVID-19 Genomic Sequencing analysis. Data from gisaid.org, with nextclade lineages Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=2,694 sequenced genomes, from 1 April 2026 up to 26 July 2026

Asia - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus



This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.

Samples by Country

Country	#	Latest Collection date	by Collection date
Singapore	1,640	24/07/2026	
Hong Kong	251	26/07/2026	
Japan	175	17/07/2026	
South Korea	162	14/07/2026	
Malaysia	101	13/07/2026	
India	99	17/07/2026	
Taiwan	90	20/07/2026	
Thailand	72	15/07/2026	
Israel	48	29/06/2026	
Pakistan	26	18/07/2026	
Cambodia	16	03/07/2026	
Vietnam	11	09/07/2026	
Kazakhstan	3	15/04/2026	
Total	**2,694**	**26/07/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=215 sequenced genomes, from 2 April 2026 up to 25 June 2026

Africa



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)



COVID-19 Genomic Sequencing analysis. Data from gisaid.org, with nextclade lineages Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=215 sequenced genomes, from 2 April 2026 up to 25 June 2026

Africa - BA.3.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.

Samples by Country

Country	#	Latest Collection date	by Collection date
Egypt	121	25/06/2026	
South Africa	35	23/06/2026	
Ghana	26	20/05/2026	
Kenya	11	09/06/2026	
Uganda	10	01/06/2026	
Madagascar	4	27/04/2026	
Cote d'Ivoire	3	30/04/2026	
Zambia	3	09/06/2026	
Reunion	2	15/04/2026	
Total	**215**	**25/06/2026**	

n=906 sequenced genomes, from 1 April 2026 up to 24 July 2026

Europe



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia



n=906 sequenced genomes, from 1 April 2026 up to 24 July 2026

Europe - BA.3.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.

Samples by Country

Country	#	Latest Collection date	by Collection date
Spain	243	24/07/2026	
Russia	218	01/07/2026	
Sweden	104	23/07/2026	
France	92	03/07/2026	
Italy	41	12/06/2026	
Portugal	37	01/07/2026	
Ireland	28	18/07/2026	
Norway	26	28/04/2026	
Germany	25	06/07/2026	
Netherlands	19	28/04/2026	
Finland	18	21/04/2026	
Poland	10	02/06/2026	
Denmark	8	13/04/2026	
United Kingdom	8	22/04/2026	
Estonia	6	23/04/2026	
Slovenia	6	14/07/2026	
Ukraine	4	27/04/2026	
Croatia	3	27/04/2026	
Luxembourg	3	03/04/2026	
Belgium	2	26/04/2026	
Czechia	2	13/04/2026	
Slovakia	2	30/04/2026	
Romania	1	12/05/2026	
Total	**906**	**24/07/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=3,795 sequenced genomes, from 1 April 2026 up to 26 July 2026

North America



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America

Location of samples (approx)



COVID-19 Genomic Sequencing analysis. Data from gisaid.org, with nextclade lineages Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=3,795 sequenced genomes, from 1 April 2026 up to 26 July 2026

North America - XFJ.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.

Samples by Country

Country	#	Latest Collection date	by Collection date
United States	2,058	26/07/2026	
Canada	1,295	25/07/2026	
Costa Rica	180	19/07/2026	
Guatemala	77	23/07/2026	
Haiti	68	24/06/2026	
Dominican R...	44	20/07/2026	
Puerto Rico	44	22/07/2026	
Mexico	29	04/07/2026	
Total	**3,795**	**26/07/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=445 sequenced genomes, from 1 April 2026 up to 15 July 2026

South America



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America

Location of samples (approx)



n=445 sequenced genomes, from 1 April 2026 up to 15 July 2026

South America - XFV.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.

Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	341	15/07/2026	
Chile	52	20/04/2026	
Ecuador	25	29/05/2026	
French Guiana	20	25/06/2026	
Colombia	7	21/06/2026	
Total	**445**	**15/07/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=2,172 sequenced genomes, from 1 April 2026 up to 26 July 2026

Oceania



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)





This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.

Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,844	26/07/2026	
New Zealand	308	26/07/2026	
Guam	11	25/06/2026	
New Caledonia	9	13/05/2026	
Total	**2,172**	**26/07/2026**	



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest - currently JN.1.* + DeFLuQE - the origin of the new wildly novel PJ.2.1 lineage.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=10,228 sequenced genomes, from 1 April 2026 up to 26 July 2026



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=10,228 sequenced genomes, from 1 April 2026 up to 26 July 2026

Global - PJ.2.1 vs NB.1.8.1.* Nimbus



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

COVID-19 Genomic Sequencing sankey diagram. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-08-15 00:40 (UTC)

n=10,228 sequenced genomes, from 1 April 2026 up to 26 July 2026

Global



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.



This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

COVID-19 Genomic Sequencing analysis - Data Currency. Data from gisaid.org. Source files and info on github.

Last Update: 2026-08-15 00:40 (UTC)

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
United States	978	26/07/2026		03/07/2026	
Australia	838	26/07/2026		03/07/2026	
Singapore	719	24/07/2026		03/07/2026	
Canada	398	25/07/2026		03/07/2026	
Brazil	284	15/07/2026		03/07/2026	
Hong Kong	199	26/07/2026		03/07/2026	
New Zealand	194	26/07/2026		03/07/2026	
Costa Rica	180	19/07/2026		03/07/2026	
Russia	147	01/07/2026		03/07/2026	
Egypt	121	25/06/2026		03/07/2026	
Spain	112	24/07/2026		03/07/2026	
India	99	17/07/2026		03/07/2026	
Japan	99	17/07/2026		03/07/2026	
Guatemala	77	23/07/2026		03/07/2026	
Malaysia	76	13/07/2026		03/07/2026	
Thailand	70	15/07/2026		03/07/2026	
Haiti	68	24/06/2026		03/07/2026	
South Korea	68	14/07/2026		03/07/2026	
Taiwan	65	20/07/2026		03/07/2026	
Israel	48	29/06/2026		03/07/2026	
Sweden	42	23/07/2026		03/07/2026	
Puerto Rico	36	22/07/2026		03/07/2026	
France	35	03/07/2026		03/07/2026	
South Africa	30	23/06/2026		03/07/2026	
Mexico	29	04/07/2026		03/07/2026	
Pakistan	26	18/07/2026		03/07/2026	
Portugal	26	01/07/2026		03/07/2026	
French Guiana	20	25/06/2026		03/07/2026	
Total	**5,214**	**26/07/2026**		**03/07/2026**	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.