n=16,923 sequenced genomes, up to 24 March 2024

United States

● BA.2.86.* ● EG.5.* ● XBB.1.16.* ● XBB.1.5.* ● XBB.2.3.* ● XDD.* ● XDP.*

Lineage Frequency

80%

60%

40%

20%

0%

Feb 04   Feb 11   Feb 18   Feb 25   Mar 03   Mar 10   Mar 17   Mar 24

samples (n)

0

500

1,000

Linear   Log

This page shows the frequency of the top 7 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=16,923 sequenced genomes, up to 24 March 2024

United States

● JN.1 ● JN.1.1 ● JN.1.18 ● JN.1.4 ● JN.1.4.3 ● JN.1.7 ● JN.1.8.1


This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

Linear   Log

n=16,923 sequenced genomes, up to 24 March 2024

JN.1.18

● California ● Illinois ● Minnesota ● New Jersey ● New York ● Texas ● Virginia


Linear　Log

This page shows the frequency of a selected Lineage of interest, across the leading States, over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=16,923 sequenced genomes, up to 24 March 2024

United States – JN.1.18 vs JN.1

● log (1st Lineage / 2nd Lineage)   ● trend

growth of 5.2% per day, crossover on 17-Apr-24

This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=16,924 sequenced genomes, up to 24 March 2024

United States

XBB.1.5
XBB.2.3
XBB.1.9

EG.5.1
EG.5.1.1
JG.3
JG.3.2

EG.5.1.3

JN.1.4

EG.5.1.6

BA.2.86.1

JN.1

GE.1.2
JN.1.11
JN.1.4.2
JN.1.8
JN.1.15
JN.1.21
JN.1.17
JN.1.5
JN.1.20
JN.1.4.3
JN.1.16
JN.1.19
JN.1.2
JN.1.6
JN.1.22
GE.1.2.1
JN.1.9
JN.1.13
JN.1.18
JN.1.11.1
JN.1.1
JN.1.8.1
JN.1.7

BA.2.86

HK.3

HV.1

XBB.1.5.102
XBB.2.3.10
XBB.1.9.2
JD.1
GE.1
EG.5
JN.2
JN.3
JD.1.1

Show most significant labels

This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

COVID-19 Genomic Sequencing analysis - Data Currency. Data from gisaid.org. Source files and info on github.

Last Update: 2024-04-01 05:45 (UTC)

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
⊟ **United States**	**43,894**	**3/24/2024**		**3/26/2024**	
California	11,650	3/20/2024		3/26/2024	
New York	7,573	3/24/2024		3/26/2024	
Texas	3,545	3/18/2024		3/26/2024	
Colorado	2,666	3/13/2024		3/26/2024	
Nevada	1,551	3/24/2024		3/26/2024	
Utah	1,544	3/11/2024		3/26/2024	
Illinois	1,489	3/14/2024		3/26/2024	
New Jersey	1,486	3/21/2024		3/26/2024	
Virginia	1,341	3/21/2024		3/26/2024	
Minnesota	1,044	3/6/2024		3/21/2024	
Hawaii	967	2/26/2024		3/18/2024	
Ohio	766	3/12/2024		3/26/2024	
Georgia	757	3/6/2024		3/26/2024	
Oregon	605	3/12/2024		3/22/2024	
Pennsylvania	600	3/5/2024		3/25/2024	
Washington	572	3/20/2024		3/26/2024	
Florida	526	3/16/2024		3/26/2024	
Louisiana	524	3/16/2024		3/25/2024	
Arizona	424	3/11/2024		3/20/2024	
North Carolina	387	3/19/2024		3/26/2024	
Rhode Island	381	3/1/2024		3/13/2024	
Connecticut	310	2/29/2024		3/20/2024	
New Mexico	308	2/22/2024		3/19/2024	
Delaware	295	3/1/2024		3/13/2024	
Iowa	277	3/21/2024		3/26/2024	
Maryland	261	2/29/2024		3/17/2024	
Nebraska	231	3/19/2024		3/25/2024	
Total	**43,894**	**3/24/2024**		**3/26/2024**	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks. A breakdown of the leading states (by volume) is shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.