

This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github.

Last Update: 2026-06-08 08:10 (UTC)

Asia



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)



COVID-19 Genomic Sequencing analysis. Data from gisaid.org, with nextclade lineages Source files and more info on github. Last Update: 2026-06-08 08:10 (UTC)

n=1,402 sequenced genomes, from 1 February 2026 up to 16 May 2026

Asia - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus



This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.

Samples by Country

Country	#	Latest Collection date	by Collection date
Singapore	820	16/05/2026	
South Korea	174	12/05/2026	
Japan	145	01/05/2026	
China	107	26/03/2026	
Hong Kong	67	15/05/2026	
Malaysia	56	28/04/2026	
Taiwan	13	01/05/2026	
Vietnam	7	13/04/2026	
Kazakhstan	5	15/04/2026	
Thailand	4	23/04/2026	
Armenia	3	24/03/2026	
Pakistan	1	03/02/2026	
Total	**1,402**	**16/05/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-06-08 08:10 (UTC)



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)



n=101 sequenced genomes, from 1 February 2026 up to 8 May 2026

Africa - BA.3.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.

Samples by Country

Country	#	Latest Collection date	by Collection date
South Africa	49	08/05/2026	
Ghana	37	22/04/2026	
Uganda	5	09/04/2026	
Cote d'Ivoire	4	30/04/2026	
Kenya	4	14/02/2026	
Zambia	2	13/02/2026	
Total	**101**	**08/05/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-06-08 08:10 (UTC)



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia



COVID-19 Genomic Sequencing analysis. Data from gisaid.org, with nextclade lineages Source files and more info on github.

Last Update: 2026-06-08 08:10 (UTC)

n=2,915 sequenced genomes, from 1 February 2026 up to 15 May 2026

Europe - BA.3.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.

Samples by Country

Country	#	Latest Collection date	by Collection date
Sweden	378	21/04/2026	
Russia	356	14/05/2026	
France	315	09/05/2026	
Germany	246	11/05/2026	
Spain	245	15/05/2026	
Norway	197	28/04/2026	
Luxembourg	186	03/04/2026	
Italy	184	03/05/2026	
Finland	128	21/04/2026	
Netherlands	122	28/04/2026	
United Kingdom	102	22/04/2026	
Denmark	95	13/04/2026	
Lithuania	95	16/03/2026	
Ireland	73	19/03/2026	
Poland	63	07/05/2026	
Croatia	32	27/04/2026	
Czechia	26	13/04/2026	
Slovenia	21	25/04/2026	
Slovakia	15	30/04/2026	
Greece	14	27/02/2026	
Ukraine	14	23/03/2026	
Belgium	5	19/04/2026	
Romania	2	29/03/2026	
Moldova	1	25/02/2026	
Total	**2,915**	**15/05/2026**	

n=11,182 sequenced genomes, from 1 February 2026 up to 17 May 2026

North America



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America

Location of samples (approx)



n=11,182 sequenced genomes, from 1 February 2026 up to 17 May 2026

North America - BA.3.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.

Samples by Country

Country	#	Latest Collection date	by Collection date
United States	6,160	16/05/2026	
Canada	4,994	17/05/2026	
Puerto Rico	17	06/05/2026	
Dominican Republic	6	15/05/2026	
Costa Rica	4	15/02/2026	
Mexico	1	16/02/2026	
Total	**11,182**	**17/05/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-06-08 08:10 (UTC)

n=1,399 sequenced genomes, from 1 February 2026 up to 4 May 2026

South America



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America

Location of samples (approx)



n=1,399 sequenced genomes, from 1 February 2026 up to 4 May 2026

South America - XFV.* vs XFG.*



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.

Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	881	04/05/2026	
Chile	465	26/03/2026	
Paraguay	27	20/03/2026	
Ecuador	20	21/04/2026	
Argentina	2	30/03/2026	
Peru	2	10/02/2026	
Colombia	1	15/03/2026	
French Guiana	1	29/03/2026	
Total	**1,399**	**04/05/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-06-08 08:10 (UTC)

n=2,346 sequenced genomes, from 1 February 2026 up to 17 May 2026

Oceania



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)



n=2,346 sequenced genomes, from 1 February 2026 up to 17 May 2026

Oceania - BA.3.* vs NB.1.8.1.* Nimbus



This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.

Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,770	17/05/2026	
New Zealand	559	08/05/2026	
New Caledonia	16	29/03/2026	
Guam	1	16/03/2026	
Total	**2,346**	**17/05/2026**	



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=19,345 sequenced genomes, from 1 February 2026 up to 17 May 2026

Global



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

COVID-19 Genomic Sequencing analysis - top Countries for a Lineage L2. Data from gisaid.org, with nextclade lineages Source files and info on github. Last Update: 2026-06-08 08:10 (UTC)



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

COVID-19 Genomic Sequencing sankey diagram. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-06-08 08:10 (UTC)

n=19,348 sequenced genomes, from 1 February 2026 up to 17 May 2026

Global



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.



This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

COVID-19 Genomic Sequencing analysis - Data Currency. Data from gisaid.org. Source files and info on github. Last Update: 2026-06-08 08:10 (UTC)

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
United States	2,342	16/05/2026		18/04/2026	
Canada	1,554	17/05/2026		18/04/2026	
Australia	1,025	17/05/2026		18/04/2026	
Brazil	613	04/05/2026		18/04/2026	
Singapore	600	16/05/2026		18/04/2026	
Sweden	178	21/04/2026		18/04/2026	
Spain	145	15/05/2026		18/04/2026	
New Zealand	133	08/05/2026		18/04/2026	
Russia	120	14/05/2026		18/04/2026	
South Korea	120	12/05/2026		18/04/2026	
France	108	09/05/2026		18/04/2026	
Norway	96	28/04/2026		18/04/2026	
Italy	94	03/05/2026		18/04/2026	
Chile	86	26/03/2026		18/04/2026	
Japan	69	01/05/2026		18/04/2026	
Netherlands	56	28/04/2026		18/04/2026	
Malaysia	52	28/04/2026		18/04/2026	
Finland	51	21/04/2026		18/04/2026	
Luxembourg	43	03/04/2026		18/04/2026	
Hong Kong	30	15/05/2026		18/04/2026	
Germany	29	11/05/2026		18/04/2026	
Croatia	28	27/04/2026		18/04/2026	
Denmark	27	13/04/2026		18/04/2026	
Ghana	25	22/04/2026		18/04/2026	
South Africa	22	08/05/2026		18/04/2026	
Poland	17	07/05/2026		18/04/2026	
Ecuador	15	21/04/2026		18/04/2026	
Taiwan	13	01/05/2026		18/04/2026	
Total	**7,786**	**17/05/2026**		**18/04/2026**	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.