


n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

Europe (excl UK)

● BA.3.* ● JN.1.* + FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFZ.* ● XGA.* ● XGW.*



This page shows the frequency of the top 7 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

Europe (excl UK)

● RE.2.1.4 ● RE.2.2.3 ● RE.2.2.5 ● RE.2.2.6 ● RE.2.2.9 ● RE.2.3 ● RU.1 ● SK.1



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently "BA.3.*" (BA.3.2.* "Cicada").

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

Europe (excl UK)

● NB.1.8.1 ● RE.2.1.4 ● RE.2.2.5 ● RE.2.2.9 ● RE.2.3 ● XFG.3 ● XFG.3.4.1



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

BA.3.*

● France ● Italy ● Luxembourg ● Netherlands ● Norway ● Spain ● Sweden



This page shows the frequency of a selected Lineage L2 of interest, for the 7 countries reporting the most samples over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

XFG.*

● France ● Germany ● Lithuania ● Luxemb... ● Nether... ● Poland ● Russia ● Sweden



This page shows the frequency of a selected Lineage L2 of interest, for the 7 countries reporting the most samples over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

NB.1.8.1.* Nimbus

● Denmark ● Finland ● France ● Germany ● Luxembourg ● Norway ● Sweden



This page shows the frequency of a selected Lineage L2 of interest, for the 7 countries reporting the most samples over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

XFJ

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

Lineage Frequency



This page shows the frequency of a selected Lineage of interest, for the 7 countries reporting the most samples over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.


The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

Europe (excl UK) - BA.3.2.* vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

growth of 0.8% per day, crossover on 15-Apr-26



This page compares the relative frequency of 2 selected Lineage L2 groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage.

The Lineage classifications are provided by Nextclade.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=2,839 sequenced genomes, from 1 February 2026 up to 22 May 2026

Europe (excl UK) - RK.1.1 vs BA.3.2.*

● log (1st Lineage / 2nd Lineage) ● trend

growth of 2.8% per day, crossover on 27-May-26



This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage.

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=2,842 sequenced genomes, from 1 February 2026 up to 22 May 2026

Europe (excl UK)



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
Sweden	178	21/04/2026		21/04/2026	
Russia	120	14/05/2026		21/04/2026	
Spain	107	21/05/2026		21/04/2026	
France	92	22/05/2026		21/04/2026	
Italy	61	03/05/2026		21/04/2026	
Netherlands	56	28/04/2026		21/04/2026	
Finland	51	21/04/2026		21/04/2026	
Norway	51	28/04/2026		21/04/2026	
Luxembourg	43	03/04/2026		21/04/2026	
Germany	29	11/05/2026		21/04/2026	
Croatia	28	27/04/2026		21/04/2026	
Denmark	27	13/04/2026		21/04/2026	
Poland	21	22/05/2026		21/04/2026	
Ukraine	10	23/03/2026		21/04/2026	
Slovakia	6	30/04/2026		21/04/2026	
Ireland	3	24/04/2026		21/04/2026	
Slovenia	3	25/04/2026		21/04/2026	
Belgium	2	19/04/2026		21/04/2026	
Czechia	2	13/04/2026		21/04/2026	
Lithuania	1	16/03/2026		21/04/2026	
Romania	1	29/03/2026		21/04/2026	
Total	892	22/05/2026		21/04/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.