


n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

Global

● BA.3.* ● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Ni... ● XFG.* ● XFJ.* ● XFZ.*



This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

Global - JN.1.* +DeFLuQE vs XFG.*

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend



This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=2,737 sequenced genomes, from 1 June 2026 up to 12 September 2026


Asia

● BA.3.* ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFJ.* ● XHE.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.


Location of samples (approx)



n=2,737 sequenced genomes, from 1 June 2026 up to 12 September 2026

Asia - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus


● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	1,065	11/09/2026	
South Korea	415	09/09/2026	
Hong Kong	270	09/09/2026	
Japan	253	12/09/2026	
Taiwan	212	07/09/2026	
Thailand	113	11/08/2026	
Malaysia	99	10/08/2026	
India	92	13/08/2026	
Cambodia	80	28/08/2026	
Pakistan	46	31/07/2026	
Iran	36	15/08/2026	
Israel	33	29/06/2026	
Kazakhstan	11	28/07/2026	
Vietnam	8	27/07/2026	
Indonesia	3	11/08/2026	
Laos	1	12/08/2026	
Total	2,737	12/09/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)





This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country

Country	#	Latest Collection date	by Collection date
Egypt	95	25/06/2026	
Ghana	61	20/08/2026	
Cote d'Ivoire	28	26/08/2026	
South Africa	18	19/08/2026	
Senegal	13	25/08/2026	
Zambia	5	07/07/2026	
Kenya	2	09/06/2026	
Uganda	2	29/06/2026	
Total	224	26/08/2026	

n=1,547 sequenced genomes, from 1 June 2026 up to 13 September 2026


Europe

● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Nim... ● XFG.* ● XFJ.* ● XFZ.* ● XHA.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.


Location of samples (approx), excluding Russia



n=1,547 sequenced genomes, from 1 June 2026 up to 13 September 2026

Europe - JN.1.* +DeFLuQE vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country

Country	#	Latest Collection date	by Collection date
Spain	969	13/09/2026	
France	148	10/09/2026	
Ireland	145	09/09/2026	
Germany	52	11/09/2026	
Norway	44	04/08/2026	
Netherlands	39	06/09/2026	
Russia	26	21/08/2026	
United Kingdom	25	14/08/2026	
Italy	22	10/09/2026	
Luxembourg	19	31/07/2026	
Sweden	18	28/07/2026	
Portugal	14	01/07/2026	
Czechia	9	03/09/2026	
Belgium	4	06/08/2026	
Slovenia	4	26/08/2026	
Croatia	3	17/08/2026	
Poland	3	02/06/2026	
Slovakia	2	05/08/2026	
Romania	1	11/08/2026	
Total	1,547	13/09/2026	

n=4,783 sequenced genomes, from 1 June 2026 up to 13 September 2026


North America

● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFJ.* ● XFZ.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America


Location of samples (approx)



n=4,783 sequenced genomes, from 1 June 2026 up to 13 September 2026

North America - JN.1.* +DeFLuQE vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend




This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.

Samples by Country

Country	#	Latest Collection date	by Collection date
United States	3,331	13/09/2026	
Canada	750	10/09/2026	
Mexico	257	05/09/2026	
Costa Rica	252	09/09/2026	
Guatemala	87	24/07/2026	
Haiti	48	24/06/2026	
Puerto Rico	35	13/08/2026	
Dominican R...	23	10/08/2026	
Total	4,783	13/09/2026	


South America

● JN.1.* +FLiRT ● XFG.* ● XFJ.* ● XFF.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America


Location of samples (approx)



n=372 sequenced genomes, from 1 June 2026 up to 10 September 2026

South America - Xfv.* vs Xfg.*

● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	347	10/09/2026	
French Guiana	9	25/06/2026	
Colombia	8	12/07/2026	
Chile	4	15/08/2026	
Argentina	3	27/06/2026	
Peru	1	13/07/2026	
Total	372	10/09/2026	

n=1,871 sequenced genomes, from 1 June 2026 up to 12 September 2026


Oceania

● BA.3.* ● JN.1.* +DeFL... ● JN.1.* +F... ● NB.1.8.1.... ● XFG.* ● XFJ.* ● XFZ.* ● XHA.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)




n=1,871 sequenced genomes, from 1 June 2026 up to 12 September 2026

Oceania - BA.3.* vs NB.1.8.1.* Nimbus

● log (1st Lineage / 2nd Lineage) ● trend

decline of -1.5% per day



This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.


Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,658	12/09/2026	
New Zealand	200	29/08/2026	
Guam	13	17/08/2026	
Total	1,871	12/09/2026	

n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

Global

● PE.1.4.3 ● PJ.2.1



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest - currently JN.1.* + DeFLuQE - the origin of the new wildy novel PJ.2.1 lineage.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

Global

PJ.2.1 RF.5.4.1 RK.1.5 RW.1.1.2 ST.1 SW.2.1 TA.1



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

BA.3.*

● Australia ● Japan ● South Korea ● Spain ● Taiwan ● Thailand ● United States



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

NB.1.8.1.* Nimbus

● Australia ● Canada ● New Zealand ● Singapore ● South Ko... ● Taiwan ● United ...



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

PJ.2.1

Australia Canada Ireland Singapore Spain United States



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,534 sequenced genomes, from 1 June 2026 up to 13 September 2026

Global - PJ.2.1 vs XFG.*

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

Global



The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.


The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

n=404 sequenced genomes, from 1 June 2026 up to 13 September 2026

Global

● BA.3.* ● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Ni... ● XFG.* ● XFJ.* ● XFZ.*















This page shows the frequency of the top 7 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
+ United States	2,613	13/09/2026		28/08/2026	
+ Australia	990	12/09/2026		28/08/2026	
+ Spain	897	13/09/2026		28/08/2026	
+ Canada	586	10/09/2026		28/08/2026	
+ South Korea	376	09/09/2026		28/08/2026	
+ Brazil	249	10/09/2026		28/08/2026	
+ Mexico	229	05/09/2026		28/08/2026	
+ Singapore	216	11/09/2026		28/08/2026	
+ Japan	184	12/09/2026		28/08/2026	
+ Taiwan	176	07/09/2026		28/08/2026	
+ Ireland	142	09/09/2026		28/08/2026	
+ France	126	10/09/2026		28/08/2026	
+ New Zealand	109	29/08/2026		28/08/2026	
+ Hong Kong	101	09/09/2026		28/08/2026	
+ Costa Rica	99	09/09/2026		28/08/2026	
+ Thailand	67	11/08/2026		28/08/2026	
+ Cambodia	66	28/08/2026		28/08/2026	
+ Ghana	61	20/08/2026		28/08/2026	
+ Guatemala	61	24/07/2026		28/08/2026	
+ Malaysia	54	10/08/2026		28/08/2026	
+ Germany	51	11/09/2026		28/08/2026	
+ Norway	44	04/08/2026		24/08/2026	
+ Netherlands	39	06/09/2026		28/08/2026	
+ Iran	36	15/08/2026		28/08/2026	
+ Pakistan	30	31/07/2026		16/08/2026	
+ Cote d'Ivoire	28	26/08/2026		26/08/2026	
+ United Kingdom	25	14/08/2026		28/08/2026	
+ India	22	13/08/2026		28/08/2026	
— Total	7,853	13/09/2026		28/08/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.