




This page shows the frequency of the top 6 "L2" lineages, across recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)




n=2,616 sequenced genomes, from 1 May 2026 up to 16 August 2026

Asia - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus

● log (1st Lineage / 2nd Lineage) ● trend


decline of -1.1% per day



This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	1,443	14/08/2026	
Hong Kong	258	16/08/2026	
Japan	227	12/08/2026	
Thailand	133	11/08/2026	
Taiwan	121	16/08/2026	
South Korea	120	05/08/2026	
India	111	29/07/2026	
Malaysia	73	13/07/2026	
Israel	48	29/06/2026	
Pakistan	46	31/07/2026	
Cambodia	16	03/07/2026	
Kazakhstan	15	28/07/2026	
Vietnam	4	09/07/2026	
Indonesia	1	11/08/2026	
Total	2,616	16/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country


Country	#	Latest Collection date	by Collection date
Egypt	115	25/06/2026	
Ghana	46	10/07/2026	
South Africa	31	23/06/2026	
Cote d'Ivoire	27	29/07/2026	
Kenya	9	09/06/2026	
Uganda	8	29/06/2026	
Zambia	6	07/07/2026	
Total	242	29/07/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia






This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country


Country	#	Latest Collection date	by Collection date
Spain	267	16/08/2026	
Russia	81	05/08/2026	
Ireland	51	14/08/2026	
Norway	44	04/08/2026	
France	41	03/07/2026	
Sweden	40	28/07/2026	
Germany	37	12/08/2026	
Portugal	23	01/07/2026	
Netherlands	20	30/07/2026	
Poland	9	02/06/2026	
Italy	8	31/07/2026	
Luxembourg	7	02/06/2026	
Belgium	4	06/08/2026	
Slovenia	3	14/07/2026	
Croatia	2	26/06/2026	
Romania	2	11/08/2026	
Total	639	16/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.


Samples by Country

Country	#	Latest Collection date	by Collection date
United States	1,782	16/08/2026	
Canada	596	09/08/2026	
Costa Rica	197	03/08/2026	
Haiti	81	24/06/2026	
Mexico	79	14/07/2026	
Guatemala	77	23/07/2026	
Dominican R...	43	10/08/2026	
Puerto Rico	39	22/07/2026	
Total	2,894	16/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America


Location of samples (approx)



n=389 sequenced genomes, from 1 May 2026 up to 16 August 2026

South America - XFV.* vs XFG.*


● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country


Country	#	Latest Collection date	by Collection date
Brazil	338	16/08/2026	
French Guiana	16	25/06/2026	
Colombia	13	12/07/2026	
Argentina	12	27/06/2026	
Ecuador	10	29/05/2026	
Total	389	16/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.

Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,527	16/08/2026	
New Zealand	257	14/08/2026	
Guam	17	09/08/2026	
New Caledonia	5	13/05/2026	
Total	1,806	16/08/2026	




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest - currently JN.1.* + DeFLuQE - the origin of the new wildy novel PJ.2.1 lineage.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=8,586 sequenced genomes, from 1 May 2026 up to 16 August 2026

Global - PJ.2.1 vs NB.1.8.1.* Nimbus

● $\log (1\text{st Lineage} / 2\text{nd Lineage})$ ● trend



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=8,586 sequenced genomes, from 1 May 2026 up to 16 August 2026

Global




This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all its descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

























This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
+ United States	1,225	16/08/2026		24/07/2026	
+ Australia	813	16/08/2026		24/07/2026	
+ Singapore	508	14/08/2026		24/07/2026	
+ Canada	302	09/08/2026		24/07/2026	
+ Brazil	296	16/08/2026		24/07/2026	
+ Hong Kong	207	16/08/2026		24/07/2026	
+ Spain	186	16/08/2026		24/07/2026	
+ Japan	181	12/08/2026		24/07/2026	
+ Costa Rica	167	03/08/2026		24/07/2026	
+ New Zealand	147	14/08/2026		24/07/2026	
+ Thailand	117	11/08/2026		24/07/2026	
+ Egypt	115	25/06/2026		24/07/2026	
+ India	111	29/07/2026		24/07/2026	
+ Haiti	81	24/06/2026		24/07/2026	
+ Mexico	79	14/07/2026		24/07/2026	
+ South Korea	76	05/08/2026		24/07/2026	
+ Malaysia	72	13/07/2026		24/07/2026	
+ Taiwan	72	16/08/2026		24/07/2026	
+ Russia	60	05/08/2026		24/07/2026	
+ Ireland	46	14/08/2026		24/07/2026	
+ Guatemala	45	23/07/2026		24/07/2026	
+ Norway	44	04/08/2026		24/07/2026	
+ Ghana	37	10/07/2026		24/07/2026	
+ Pakistan	30	31/07/2026		24/07/2026	
+ Cote d'Ivoire	27	29/07/2026		24/07/2026	
+ Sweden	27	28/07/2026		24/07/2026	
+ Puerto Rico	25	22/07/2026		24/07/2026	
+ South Africa	25	23/06/2026		24/07/2026	
— Total	5,318	16/08/2026		24/07/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.