




This page shows the frequency of the top 7 "L2" lineages for NZ, across recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages for NZ, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages for NZ, across recent months, for a selected Lineage L2 group - currently JN.1.* + FLiRT.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of a selected Lineage L2 of interest, across the District Health Boards (DHB) of NZ, over recent months. The top 6 locations are shown, based on the volume of samples.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that DHB.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of a selected Lineage of interest, across the District Health Boards (DHB) of NZ, over recent months. The top 6 locations are shown, based on the volume of samples.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



Date

01/05/2026

31/08/2026

Host

Human

Continent, Country, Location

Oceania (Continent) + New Zealand (Count...

Lineage L2


JN.1.* +FLiRT

vs Lineage L2 (nextclade)

NB.1.8.1.* Nimbus

Country	Location	Addi...	Collection date	Lineage L2	Lineage (nextclade)
New Zealand	Canterbury		01/08/2026	JN.1.* +F...	RF.5.4
New Zealand	Auckland		31/07/2026	JN.1.* +F...	RF.5.4
New Zealand	Auckland		26/07/2026	JN.1.* +F...	RF.5.3.1
New Zealand	Auckland		21/07/2026	JN.1.* +F...	RF.5.4
New Zealand	Counties Man...		21/07/2026	JN.1.* +F...	RF.5.4
New Zealand	Auckland		09/07/2026	JN.1.* +F...	RF.5.4
New Zealand	Nelson Marl...		08/07/2026	JN.1.* +F...	RF.5.3.1
New Zealand	Counties Man...		26/06/2026	JN.1.* +F...	RF.5.4
New Zealand	Nelson Marl...		24/06/2026	JN.1.* +F...	RF.5.4
New Zealand	Northland		17/06/2026	JN.1.* +F...	RF.5.3.1
New Zealand	Auckland		06/06/2026	JN.1.* +F...	RF.5.3
New Zealand	Counties Man...		02/06/2026	JN.1.* +F...	RF.5.3
New Zealand	Counties Man...		31/05/2026	JN.1.* +F...	RF.5.3
New Zealand	Hutt Valley		28/05/2026	JN.1.* +F...	RF.5.4

Total



This page compares the relative frequency of 2 selected Lineages for NZ, over recent months. A challenging Lineage is selected first, and compared to the incumbent.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

New Zealand

n=224 sequenced genomes, from 1 May 2026 up to 1 August 2026



This page shows the hierarchy of the significant Lineages for NZ, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
New Zealand	200	01/08/2026		03/07/2026	
Southern	39	28/07/2026		03/07/2026	
Hutt Valley	34	09/07/2026		03/07/2026	
Waikato	31	29/07/2026		03/07/2026	
Auckland	21	31/07/2026		03/07/2026	
Counties Manukau	21	23/07/2026		03/07/2026	
Nelson Marlborough	12	19/07/2026		03/07/2026	
Canterbury	8	01/08/2026		03/07/2026	
Northland	7	11/07/2026		03/07/2026	
Taranaki	7	27/06/2026		03/07/2026	
West Coast	5	04/06/2026		25/06/2026	
MidCentral	4	17/07/2026		03/07/2026	
Capital and Coast	3	01/07/2026		03/07/2026	
South Canterbury	3	15/06/2026		03/07/2026	
Waitemata	2	30/06/2026		03/07/2026	
Bay of Plenty	1	18/05/2026		25/06/2026	
Tairāwhiti	1	23/06/2026		03/07/2026	
Wairarapa	1	07/05/2026		25/06/2026	
Total	200	01/08/2026		03/07/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared for NZ via GISAID, over the last 8 weeks. A breakdown by location is also shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.