


n=17,698 sequenced genomes, from 1 February 2026 up to 3 May 2026

Global



This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.


The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,698 sequenced genomes, from 1 February 2026 up to 3 May 2026

Global - BA.3.* vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

growth of 2.2% per day, crossover on 20-May-26




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	590	01/05/2026	
South Korea	155	28/04/2026	
Japan	127	01/05/2026	
China	107	26/03/2026	
Malaysia	56	28/04/2026	
Hong Kong	55	29/04/2026	
Taiwan	9	01/05/2026	
Vietnam	7	13/04/2026	
Kazakhstan	5	15/04/2026	
Thailand	4	23/04/2026	
Armenia	3	24/03/2026	
Pakistan	1	03/02/2026	
Total	1,119	01/05/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country

Country	#	Latest Collection date	by Collection date
South Africa	39	29/03/2026	
Ghana	37	22/04/2026	
Uganda	5	09/04/2026	
Kenya	4	14/02/2026	
Zambia	2	13/02/2026	
Total	87	22/04/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia




n=2,716 sequenced genomes, from 1 February 2026 up to 2 May 2026

Europe - BA.3.* vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend


growth of 1.1% per day, crossover on 21-Mar-26



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country

Country	#	Latest Collection date	by Collection date
Sweden	378	21/04/2026	
Russia	300	20/04/2026	
France	272	14/04/2026	
Germany	232	13/04/2026	
Spain	223	02/05/2026	
Luxembourg	186	03/04/2026	
Norway	179	10/04/2026	
Italy	164	26/04/2026	
Finland	128	21/04/2026	
Netherlands	112	12/04/2026	
United Kingdom	102	22/04/2026	
Denmark	95	13/04/2026	
Lithuania	95	16/03/2026	
Ireland	73	19/03/2026	
Poland	54	30/03/2026	
Croatia	32	27/04/2026	
Czechia	26	13/04/2026	
Slovenia	21	25/04/2026	
Greece	14	27/02/2026	
Ukraine	14	23/03/2026	
Slovakia	11	10/03/2026	
Belgium	3	01/03/2026	
Moldova	1	25/02/2026	
Romania	1	06/02/2026	
Total	2,716	02/05/2026	




This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America

Location of samples (approx)



n=10,581 sequenced genomes, from 1 February 2026 up to 3 May 2026

North America - BA.3.* vs XFG.*




This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.

Samples by Country

Country	#	Latest Collection date	by Collection date
United States	5,863	03/05/2026	
Canada	4,698	03/05/2026	
Puerto Rico	14	24/04/2026	
Costa Rica	4	15/02/2026	
Dominican Republic	1	02/03/2026	
Mexico	1	16/02/2026	
Total	10,581	03/05/2026	


South America

● BA.3.* ● JN.1.* +F... ● LP.8.1.* ● NB.1.8.... ● XFG.* ● XFV.* ● XFZ.* ● XGA.* ● XGQ.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America


Location of samples (approx)



n=1,316 sequenced genomes, from 1 February 2026 up to 26 April 2026

South America - Xfv.* vs Xfg.*


● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	798	26/04/2026	
Chile	465	26/03/2026	
Paraguay	27	20/03/2026	
Ecuador	20	21/04/2026	
Argentina	2	30/03/2026	
Peru	2	10/02/2026	
Colombia	1	15/03/2026	
French Guiana	1	29/03/2026	
Total	1,316	26/04/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)




n=1,879 sequenced genomes, from 1 February 2026 up to 3 May 2026

Oceania - BA.3.* vs NB.1.8.1.* Nimbus

● log (1st Lineage / 2nd Lineage) ● trend

decline of -0.3% per day



This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.


Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,316	03/05/2026	
New Zealand	546	03/05/2026	
New Caledonia	16	29/03/2026	
Guam	1	16/03/2026	
Total	1,879	03/05/2026	

n=17,698 sequenced genomes, from 1 February 2026 up to 3 May 2026

Global

● RE.1.1.1 ● RE.1.1.5 ● RE.2.3 ● RE.2.5 ● RS.1.4 ● RT.2 ● SK.1



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,698 sequenced genomes, from 1 February 2026 up to 3 May 2026

Global

● QF.2 ● RC.5 ● RE.2.5 ● SH.1 ● XFG.1.1 ● XFG.1.1.2 ● XFG.14.1



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,698 sequenced genomes, from 1 February 2026 up to 3 May 2026

BA.3.*

● Australia ● Canada ● France ● Italy ● Norway ● Spain ● United States



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,698 sequenced genomes, from 1 February 2026 up to 3 May 2026

NB.1.8.1.* Nimbus

● Australia ● Canada ● Germany ● New Zeal... ● Singapore ● Sweden ● United St...



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,698 sequenced genomes, from 1 February 2026 up to 3 May 2026

Global - XFG.1.1 vs XFG.*

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend




This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.


Global



The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.




















This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
United States	2,841	03/05/2026		11/04/2026	
Canada	2,237	03/05/2026		11/04/2026	
Australia	819	03/05/2026		11/04/2026	
Brazil	624	26/04/2026		11/04/2026	
Singapore	576	01/05/2026		11/04/2026	
Chile	425	26/03/2026		11/04/2026	
Sweden	245	21/04/2026		11/04/2026	
New Zealand	223	03/05/2026		11/04/2026	
Russia	176	20/04/2026		11/04/2026	
Spain	161	02/05/2026		11/04/2026	
Finland	128	21/04/2026		11/04/2026	
South Korea	126	28/04/2026		11/04/2026	
France	124	14/04/2026		11/04/2026	
Denmark	95	13/04/2026		11/04/2026	
Italy	94	26/04/2026		11/04/2026	
Japan	86	01/05/2026		11/04/2026	
China	79	26/03/2026		03/04/2026	
Norway	78	10/04/2026		11/04/2026	
Ireland	61	19/03/2026		11/04/2026	
Malaysia	55	28/04/2026		11/04/2026	
Germany	50	13/04/2026		11/04/2026	
Netherlands	46	12/04/2026		11/04/2026	
Luxembourg	43	03/04/2026		11/04/2026	
Croatia	29	27/04/2026		11/04/2026	
Hong Kong	27	29/04/2026		11/04/2026	
Ghana	25	22/04/2026		11/04/2026	
South Africa	25	29/03/2026		11/04/2026	
Paraguay	22	20/03/2026		11/04/2026	
Total	9,661	03/05/2026		11/04/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.