




This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=8,937 sequenced genomes, from 1 April 2026 up to 12 July 2026

Global - JN.1.* +DeFLuQE vs NB.1.8.1.* Nimbus

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	1,451	10/07/2026	
Hong Kong	217	09/07/2026	
Japan	163	12/07/2026	
South Korea	149	07/07/2026	
Malaysia	88	22/06/2026	
Thailand	67	10/07/2026	
Taiwan	61	30/06/2026	
Israel	48	29/06/2026	
Cambodia	16	03/07/2026	
Pakistan	16	22/06/2026	
India	15	12/05/2026	
Vietnam	11	09/07/2026	
Kazakhstan	3	15/04/2026	
Total	2,305	12/07/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country


Country	#	Latest Collection date	by Collection date
Egypt	121	25/06/2026	
South Africa	35	23/06/2026	
Ghana	26	20/05/2026	
Uganda	6	09/05/2026	
Madagascar	4	27/04/2026	
Cote d'Ivoire	3	30/04/2026	
Zambia	3	09/06/2026	
Reunion	2	15/04/2026	
Total	200	25/06/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia







This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country

Country	#	Latest Collection date	by Collection date
Russia	218	01/07/2026	
Spain	204	09/07/2026	
Sweden	89	10/06/2026	
France	82	27/06/2026	
Italy	40	12/06/2026	
Norway	26	28/04/2026	
Portugal	26	14/06/2026	
Germany	24	15/06/2026	
Ireland	20	22/06/2026	
Netherlands	19	28/04/2026	
Finland	18	21/04/2026	
Poland	10	02/06/2026	
Denmark	8	13/04/2026	
United Kingdom	8	22/04/2026	
Estonia	6	23/04/2026	
Slovenia	5	02/06/2026	
Ukraine	4	27/04/2026	
Croatia	3	27/04/2026	
Luxembourg	3	03/04/2026	
Belgium	2	26/04/2026	
Czechia	2	13/04/2026	
Slovakia	2	30/04/2026	
Romania	1	12/05/2026	
Total	820	09/07/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America






This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.


Samples by Country


Country	#	Latest Collection date	by Collection date
United States	1,769	12/07/2026	
Canada	1,220	12/07/2026	
Costa Rica	131	01/07/2026	
Dominican R...	38	24/06/2026	
Guatemala	32	24/06/2026	
Mexico	29	04/07/2026	
Puerto Rico	19	09/06/2026	
Total	3,238	12/07/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country


Country	#	Latest Collection date	by Collection date
Brazil	277	11/07/2026	
Chile	52	20/04/2026	
French Guiana	20	25/06/2026	
Ecuador	15	29/05/2026	
Colombia	7	21/06/2026	
Total	371	11/07/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.

Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,719	12/07/2026	
New Zealand	265	04/07/2026	
Guam	9	01/06/2026	
New Caledonia	9	13/05/2026	
Total	2,002	12/07/2026	

Global

● PE.1.4 ● PE.1.7 ● PJ.2.1




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest - currently JN.1.* + DeFLuQE - the origin of the new wildy novel PJ.2.1 lineage.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=8,937 sequenced genomes, from 1 April 2026 up to 12 July 2026

Global - PJ.2.1 vs NB.1.8.1.* Nimbus

● log (1st Lineage / 2nd Lineage) ● trend



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

Global

n=8,937 sequenced genomes, from 1 April 2026 up to 12 July 2026




This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all its descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.






















This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
+ United States	938	12/07/2026		19/06/2026	
+ Australia	855	12/07/2026		19/06/2026	
+ Singapore	757	10/07/2026		19/06/2026	
+ Canada	371	12/07/2026		19/06/2026	
+ Brazil	232	11/07/2026		19/06/2026	
+ Hong Kong	181	09/07/2026		19/06/2026	
+ New Zealand	151	04/07/2026		19/06/2026	
+ Russia	147	01/07/2026		19/06/2026	
+ Japan	138	12/07/2026		19/06/2026	
+ Costa Rica	131	01/07/2026		19/06/2026	
+ Egypt	121	25/06/2026		19/06/2026	
+ Spain	98	09/07/2026		19/06/2026	
+ Malaysia	69	22/06/2026		19/06/2026	
+ Sweden	65	10/06/2026		19/06/2026	
+ Thailand	65	10/07/2026		19/06/2026	
+ South Korea	64	07/07/2026		19/06/2026	
+ Chile	52	20/04/2026		12/06/2026	
+ Israel	48	29/06/2026		19/06/2026	
+ France	40	27/06/2026		19/06/2026	
+ Taiwan	36	30/06/2026		19/06/2026	
+ Guatemala	32	24/06/2026		19/06/2026	
+ South Africa	30	23/06/2026		19/06/2026	
+ Mexico	29	04/07/2026		19/06/2026	
+ Portugal	26	14/06/2026		19/06/2026	
+ Dominican Repu...	25	24/06/2026		19/06/2026	
+ French Guiana	20	25/06/2026		19/06/2026	
+ Ireland	20	22/06/2026		19/06/2026	
+ Cambodia	16	03/07/2026		19/06/2026	
Total	4,898	12/07/2026		19/06/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.