


n=9,618 sequenced genomes, from 1 June 2026 up to 6 September 2026

Global

● BA.3.* ● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Ni... ● XFG.* ● XFJ.* ● XFZ.*



This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=9,618 sequenced genomes, from 1 June 2026 up to 6 September 2026

Global - JN.1.* +DeFLuQE vs XFG.*

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend



This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=2,337 sequenced genomes, from 1 June 2026 up to 4 September 2026


Asia

● BA.3.* ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFJ.* ● XHA.* ● XHE.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)




n=2,337 sequenced genomes, from 1 June 2026 up to 4 September 2026

Asia - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus

● log (1st Lineage / 2nd Lineage) ● trend


decline of -1.2% per day



This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	1,040	04/09/2026	
Hong Kong	245	02/09/2026	
South Korea	207	27/08/2026	
Japan	203	27/08/2026	
Taiwan	193	31/08/2026	
Thailand	113	11/08/2026	
Malaysia	99	10/08/2026	
India	85	29/07/2026	
Pakistan	46	31/07/2026	
Iran	36	15/08/2026	
Israel	33	29/06/2026	
Cambodia	14	03/07/2026	
Kazakhstan	11	28/07/2026	
Vietnam	8	27/07/2026	
Indonesia	3	11/08/2026	
Laos	1	12/08/2026	
Total	2,337	04/09/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)





This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country

Country	#	Latest Collection date	by Collection date
Egypt	95	25/06/2026	
Ghana	61	20/08/2026	
Cote d'Ivoire	28	26/08/2026	
South Africa	14	23/06/2026	
Senegal	13	25/08/2026	
Zambia	5	07/07/2026	
Kenya	2	09/06/2026	
Uganda	2	29/06/2026	
Total	220	26/08/2026	

n=1,177 sequenced genomes, from 1 June 2026 up to 6 September 2026


Europe

● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Nim... ● XFG.* ● XFJ.* ● XFZ.* ● XHA.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.


Location of samples (approx), excluding Russia



n=1,177 sequenced genomes, from 1 June 2026 up to 6 September 2026

Europe - JN.1.* +DeFLuQE vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country

Country	#	Latest Collection date	by Collection date
Spain	772	06/09/2026	
Ireland	90	06/09/2026	
France	87	06/09/2026	
Norway	44	04/08/2026	
Netherlands	39	06/09/2026	
Russia	26	21/08/2026	
Germany	22	12/08/2026	
Italy	19	06/09/2026	
Luxembourg	19	31/07/2026	
Sweden	18	28/07/2026	
Portugal	14	01/07/2026	
Czechia	9	03/09/2026	
Belgium	4	06/08/2026	
Slovenia	4	26/08/2026	
Croatia	3	17/08/2026	
Poland	3	02/06/2026	
Slovakia	2	05/08/2026	
Romania	1	11/08/2026	
United Kingdom	1	13/08/2026	
Total	1,177	06/09/2026	

North America


n=3,769 sequenced genomes, from 1 June 2026 up to 6 September 2026

● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFJ.* ● XFZ.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America


Location of samples (approx)



n=3,769 sequenced genomes, from 1 June 2026 up to 6 September 2026

North America - JN.1.* +DeFLuQE vs XFG.*


● log (1st Lineage / 2nd Lineage) ● trend




This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.

Samples by Country

Country	#	Latest Collection date	by Collection date
United States	2,634	06/09/2026	
Canada	612	06/09/2026	
Costa Rica	188	15/08/2026	
Mexico	142	05/09/2026	
Guatemala	87	24/07/2026	
Haiti	48	24/06/2026	
Puerto Rico	35	13/08/2026	
Dominican R...	23	10/08/2026	
Total	3,769	06/09/2026	





This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	319	23/08/2026	
French Guiana	9	25/06/2026	
Colombia	8	12/07/2026	
Argentina	3	27/06/2026	
Total	339	23/08/2026	

n=1,776 sequenced genomes, from 1 June 2026 up to 6 September 2026


Oceania


● BA.3.* ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFJ.* ● XFZ.* ● XHA.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)





This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.


Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,563	06/09/2026	
New Zealand	200	29/08/2026	
Guam	13	17/08/2026	
Total	1,776	06/09/2026	

n=9,618 sequenced genomes, from 1 June 2026 up to 6 September 2026

Global

● PE.1.4.3 ● PJ.2.1



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest - currently JN.1.* + DeFLuQE - the origin of the new wildy novel PJ.2.1 lineage.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=9,618 sequenced genomes, from 1 June 2026 up to 6 September 2026

Global

● RF.5.4.1 ● RK.1.4 ● RK.1.5 ● RW.1.1.2 ● ST.1 ● SW.2.1 ● TA.1



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=9,618 sequenced genomes, from 1 June 2026 up to 6 September 2026

BA.3.*

● Australia ● Japan ● New Ze... ● South ... ● Spain ● Taiwan ● Thailand ● United ...



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=9,618 sequenced genomes, from 1 June 2026 up to 6 September 2026

NB.1.8.1.* Nimbus

● Australia ● Canada ● New Zealand ● Singapore ● South Ko... ● Taiwan ● United ...



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

PJ.2.1


The plot displays the lineage frequency of various lineages over time. The pink lineage shows a significant increase in frequency starting in late August, peaking at over 30% in early September. Other lineages (orange, blue, green) remain at low frequencies throughout the period. The bar chart at the bottom indicates the number of samples collected per day, with a peak of approximately 200 samples in late August.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=9,618 sequenced genomes, from 1 June 2026 up to 6 September 2026

Global - PJ.2.1 vs XFG.*

● $\log (1\text{st Lineage} / 2\text{nd Lineage})$ ● trend



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.


Global



The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.




















This page shows the frequency of the top 7 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
United States	2,064	06/09/2026		21/08/2026	
Australia	982	06/09/2026		21/08/2026	
Spain	711	06/09/2026		21/08/2026	
Canada	483	06/09/2026		21/08/2026	
Singapore	276	04/09/2026		21/08/2026	
Brazil	225	23/08/2026		21/08/2026	
South Korea	168	27/08/2026		21/08/2026	
Taiwan	157	31/08/2026		21/08/2026	
Japan	138	27/08/2026		21/08/2026	
Mexico	114	05/09/2026		21/08/2026	
New Zealand	109	29/08/2026		21/08/2026	
Ireland	89	06/09/2026		21/08/2026	
India	85	29/07/2026		21/08/2026	
Costa Rica	84	15/08/2026		21/08/2026	
Hong Kong	76	02/09/2026		21/08/2026	
France	75	06/09/2026		21/08/2026	
Thailand	67	11/08/2026		21/08/2026	
Ghana	61	20/08/2026		21/08/2026	
Guatemala	61	24/07/2026		21/08/2026	
Malaysia	54	10/08/2026		21/08/2026	
Haiti	48	24/06/2026		08/08/2026	
Norway	44	04/08/2026		21/08/2026	
Netherlands	39	06/09/2026		21/08/2026	
Iran	36	15/08/2026		21/08/2026	
Pakistan	30	31/07/2026		16/08/2026	
Cote d'Ivoire	28	26/08/2026		21/08/2026	
Germany	21	12/08/2026		21/08/2026	
Luxembourg	19	31/07/2026		21/08/2026	
Total	6,499	06/09/2026		21/08/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.