




This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=27,620 sequenced genomes, from 1 January 2026 up to 26 April 2026

Global - BA.3.* vs XFG.*

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)



n=1,297 sequenced genomes, from 1 January 2026 up to 26 April 2026


Asia - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus



This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	578	25/04/2026	
Japan	217	25/04/2026	
South Korea	192	21/04/2026	
China	170	26/03/2026	
Hong Kong	65	24/04/2026	
Malaysia	55	26/04/2026	
Taiwan	8	17/04/2026	
Vietnam	7	13/04/2026	
Armenia	3	24/03/2026	
Indonesia	1	05/01/2026	
Pakistan	1	03/02/2026	
Total	1,297	26/04/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country

Country	#	Latest Collection date	by Collection date
South Africa	72	29/03/2026	
Kenya	63	14/02/2026	
Ghana	60	22/04/2026	
Uganda	5	09/04/2026	
Zambia	5	13/02/2026	
Burundi	1	13/01/2026	
Total	206	22/04/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia




n=4,769 sequenced genomes, from 1 January 2026 up to 26 April 2026

Europe - BA.3.* vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

growth of 1.3% per day, crossover on 27-Mar-26




This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.

Samples by Country

Country	#	Latest Collection date	by Collection date
Germany	534	13/04/2026	
Sweden	525	21/04/2026	
United Kingdom	460	22/04/2026	
Russia	456	20/04/2026	
France	437	14/04/2026	
Luxembourg	325	28/02/2026	
Norway	286	10/04/2026	
Italy	274	25/04/2026	
Netherlands	260	12/04/2026	
Spain	251	26/04/2026	
Denmark	200	09/03/2026	
Lithuania	155	03/03/2026	
Ireland	145	19/03/2026	
Finland	119	11/03/2026	
Poland	92	30/03/2026	
Greece	55	27/02/2026	
Slovenia	47	25/04/2026	
Croatia	43	07/04/2026	
Czechia	38	13/04/2026	
Slovakia	24	10/03/2026	
Ukraine	17	10/02/2026	
Hungary	14	23/01/2026	
Belgium	8	01/03/2026	
Romania	2	06/02/2026	
Moldova	1	25/02/2026	
Total	4,769	26/04/2026	


North America

● BA.3.* ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFY.* ● XFZ.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America


Location of samples (approx)



n=16,839 sequenced genomes, from 1 January 2026 up to 26 April 2026

North America - BA.3.* vs XFG.*


● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.


Samples by Country

Country	#	Latest Collection date	by Collection date
United States	9,516	26/04/2026	
Canada	7,287	25/04/2026	
Puerto Rico	15	03/03/2026	
Costa Rica	12	15/02/2026	
Mexico	7	16/02/2026	
Dominican Republic	1	02/03/2026	
Guatemala	1	02/01/2026	
Total	16,839	26/04/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America


Location of samples (approx)



n=2,107 sequenced genomes, from 1 January 2026 up to 26 April 2026

South America - Xfv.* vs Xfg.*

● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	1,264	26/04/2026	
Chile	761	26/03/2026	
Paraguay	45	20/03/2026	
Ecuador	24	21/04/2026	
Peru	6	10/02/2026	
Argentina	5	30/03/2026	
Colombia	2	15/03/2026	
Total	2,107	26/04/2026	

Oceania


n=2,400 sequenced genomes, from 1 January 2026 up to 26 April 2026


● BA.3.* ● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFW.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)





This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.


Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,725	26/04/2026	
New Zealand	669	26/04/2026	
New Caledonia	6	25/02/2026	
Total	2,400	26/04/2026	

n=27,620 sequenced genomes, from 1 January 2026 up to 26 April 2026

Global

● RE.1.1.1 ● RE.2.2.3 ● RE.2.3 ● RE.2.5 ● RS.1.4 ● RT.2 ● SK.1



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=27,620 sequenced genomes, from 1 January 2026 up to 26 April 2026

Global

● QF.2 ● SH.1 ● XFG.1.1 ● XFG.1.1.2 ● XFG.14.1 ● XFG.3 ● XFG.3.4.1



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=27,620 sequenced genomes, from 1 January 2026 up to 26 April 2026

BA.3.*

● Australia ● Canada ● France ● Norway ● Spain ● United Kingdom ● United States



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=27,620 sequenced genomes, from 1 January 2026 up to 26 April 2026

NB.1.8.1.* Nimbus

● Australia ● Canada ● Germany ● Japan ● New Zealand ● Sweden ● United States



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=27,620 sequenced genomes, from 1 January 2026 up to 26 April 2026

RE.2.5

● Canada ● South Korea ● United States



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=27,620 sequenced genomes, from 1 January 2026 up to 26 April 2026

Global - XFG.1.1 vs XFG.*

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=27,634 sequenced genomes, from 1 January 2026 up to 26 April 2026

Global



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.














This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
+ United States	3,429	26/04/2026		10/04/2026	
+ Canada	2,885	25/04/2026		10/04/2026	
+ Brazil	914	26/04/2026		10/04/2026	
+ Australia	860	26/04/2026		10/04/2026	
+ Singapore	481	25/04/2026		10/04/2026	
+ Chile	426	26/03/2026		10/04/2026	
+ Russia	298	20/04/2026		10/04/2026	
+ New Zealand	273	26/04/2026		10/04/2026	
+ Sweden	255	21/04/2026		10/04/2026	
+ Spain	165	26/04/2026		10/04/2026	
+ Norway	164	10/04/2026		10/04/2026	
+ France	125	14/04/2026		10/04/2026	
+ Japan	122	25/04/2026		10/04/2026	
+ South Korea	122	21/04/2026		10/04/2026	
+ Denmark	119	09/03/2026		01/04/2026	
+ Finland	119	11/03/2026		07/04/2026	
+ Lithuania	118	03/03/2026		26/03/2026	
+ Germany	106	13/04/2026		10/04/2026	
+ Italy	102	25/04/2026		10/04/2026	
+ China	100	26/03/2026		03/04/2026	
+ Ireland	81	19/03/2026		10/04/2026	
+ Malaysia	51	26/04/2026		10/04/2026	
+ South Africa	50	29/03/2026		10/04/2026	
+ Netherlands	46	12/04/2026		10/04/2026	
+ Croatia	40	07/04/2026		10/04/2026	
+ Poland	40	30/03/2026		10/04/2026	
+ Paraguay	39	20/03/2026		10/04/2026	
+ United Kingdom	35	22/04/2026		10/04/2026	
— Total	11,778	26/04/2026		10/04/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.