
COVID-19 Genomic Sequencing analysis. Lineage Frequencies for Australia. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-10-31 04:35 (UTC)



This page shows the frequency of the top 6 "L2" lineages for Australia, across recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages for Australia, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages for Australia, across recent months. The lineages are filtered for a "Lineage L2" group of interest - here XFG.*.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages for Australia, across recent months. The lineages are filtered for a "Lineage L2" group of interest - here NB.1.8.1.*.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages for Australia, across recent months. The lineages are filtered for a "Lineage L2" group of interest - here BA.3.2.* "Cicada".

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, across the states of Australia, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.


The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=1,366 sequenced genomes, from 1 July 2026 up to 11 October 2026



This page shows the frequency of a selected Lineage of interest, across the states of Australia, over recent months.

The Lineage classifications are provided by Nextclade.


The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=372 sequenced genomes, from 1 September 2026 up to 11 October 2026

Australia - JN.1.* +DeFLuQE vs NB.1.8.1.* Nimbus




This page compares the relative frequency of 2 selected "Lineage L2" groups for Australia, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



Date

01/09/2026 – 30/11/2026

In the last 3 calendar months, offset by 1 calendar month

Host

Human

Continent, Country, Location

Oceania (Continent) + Australia (Country)

Lineage (nextclade)

PJ.2.1


vs Lineage (nextclade)

RK.1.4

Country	Location	Addi...	Collection date	Lineage L2	Lineage (nextclade
Australia	New South W...		08/10/2026	JN.1.* +...	PJ.2.1
Australia	South Australia		08/10/2026	JN.1.* +...	PJ.2.1
Australia	South Australia		06/10/2026	JN.1.* +...	PJ.2.1
Australia	Western Aust...		06/10/2026	JN.1.* +...	PJ.2.1
Australia	Western Aust...		03/10/2026	JN.1.* +...	PJ.2.1
Australia	Western Aust...		02/10/2026	JN.1.* +...	PJ.2.1
Australia	Western Aust...		30/09/2026	JN.1.* +...	PJ.2.1
Australia	New South W...		23/09/2026	JN.1.* +...	PJ.2.1
Australia	New South W...		21/09/2026	JN.1.* +...	PJ.2.1
Australia	New South W...		20/09/2026	JN.1.* +...	PJ.2.1
Australia	South Australia		15/09/2026	JN.1.* +...	PJ.2.1
Australia	New South W...		09/09/2026	JN.1.* +...	PJ.2.1
Australia	New South W...		08/09/2026	JN.1.* +...	PJ.2.1
Total					

n=1,366 sequenced genomes, from 1 July 2026 up to 11 October 2026

Australia



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

COVID-19 Genomic Sequencing analysis - Data Currency. Data from gisaid.org. Source files and info on github.

Last Update: 2026-10-31 04:35 (UTC)

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
Australia	**761**	**11/10/2026**		**02/10/2026**	
New South Wales	265	11/10/2026		02/10/2026	
Queensland	260	26/08/2026		21/09/2026	
South Australia	173	11/10/2026		02/10/2026	
Western Australia	43	11/10/2026		02/10/2026	
Victoria	20	10/08/2026		08/09/2026	
Total	**761**	**11/10/2026**		**02/10/2026**	

This page shows the volume and currency/timeliness of the genomic sequencing data shared for Australia via GISAID, over the last 8 weeks. A breakdown by state/jurisdiction is also shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.