




This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,017 sequenced genomes, from 1 May 2026 up to 30 August 2026

Global - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus

● $\log (1st \text{ Lineage} / 2nd \text{ Lineage})$ ● trend




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	1,502	28/08/2026	
Hong Kong	273	26/08/2026	
South Korea	241	27/08/2026	
Japan	240	24/08/2026	
Thailand	133	11/08/2026	
Taiwan	126	22/08/2026	
Malaysia	114	10/08/2026	
India	111	29/07/2026	
Israel	48	29/06/2026	
Pakistan	46	31/07/2026	
Iran	36	15/08/2026	
Cambodia	16	03/07/2026	
Kazakhstan	15	28/07/2026	
Indonesia	5	11/08/2026	
Vietnam	4	09/07/2026	
Total	2,910	28/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country

Country	#	Latest Collection date	by Collection date
Egypt	115	25/06/2026	
Ghana	79	20/08/2026	
South Africa	31	23/06/2026	
Cote d'Ivoire	28	26/08/2026	
Kenya	9	09/06/2026	
Uganda	8	29/06/2026	
Zambia	6	07/07/2026	
Senegal	3	01/08/2026	
Total	279	26/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia




n=1,142 sequenced genomes, from 1 May 2026 up to 30 August 2026

Europe - BA.3.* vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend


decline of -2.5% per day, crossover on 30-Apr-26



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country


Country	#	Latest Collection date	by Collection date
Spain	638	30/08/2026	
France	100	30/08/2026	
Ireland	85	23/08/2026	
Russia	83	21/08/2026	
Norway	44	04/08/2026	
Netherlands	41	30/08/2026	
Sweden	40	28/07/2026	
Germany	37	12/08/2026	
Portugal	23	01/07/2026	
Italy	16	27/08/2026	
Poland	9	02/06/2026	
Croatia	7	17/08/2026	
Luxembourg	7	02/06/2026	
Slovenia	5	26/08/2026	
Belgium	4	06/08/2026	
Romania	2	11/08/2026	
United Kingdom	1	13/08/2026	
Total	1,142	30/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.


Samples by Country

Country	#	Latest Collection date	by Collection date
United States	2,713	30/08/2026	
Canada	833	30/08/2026	
Costa Rica	204	15/08/2026	
Guatemala	93	24/07/2026	
Haiti	81	24/06/2026	
Mexico	79	14/07/2026	
Dominican R...	43	10/08/2026	
Puerto Rico	43	13/08/2026	
Total	4,089	30/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America


Location of samples (approx)



n=516 sequenced genomes, from 1 May 2026 up to 23 August 2026

South America - Xfv.* vs Xfg.*


● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country


Country	#	Latest Collection date	by Collection date
Brazil	465	23/08/2026	
French Guiana	16	25/06/2026	
Colombia	13	12/07/2026	
Argentina	12	27/06/2026	
Ecuador	10	29/05/2026	
Total	516	23/08/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.

Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,772	30/08/2026	
New Zealand	284	29/08/2026	
Guam	20	17/08/2026	
New Caledonia	5	13/05/2026	
Total	2,081	30/08/2026	



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest - currently JN.1.* + DeFLuQE - the origin of the new wildy novel PJ.2.1 lineage.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

Global

n=11,017 sequenced genomes, from 1 May 2026 up to 30 August 2026

● RF.5.4.1 ● RK.1.4 ● RK.1.5 ● RW.1.1.2 ● ST.1 ● SW.2.1 ● TA.1




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=11,017 sequenced genomes, from 1 May 2026 up to 30 August 2026

Global - PJ.2.1 vs NB.1.8.1.* Nimbus

● $\log (1\text{st Lineage} / 2\text{nd Lineage})$ ● trend



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

Global

n=11,017 sequenced genomes, from 1 May 2026 up to 30 August 2026




This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.























This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
+ United States	1,924	30/08/2026		14/08/2026	
+ Australia	740	30/08/2026		14/08/2026	
+ Spain	522	30/08/2026		14/08/2026	
+ Canada	483	30/08/2026		14/08/2026	
+ Singapore	462	28/08/2026		14/08/2026	
+ Brazil	350	23/08/2026		14/08/2026	
+ Hong Kong	202	26/08/2026		14/08/2026	
+ South Korea	179	27/08/2026		14/08/2026	
+ Japan	173	24/08/2026		14/08/2026	
+ India	111	29/07/2026		14/08/2026	
+ New Zealand	109	29/08/2026		14/08/2026	
+ Egypt	88	25/06/2026		29/07/2026	
+ Malaysia	88	10/08/2026		14/08/2026	
+ Costa Rica	84	15/08/2026		14/08/2026	
+ Haiti	81	24/06/2026		08/08/2026	
+ Mexico	79	14/07/2026		14/08/2026	
+ Ireland	77	23/08/2026		14/08/2026	
+ Taiwan	77	22/08/2026		14/08/2026	
+ France	74	30/08/2026		14/08/2026	
+ Ghana	70	20/08/2026		14/08/2026	
+ Thailand	70	11/08/2026		14/08/2026	
+ Guatemala	61	24/07/2026		14/08/2026	
+ Norway	44	04/08/2026		14/08/2026	
+ Netherlands	41	30/08/2026		14/08/2026	
+ Iran	36	15/08/2026		14/08/2026	
+ Pakistan	30	31/07/2026		14/08/2026	
+ Puerto Rico	29	13/08/2026		14/08/2026	
+ Cote d'Ivoire	28	26/08/2026		14/08/2026	
- Total	6,513	30/08/2026		14/08/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.