


n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

Global



This page shows the frequency of the top 6 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.


The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

Global - BA.3.* vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

growth of 2.0% per day, crossover on 26-May-26




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.


The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.


Location of samples (approx)



n=1,563 sequenced genomes, from 1 February 2026 up to 23 May 2026

Asia - JN.1.* +FLiRT vs NB.1.8.1.* Nimbus


● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.


Samples by Country


Country	#	Latest Collection date	by Collection date
Singapore	941	23/05/2026	
South Korea	174	12/05/2026	
Japan	158	18/05/2026	
China	107	26/03/2026	
Hong Kong	72	19/05/2026	
Malaysia	68	28/04/2026	
Taiwan	22	22/05/2026	
Vietnam	7	13/04/2026	
Kazakhstan	5	15/04/2026	
Thailand	4	23/04/2026	
Armenia	3	24/03/2026	
Cambodia	1	18/05/2026	
Pakistan	1	03/02/2026	
Total	1,563	23/05/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country

Country	#	Latest Collection date	by Collection date
South Africa	49	08/05/2026	
Ghana	37	22/04/2026	
Uganda	5	09/04/2026	
Cote d'Ivoire	4	30/04/2026	
Kenya	4	14/02/2026	
Zambia	2	13/02/2026	
Total	101	08/05/2026	



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia




n=2,941 sequenced genomes, from 1 February 2026 up to 22 May 2026

Europe - BA.3.* vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

growth of 0.6% per day, crossover on 13-Apr-26



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country

Country	#	Latest Collection date	by Collection date
Sweden	378	21/04/2026	
Russia	356	14/05/2026	
France	330	22/05/2026	
Spain	249	21/05/2026	
Germany	246	11/05/2026	
Norway	197	28/04/2026	
Luxembourg	186	03/04/2026	
Italy	184	03/05/2026	
Finland	128	21/04/2026	
Netherlands	122	28/04/2026	
United Kingdom	102	22/04/2026	
Denmark	95	13/04/2026	
Lithuania	95	16/03/2026	
Ireland	76	24/04/2026	
Poland	67	22/05/2026	
Croatia	32	27/04/2026	
Czechia	26	13/04/2026	
Slovenia	21	25/04/2026	
Slovakia	15	30/04/2026	
Greece	14	27/02/2026	
Ukraine	14	23/03/2026	
Belgium	5	19/04/2026	
Romania	2	29/03/2026	
Moldova	1	25/02/2026	
Total	2,941	22/05/2026	

n=11,342 sequenced genomes, from 1 February 2026 up to 24 May 2026


North America

● BA.3.* ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFY.* ● XFZ.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America


Location of samples (approx)



n=11,342 sequenced genomes, from 1 February 2026 up to 24 May 2026

North America - BA.3.* vs XFG.*


● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.

Samples by Country


Country	#	Latest Collection date	by Collection date
United States	6,298	24/05/2026	
Canada	5,006	21/05/2026	
Puerto Rico	17	06/05/2026	
Dominican Republic	14	22/05/2026	
Costa Rica	4	15/02/2026	
Mexico	3	14/03/2026	
Total	11,342	24/05/2026	



n=1,507 sequenced genomes, from 1 February 2026 up to 8 May 2026

South America - Xfv.* vs Xfg.*

● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.


Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	905	08/05/2026	
Chile	549	20/04/2026	
Paraguay	27	20/03/2026	
Ecuador	20	21/04/2026	
Argentina	2	30/03/2026	
Peru	2	10/02/2026	
Colombia	1	15/03/2026	
French Guiana	1	29/03/2026	
Total	1,507	08/05/2026	

n=2,455 sequenced genomes, from 1 February 2026 up to 24 May 2026


Oceania

● BA.3.* ● JN.1.* +DeFLuQE ● JN.1.* +FLiRT ● NB.1.8.1.* Nimbus ● XFG.* ● XFW.*



This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.


Location of samples (approx)



n=2,455 sequenced genomes, from 1 February 2026 up to 24 May 2026

Oceania - BA.3.* vs NB.1.8.1.* Nimbus

● log (1st Lineage / 2nd Lineage) ● trend



This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.



Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	1,869	24/05/2026	
New Zealand	559	08/05/2026	
New Caledonia	26	13/05/2026	
Guam	1	16/03/2026	
Total	2,455	24/05/2026	

n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

Global

● RE.1.1.1 ● RE.1.1.5 ● RE.2.3 ● RE.2.5 ● RS.1.4 ● RT.2 ● SK.1



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.



The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

Global

● QF.2 ● RC.5 ● RE.2.5 ● SH.1 ● XFG.1.1 ● XFG.1.1.2 ● XFG.14.1



This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

BA.3.*

● Australia ● Canada ● France ● Italy ● Norway ● Spain ● United States



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

NB.1.8.1.* Nimbus

● Australia ● Canada ● Germany ● New Zeal... ● Singapore ● Sweden ● United St...



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

RE.2.5

● Canada ● South Korea ● United States



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=19,909 sequenced genomes, from 1 February 2026 up to 24 May 2026

Global - XFG.1.1 vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

Global
























This page shows the frequency of the top 6 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US and Canada

These samples are mainly collected from arrivals into the US and Japan.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
+ United States	1,965	24/05/2026		21/04/2026	
+ Canada	1,513	21/05/2026		21/04/2026	
+ Australia	1,037	24/05/2026		21/04/2026	
+ Singapore	721	23/05/2026		21/04/2026	
+ Brazil	534	08/05/2026		21/04/2026	
+ Sweden	178	21/04/2026		21/04/2026	
+ Chile	170	20/04/2026		21/04/2026	
+ Russia	120	14/05/2026		21/04/2026	
+ New Zealand	111	08/05/2026		21/04/2026	
+ Spain	107	21/05/2026		21/04/2026	
+ South Korea	99	12/05/2026		21/04/2026	
+ France	92	22/05/2026		21/04/2026	
+ Japan	78	18/05/2026		21/04/2026	
+ Malaysia	64	28/04/2026		21/04/2026	
+ Italy	61	03/05/2026		21/04/2026	
+ Netherlands	56	28/04/2026		21/04/2026	
+ Finland	51	21/04/2026		21/04/2026	
+ Norway	51	28/04/2026		21/04/2026	
+ Luxembourg	43	03/04/2026		21/04/2026	
+ Hong Kong	35	19/05/2026		21/04/2026	
+ Germany	29	11/05/2026		21/04/2026	
+ Croatia	28	27/04/2026		21/04/2026	
+ Denmark	27	13/04/2026		21/04/2026	
+ Taiwan	22	22/05/2026		21/04/2026	
+ Poland	21	22/05/2026		21/04/2026	
+ New Caledonia	20	13/05/2026		21/04/2026	
+ Dominican	13	22/05/2026		21/04/2026	
+ Ghana	13	22/04/2026		21/04/2026	
+ Total	7,367	24/05/2026		21/04/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.